S6995-1

STATE
OF
RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF HEALTH

VITAL STATISTICS

ANNUAL REPORT

1983

The Honorable Edward D. DiPrete, Governor

H. Denman Scott, M.D., M.P.H.
Director of Health

Edward J. Martin, State Registrar

Roberta A. Chevoya, Assistant Registrar

Joseph Aldorisio, Senior Research Technician

P R E F A C E

The information tabulated in this report was derived chiefly from certificates of birth, death, marriage, divorce, and fetal death filed in the Division of Vital Statistics, as required by state law, for vital events occurring in Rhode Island. Information was also extracted from transcripts of birth and death certificates, filed in other states, for vital events occurring there to Rhode Island residents.

The filing and editing of the Rhode Island vital records, as well as the extracting and converting to machine-readable form of data contained on the certificates, were carried out by the Division of Vital Statistics, with partial support from federal contract HRA 282-84-2022. This contract with the National Center for Health Statistics represents the participation of the Department of Health in the Vital Statistics Cooperative Program.

H. Denman Scott, M. D., M.P.H.
DIRECTOR OF HEALTH

February 1985

A C K N O W L E D G E M E N T S

This report is the product of the efforts of many individuals. Special thanks are extended to Marion Duckworth, of the Division of Vital Statistics, who was responsible for word processing; to Bette Ann McHugh, of the Division of Vital Statistics, for statistical computations; to Alan Poon and Joan Freitas, of the Office of Health Promotion, for the computer-generated graphs and charts; and to Wayne Aldrich and his staff, of the Division of Management Services for printing the report.

TABLE OF CONTENTS

		Page
Introduction		1
Table A	Vital Statistics Summary: Rhode Island, 1979-1983 and 1969-1973	1
Figure 1	Population Densities of Rhode Island Cities and Towns According to the 1980 Census	2
Figure 1A	Rhode Island Population by Age and Sex, 1980	4
Figure 1B	Rhode Island Population by Age and Sex, 1970	5
Figure 2	Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1954-1983	6
Table B	Rhode Island Occurrence Births at Home, 1974-1983	7
Figure 2A	Natural Increase- Numbers of Persons Added to Rhode Island Population (Births Minus Deaths), 1970-1983	8
Figure 3	Rates for First Live Births, Rhode Island Residents, by Age of Mother, 1970, 1975, 1980 and 1983	10
Figure 3A	Birth Out-of-Wedlock Ratios Per 1,000 Live Births, by Age of Mother: Rhode Island Residents, 1974-1983	12
Figure 4	Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1959-1983	16
Table C	Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island Residents, 1983	19
Figure 5A	Rates from the Five Leading Causes of Death in 1983 with Comparable Rates for 1974-1982, Rhode Island Residents	20
Figure 5B	Rates from the Sixth to Tenth Leading Causes of Death in 1983, with Comparable Rates for 1974-1982, Rhode Island Residents	21
Figure 6	Leading Causes of Death by Sex: Rhode Island Residents, 1983	22
Table D	Five Leading Cancer Sites by Sex,Rhode Island Residents,1983	23
Figure 7	Five Leading Primary Sites, Malignant Neoplasms, by Sex, 1983	24

TABLE OF CONTENTS

		Page
Figure 8	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1983	25
Figure 9	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1983	26
Figure 10	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1983	27
Table E	Resident Accidental Deaths by Type by Sex: Rhode Island,1983	28
Figure 11	Leading Causes of Death from Accidents: Rhode Island,1983 .	29
Table F	Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1974-1983	30
Table G	Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1983, with Provisional U.S. Rates	33
Figure 12	Marriage Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1974-1983	34
Figure 13	Divorce Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1974-1983	36
Table 1	United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980	39
Table 2	Population of Rhode Island Cities and Towns by County: Census of 1970 and 1980, and 1983 Estimate	40
Table 3	Number of Live Births, Deaths, and Marriages with Rates by City and Town: Rhode Island, 1983	41
Table 4	Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1954-1983 .	42
Table 5	Number of Infant, Neonatal, Perinatal and Maternal Deaths with Rates, Rhode Island Residents, 1954-1983	43
Table 6	Resident Deaths by City or Town of Residence by Age, Race and Sex, Rhode Island, 1983	44
Table 7	Deaths and Death Rates for Leading Causes in 1983 and for Comparable Causes in 1974-1982	50

TABLE OF CONTENTS

		Page
Table 8	Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-year Totals with Average Rates, 1979-1983	51
Table 9	Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island 1960-1983 (Rhode Island Residents) . .	54
Table 10	Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1974-1983 . .	54
Table 11	Resident Live Births by Sex and Race of Child and Age of Mother and Live Birth Order, Rhode Island, 1983	55
Table 12	Resident Births Out of Wedlock by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island 1983	59
Table 13	Resident Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1983	63
Table 14	Resident Plural Live Births by Age of Mother, Race and Birth Weight, Rhode Island, 1983	67
Table 15	Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight, Rhode Island, 1983	69
Table 16	Births by City or Town of Residence by Selected Characteristics, Rhode Island, 1983	72
Table 17	Resident Live Births by City or Town by Month, Rhode Island, 1983	73
Table 18	Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1983	74
Table 18A	Births and Births Out of Wedlock, 1983: All Ages and Under Age 20, by City or Town of Residence	82
Table 19A	Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and Mode of Delivery, 1983	83

TABLE OF CONTENTS

		Page
Table 19B	Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1983	83
Table 20	Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery, by City or Town and Census Tract of Mother's Residence, by Marital Status of Mother, 1983	84
Table 21	Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, Rhode Island Occurrences 1983	92
Table 22A	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths and Age of Mother,1983	96
Table 22B	Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1983	97
Table 23	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1983	98
Table 24	Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1983	99
Table 25	Resident Deaths from 72 Selected Causes by Race, Age, and Sex: Rhode Island 1983	100
Table 26	Resident Deaths by City or Town by Month, Rhode Island,1983	113
Table 27	Resident Infant Deaths from 61 Selected Causes by Age, Rhode Island, 1983	114
Table 28	Resident Accidental Deaths, with Non-Motor Vehicle Accidents Shown, by New England Standard Location by Sex and Age: Rhode Island, 1983	115
Table 29A	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1983	117
Table 29B	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1983	125
Table 30	Resident Accident Deaths by Type and Age: Rhode Island,1983	133

TABLE OF CONTENTS

		Page
Table 31	Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1983	134
Table 32	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1983	135
Table 33	Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island, 1983 (Rhode Island Occurrences)	137
Table 34	Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1983	138
Table 35	Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1983 . . .	139
Table 36	Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1983 (Rhode Island Occurrences)	140
Table 37	Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1983	140
Table 38	Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1983	141
Table 39	Divorces Occurring in Rhode Island by Age of Wife, by Age of Husband, 1983	142
Table 40	Divorces by Number of Times Married before this Divorce, by Sex: Rhode Island, 1983 (Rhode Island Occurrences) . .	142
Table 41	Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1983 (Rhode Island Occurrences) . . .	143
Table 42	Number of Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1983 (Rhode Island Occurrences) . .	143
Table 43	Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1983 (Rhode Island Occurrences)	144
Table 44	Divorces According to Last Grade of School Completed, by Sex: Rhode Island, 1983 (Rhode Island Occurrences)	145

INTRODUCTION

This report includes data from all 1983 vital records received by 15 April 1984. Because of the exchange of birth and death records between states, it is possible to publish the number of births and deaths occurring in Rhode Island regardless of the place of residence (occurrence data) and the number of births and deaths of Rhode Island residents regardless of the place of occurrence (resident data). Both resident and occurrence data are shown for births and deaths in Table 3, by city or town of occurrence and by city or town of residence. Resident rates for births and deaths are computed using the number of vital events occurring to residents of each city and town and the population estimates shown in Table 2.

As shown in Table 3, the Division of Vital Statistics recorded 13,092 births which occurred in Rhode Island in 1983, of which 956 were to non-residents; 440 births occurred outside the state to Rhode Island residents, yielding a total of 12,576 resident live births in 1983. The resident rate was 13.2 per 1,000 population. In 1983, the number of deaths recorded in the state was 9,496; non-residents accounted for 585, and 375 deaths to Rhode Island residents were recorded in other states. The total number of resident deaths, therefore, was 9,286, yielding a rate of 9.7 deaths per 1,000 population.

Vital Statistics Summary

Table A, shown below, compares vital statistics data and average rates for the five-year period 1979-1983 with average rates for the years 1969-1973. Rates averaged over five years reduce the effect of random fluctuations that may occur when comparing single years.

Table A - Vital Statistics Summary: Rhode Island, 1979-1983 and 1969-1973
(Birth and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

	Five-Year Average				
	1979-1983		1969-1973		Per Cent
Item	Number	Rate	Number	Rate	Change In Rate
Live Births#	12,306	13.0	14,350	15.1	- 13.9
Deaths#	9,152	9.7	9,431	9.9	- 2.0
Infant Mortality*	143	11.6	274	19.1	- 39.3
Neonatal Mortality*	110	8.9	213	14.8	- 39.9
Perinatal Mortality**	157	12.7	307	21.2	- 40.1
Maternal Mortality***	1	0.7	2	1.5	- 53.3
Fetal Deaths (of 28 weeks or more Uterogestation)*	64	5.2	113	7.9	- 34.2
Marriages#	7,671	8.1	7,648	8.1	---
Divorces#	3,551	3.7	1,837	1.9	+ 94.7
Census Population (1980 and 1970)	947,154		949,723		- 0.3

\# Rate per 1,000 Population
* Rate per 1,000 Live Births
** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation
*** Rate per 10,000 Live Births

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1980 CENSUS



The average birth rate over the past five years (13.0 per 1,000 population) was 14 per cent lower than the five-year average rate of 15.1 observed a decade ago. The average death rate over the past five years (9.7) was two per cent below the five-year average rate of 9.9 a decade ago. The most recent five-year average infant mortality rate (death within the first year of life) was 11.6 per 1,000 live births -- 39 per cent lower than the five-year average of 19.1 a decade ago. The 1979-1983 neonatal mortality rate of 8.9, including infants who died before the 28th day of life, was 40 per cent lower than the rate of 14.8 observed for the period 1969-1973. Perinatal mortality, as used here, refers to early infant deaths (under 7 days old) combined with late fetal deaths (products of conception of 28 weeks or more gestation showing no signs of life following delivery). The average perinatal mortality rate over the past five years was 12.7 per 1,000 live births combined with late fetal deaths, 40 per cent lower than the five-year average a decade ago (21.2).

There was no change in the average marriage rate for the five-year period 1979-1983 when compared with the average rate of a decade ago; the rate for both periods was 8.1.

The average divorce rate for the period 1979-1983 showed a marked increase (the rate doubled from the five-year period 1969-1973). Caution should be observed when analyzing marriage and divorce rates for two reasons. First, it is difficult to compare marriage and divorce rates because the divorce rate for a specified period refers to any persons divorced during that period of time, regardless of the length of the marriage. Since the great majority of persons obtaining a divorce have been married for more than one year, the divorce rate for that year has no direct relationship to the marriage rate in that same year. Second, because there is no complete exchange of marriage and divorce records among the states, marriages and divorces of Rhode Island residents occurring outside the state are not included in Rhode Island rates.

RHODE ISLAND POPULATION

Table 1 shows the 1970 and 1980 census population figures for the state by race and sex and also by age and sex, showing the per cent change for each category between 1970 and 1980. The population pyramids illustrated in Figures 1A and 1B show population shifts within each age group, by sex, reflected in the 1970 and 1980 censuses.

The male population declined three per cent between 1970 and 1980, (464,291 to 451,251); the female population increased by three per cent (482,434 to 495,903). The black population increased nine per cent (25,338 to 27,584); other non-white population was 2 1/2 times as great in 1980, and the white population decreased two per cent (914,757 to 896,692).

Figure 1 illustrates the population density by city or town according to the 1980 Census. Central Falls, with 14,162 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 8,663; Pawtucket, 8,091; Woonsocket, 5,812; and North Providence, 5,121 persons per square mile. The five least populous towns and their densities were: West Greenwich, 54; New Shoreham, 62; Foster, 66; Exeter, 77; and Richmond, 99 persons per square mile. The State average was 903 persons per square mile in 1980.

The statewide population estimates for 1983, shown in Table 2, were obtained from Current Population Reports, January 1984, Series P-25, No. 944.

FIGURE - 1A

Rhode Island Population by Age + Sex, 1980



FIGURE - 1B

Rhode Island Population by Age + Sex, 1970



Figure 2 - Crude Birth and Death Rates Per 1,000 Population: Rhode Island, 1954-1983

Estimates for counties and individual cities and towns were obtained by extrapolation of the 1983 statewide estimates, using the proportions from the 1980 census, which appear in Table 2.

Natural Increase

Natural increase (the excess of resident births over resident deaths) resulted in the net addition of 3,290 persons to the Rhode Island population in 1983. For each of the six previous consecutive years (1977-1982), the natural increase had been higher in comparison to the preceding year. In 1983, the natural increase dropped from 3,524 in 1982 to 3,290. (See Figure 2A).

L I V E B I R T H S

There were 12,576 resident live births recorded for Rhode Island in 1983, yielding a resident rate of 13.2 per 1,000 population. In Rhode Island, the birth rate had decreased steadily from 1959 until 1975, reaching the all-time low rate of 11.6 in both 1975 and 1976. From 1976-1983, the birth rate has shown a slow but steady increase for all years except 1982, when the rate declined one per cent. (See Table 4 and Figure 2 for the annual variations in births and birth rates over the past 30 years).

Home Births

There continues to be a great deal of interest focused on midwifery and home births, both nationally and locally. Until 1978, when the Rhode Island Department of Health promulgated regulations for the licensing of midwives, there was only one licensed midwife practicing in Rhode Island. Since 1978, the number of licensed midwives has increased to eleven.

The percentage of home births occurring in Rhode Island has increased over the past 10 years from a low of 0.2 in 1974 to a high of 0.6 recorded in 1979, 1981, 1982, and 1983. (See Table B below).

Table B - Rhode Island Occurrence Births at Home, 1974-1983

Year	Occurrence Births	Home Births	
	Total Number	Number	Per Cent
1974	11,696	26	0.2
1975	10,957	20	0.2
1976	11,102	24	0.2
1977	11,937	36	0.3
1978	11,785	51	0.4
1979	12,251	71	0.6
1980	12,574	66	0.5
1981	12,866	74	0.6
1982	13,032	82	0.6
1983	13,092	81	0.6

Fertility Rates

The fertility rate is calculated by dividing the total number of resident births by the female population aged 15-44, multiplied by 1,000. The fertility rate is a more precise measure of reproduction than the crude birth rate, but it can be determined accurately only in census years. The fertility rate for 1980

Figure 2a - Natural Increase
Number of Persons Added to R.I. Population
(Births Minus Deaths) 1970-1983



was 56.4 per 1,000 female Rhode Island residents aged 15-44. Assuming the ratio of females in this age group to the total female population is the same as in 1980, the estimated fertility rate for 1983 was 57.9, an increase of one per cent from 1982.

The table below shows age-specific fertility rates for Rhode Island during 1960, 1965, 1970, and 1980. The fertility rate decreased for all age groups between 1970 and 1980; the largest decrease occurred in the 40-44 age group, for which the fertility rate dropped by 68 per cent.

Fertility Rates by Age of Mother: 1960, 1965, 1970 and 1980
(Rates per 1,000 Female Population in Specified Age Groups)

Age of Mother in Years	1960	1965	1970	1980	Per Cent Change Between 1970 and 1980
TOTAL (15-44)	108.7	98.8	84.9	56.4	-33.6
15-19	56.9	47.7	45.2	32.9	-27.2
20-24	236.8	212.6	163.4	89.3	-45.3
25-29	206.9	192.9	155.3	104.2	-32.9
30-34	122.1	111.4	79.6	57.6	-27.6
35-39	61.5	54.3	35.6	15.9	-55.3
40-44	14.7	13.7	9.3	3.0	-67.7

Five-Year Average Rates by Residence

Average annual rates of birth for the past five years may be seen in Table 8 for the state as a whole and for each city or town and census tract of residence. Birth rates were computed using the 1980 census population. The average birth rate for the state for 1979 to 1983 was 13.0 per 1,000 population in 1980.

Daily Average

Rhode Island mothers delivered an average of 34.5 babies per day in 1983, compared with 34.2 in 1982, 34.1 in 1981, 33.2 in 1980, and 32.5 in 1979. The highest daily average for 1983 occurred in April, with 37.4 births per day. The lowest daily average, 31.0 per day, occurred in December.

Sex Ratio

In 1983, there were 6,520 male children and 6,056 female children born to Rhode Island residents. The ratio of males to females was 1,077 males per 1,000 females.

Births by Race

In 1983, there were 11,211 resident white births and 1,330 resident non-white births (89 and 11 per cent, respectively, of those births where race was reported). There has been a gradual but steady increase over the years in the percentage of non-white resident births: 1962, four per cent; 1972, seven per cent; and 1982, 10 per cent.

Figure 3 - Rates for First Live Births Rhode Island Residents by Age of Mother 1970, 1975, 1980, and 1983



First Births

In 1983, first births accounted for 45 per cent of all deliveries where birth order was known, two per cent less than reported for 1980-1982. Similar percentages have been experienced in the last several years; first births accounted for 45 per cent of all deliveries for 1976-1979 and for 44 per cent of all deliveries for 1974-1975.

Recently, there has been increasing interest in the age at which Rhode Island women have their first child. The rate of first live births per the female population in specified five-year age groups for the years 1970, 1975, 1980, and 1983 is shown in Figure 3. Census population figures were used to compute rates for 1970 and 1980. The 1975 population figures were computed by interpolating between the 1970 and 1980 censuses. The 1983 population figures were computed using the statewide population estimate for 1983 obtained from Current Population Reports, and extrapolating from the proportions of females in the 1980 census in each specified age group being studied.

Figure 3 shows that the age at which Rhode Island women have chosen to start their families has increased over the past thirteen years. A steady decrease is observed in the rate of first births among women aged 15-19 over the years studied. A large drop in the rate of first births among women aged 20-24 occurred between 1970 and 1975, followed by a steady increase from 1975 through 1983 in the rate of first births among women aged 25-29 and 30-34.

Second or Higher in Birth Order

The percentage of second births to Rhode Island residents has remained fairly constant during the last several years, ranging from 32 to 34 per cent. A gradual downturn seemed evident in the last few years in the percentage of births third or higher in birth order: from 23 per cent in 1974 and 1975, to 22 per cent in 1976, dropping again to 21 per cent from 1977 to 1981 and to 20 per cent in 1982. In 1983, the rate increased to 23 per cent.

Low Birth Weight Infants

The rate of low birth weight infants (those weighing five pounds, eight ounces or less) averaged 62.7 per 1,000 live births over the past five years. In 1983, there were 760 low birth weight infants delivered to Rhode Island residents (60.8 per 1,000 live births). The non-white ratio (110.6) was almost double the white ratio of 59.9. Low birth weight infants by race may be seen in Table 16 by city or town of mother's residence. Low birth weight infants by age of mother may be seen in Table 13; low birth weight infants by plural birth may be seen in Table 14.

Table 16 shows low birth weight infants, the number of infants born in hospitals and the number born out of wedlock, by race and by city or town of residence. Table 18 shows all births, births out of wedlock, low-weight births, births with malformations, and births by the month prenatal care began, all distributed by city or town and census tract of mother's residence.

Births Out of Wedlock

Births out of wedlock accounted for 18 per cent of all resident births in 1983 (a ratio of 160.7 per 1,000 live births). The non-white ratio (422.6) was three times the white ratio (146.8). The average birth out of wedlock ratio for

Figure 3a - Birth Out Of Wedlock Ratios Per 1,000 Live Births by Age of Mother Rhode Island Residents 1974-1983



the past five years (159.2) was five per cent above the five-year average of 152.0 for 1978-1982. The ratio has increased steadily each year since 1960; the ratios for 1959-1982 may be seen in Table 9. Although the U.S. birth out of wedlock ratio for 1983 is not yet available, the U.S. ratio in the past years has been consistently above that observed in Rhode Island.

Birth out of wedlock ratios by age of mother are shown in Figure 3 and Table 10 for 1974-1983. In 1983, women under 20 years of age had considerably higher ratios than any other group, continuing a trend of rising birth out of wedlock ratios for this age group over the last ten years. The ratio of mothers aged 20-24 has also increased steadily since 1974, when a ratio of 85.4 was observed; the birth out of wedlock ratio for this age group reached a high of 210.6 in 1983. The ratios for women aged 25-29 have also increased steadily from 1973-1983. Although the birth out of wedlock ratios for women 30 years of age and older has increased overall since 1973, some fluctuation has been observed from year to year.

Births out of wedlock to teenagers by city or town of residence are shown in Table 18A. Births out of wedlock to teenagers accounted for 59.6 per cent of all births to teenagers in 1983, an increase of ten per cent over 1981.

Teenage Pregnancy

In order to analyze pregnancy outcome for teenagers, it is necessary to include both births and fetal deaths occurring to teenagers. Table 18A shows births to these women by city or town of residence for 1983. There were 1,434 resident births to teenagers in 1983, along with 69 spontaneous fetal deaths and 1,861 induced terminations occurring to teenagers in Rhode Island, regardless of the teenager's residence, for a total of 3,364 teenage pregnancies; the rate of teenage pregnancies per 1,000 estimated female residents aged 15-19 for 1983 was 74.1, a decrease of four per cent from 1982.

F E T A L D E A T H S

Definition

The definition of fetal death used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles".

Background Information

The Rhode Island abortion law was technically declared unconstitutional early in 1973, with the United States Supreme Court decision on the Texas and Georgia Laws. Following that decision, the Rhode Island Department of Health adopted Rules and Regulations for the termination of pregnancy that became effective in mid-June, 1973. One of the provisions of these Rules and Regulations made the reporting of all fetal deaths mandatory, regardless of the length of gestation; this requirement was also mandated by legislation passed in 1976 by the Rhode Island legislature. Prior to 1973, mandatory reporting

applied only to fetal deaths of 20 weeks or more uterogestation (from date of mother's last normal menstrual period to date of delivery). As a result, interpretation of fetal death data, other than late fetal deaths, cannot be compared with years prior to 1974, the first full year that data on early fetal deaths was required.

1983 Data

The number of fetal deaths occurring in Rhode Island, rather than resident data, are shown in most tables since there is not a complete exchange of fetal death certificates among the states. Twenty-one per cent of the fetal deaths in Rhode Island in 1983 occurred to non-residents, while the number of fetal deaths to Rhode Island residents reported from other states was insignificant.

There were 7,703 occurrence fetal deaths recorded in Rhode Island in 1983, a decrease of eight per cent over the 8,400 recorded in 1982. The majority of the fetal deaths (91 per cent) were induced terminations (Table 19A). The number of induced terminations decreased by nine per cent in 1983, when compared with 1982. As in the past few years, the majority of fetal deaths (98 per cent) were under twenty weeks uterogestation. Only four of the induced terminations were known to be over twenty weeks gestation; whereas, 89 of the spontaneous fetal deaths (12 per cent) were known to be over twenty weeks gestation. Table 19B displays the number of fetal deaths occurring in Rhode Island by month of delivery and weeks of gestation. The highest daily average (23.3) occurred in March; the lowest daily average (19.1) occurred in July. The daily average for 1983 was 21.1 fetal deaths per day.

Resident fetal deaths by mother's marital status and census tract of mother's residence may be seen in Table 20. Seventy-one per cent of the resident fetal deaths occurred to unmarried women. In those cases where marital status was stated, only 22 per cent of the spontaneous fetal deaths occurred to unmarried women, whereas 78 per cent of the induced terminations occurred to unmarried women. Caution should be exercised in utilizing data by census tract; wide variations, attributable to random fluctuations, can occur where the numbers are small.

All induced terminations occurring in Rhode Island in 1983 may be seen in Table 21 by age, marital status, and previous delivery history of mother. Of the 6,980 cases where age was known, teenagers accounted for 27 per cent of all induced terminations; almost all of these teenagers (95 per cent) were unmarried. Of the 2,657 induced terminations to women aged 20-24 (38 per cent of the total), the great majority of this group (84 per cent) were unmarried. Of the 2,026 women in the age group 25-34 (29 per cent of the total), over half the women (60 per cent) were unmarried. Six per cent of all induced terminations were to women aged 35 and older; of this group, 39 per cent were unmarried.

In 1983, 45 per cent of all induced terminations (Table 21) were to women who had no previous deliveries. Twenty-three per cent of women having an induced termination in 1983 had had one previous delivery; in 59 per cent of these cases the previous deliveries were induced terminations, 37 per cent were live births, and four per cent were spontaneous fetal deaths. Twenty-four per cent of the women had had two or three previous deliveries, while only eight per cent had had four or more previous deliveries. In 33 cases, previous delivery history was unknown.

Spontaneous fetal deaths of 20 weeks or more uterogestation are shown in Table 22A by total birth order, number of previous fetal deaths, and age of mother; Table 22B shows all spontaneous fetal deaths, regardless of gestation, by the same parameters. Of those cases where birth order of the fetus was reported, 25 per cent of spontaneous deliveries of 20 weeks or more gestation, and 34 per cent of all spontaneous deliveries, were first deliveries. Second and third deliveries accounted for 49 per cent of the 20 weeks and over group and also for 49 per cent of all spontaneous fetal deaths. Fourth or higher delivery order accounted for 26 per cent of the spontaneous fetal deaths of 20 weeks and over gestation and for 17 per cent of all spontaneous fetal deaths. The number of 20 weeks and over spontaneous fetal deaths where birth order was unknown totalled 18 per cent; of all spontaneous fetal deaths, 50 per cent were of unknown birth order in 1983. The majority of the mothers were under age 30, accounting for 72 per cent of spontaneous fetal deaths of 20 weeks or more gestation and for 67 per cent of all spontaneous fetal deaths.

Table 23 illustrates the number of spontaneous fetal deaths of 20 weeks or more uterogestation for 1983 by age of the mother and fetal weight. In those cases where weight was reported, sixty-nine per cent of the fetuses were of low weight (less than 5 lbs. 8 oz.).

Cause of death and weeks of uterogestation for all fetal deaths are shown for 1983 in Table 24.

PERINATAL MORTALITY

Perinatal mortality, as used in this report, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life. The 1983 perinatal mortality rate, 11.8 per 1,000 live births combined with late fetal deaths, increased three per cent from the rate of 11.5 observed in 1982. The 1982 and 1983 rates are the lowest rate experienced in the past thirty years (Table 5). The five-year average perinatal mortality rate (1979-83) of 12.7, shown in Table A, was 40 per cent lower than the five-year average of 21.2 a decade ago (1969-73).

MATERNAL DEATHS

The International Classification of Diseases, 9th Revision, defines maternal death as "the death of any woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes". This definition is used in Rhode Island for classifying maternal deaths.

In 1983, only one maternal death occurred to a Rhode Island resident, resulting in a rate of less than one per 10,000 live births. The Rhode Island rate was 90 per cent lower than the national rate in 1983. (See Table 5 for annual variations in maternal deaths and maternal death rates for the past thirty years).

Figure 4 - Infant and Neonatal Mortality Rates Rhode Island and the United States 1959-1983



INFANT DEATHS

Definition

Infant death is defined as a death occurring within the first year of life.

1983 Data and Average Rates

There were 145 resident infant deaths in 1983, yielding a rate of 11.5 per 1,000 live births. The rate represents an increase of 15 per cent from the rate of 10.0 observed in 1982. The average infant mortality rate for the last five years (11.6) was 39 per cent lower than the average rate (19.1) for 1969-73 (Table A). Average rates for the past five years are shown in Table 8 by city or town and neighborhood of residence. The provisional national infant death rate for 1983 was 10.9 per cent, five per cent lower than the Rhode Island rate.

Infant Deaths By Race

Of the 145 infant deaths in 1983, 23 were non-white infants. The 1983 non-white infant death rate was 17.3 per 1,000 non-white births and was 59 per cent above the white rate of 10.9. Although there was a significant decrease in the non-white infant death rate from 32.1 in 1979 to 11.9 in 1980, the rate for non-whites has been increasing steadily since 1980. In 1981, the non-white rate rose to 14.4 per cent, an increase of 21 per cent over the rate observed in 1980. The 1982 rate increased again to 15.7, a nine per cent increase from 1981. The 1983 rate (17.2) represents a further increase of 10 per cent.

Infant Deaths by Cause and by Residence

Infant deaths are shown as a subset of all deaths by 72 selected causes of death in Table 25 and by 61 selected causes of infant deaths by the age at death in Table 27. Infant deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

NEONATAL DEATHS

Neonatal deaths (infant deaths that occurred prior to the 28th day of life) accounted for 78 per cent of infant deaths in 1983. Eighty-seven per cent of all neonatal deaths occurred before the seventh day of life; sixty-three per cent of all neonatal deaths occurred before the end of the first day (Table 27).

The average neonatal death rate for the past five years, 8.9 per 1,000 live births, was 40 per cent lower than the five-year average rate of 14.8 observed a decade ago (Table A).

Neonatal deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

DEATHS

There were 9,286 Rhode Island resident deaths recorded in 1983, yielding a crude rate of 9.7 deaths per 1,000 estimated population. The 1983 rate was three per cent higher than the rate for 1982 and one per cent higher than the 1981 rate. Table 4 and Figure 2 show that the Rhode Island death rate has remained fairly stable during the past thirty years, with a slight decrease during the last ten years.

The 1983 state rate was 13 per cent higher than the provisional U.S. rate of 8.6. The Rhode Island death rate has been somewhat higher than the national rate for several years. A major factor in this difference is the percentage of elderly people in the population of Rhode Island: according to the 1980 census, the percentage of persons aged 65 and over in the state was 19 per cent higher than for the nation.

The number of deaths by city or town of occurrence and by city or town of residence, along with resident rates, is shown in Table 3.

Distributions of Rhode Island deaths by age, race, and sex are shown in Tables 6 and 25: 97 per cent white vs. three per cent non-white and 51 per cent male vs. 49 per cent female.

Resident deaths for each city or town by age, race, and sex are shown (for the entire year) in Table 6 and by month in Table 26. The daily average was 25.5 deaths per day in 1983. The highest daily average was in April, with 30.8 deaths per day; the lowest in August, with 21.1 per day. All deaths and deaths from selected causes appear by city or town and census tract of residence in Tables 29A and 29B.

Average annual death rates for the past five years are given in Table 8 by city or town and neighborhood of residence. Death rates were computed per 1,000 population according to the 1980 census.

The median age for all deaths was 75.3 years. For all females, the median age at death was 78.8; for white females, 79.0; and for non-white females, 66.8. The male median was 71.9; for white males, 72.1; for non-white males, 63.4. (See Table C). The non-white medians may not be statistically significant, since they are based on small totals; however, the non-white median ages have been consistently below the median age, both on a national and state level.

Deaths By Cause

The Ninth Revision of the International Classification of Diseases (ICD) was first used in the classification of deaths for 1979. As has occurred in previous revisions of this mortality classification system, many changes were introduced, resulting in serious breaks in comparability between the Ninth and Eighth Revisions (in use from 1968-1978) for several cause-of-death categories. Ratios of comparability between the two Revisions have been computed to measure this discontinuity.

A ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause of death category by both Revisions. In general, a ratio lower than 1.00 indicates either that fewer deaths were assigned to a particular category by the Ninth Revision than by the Eighth or that the cause of death

category, as defined by the Ninth Revision, is only a part of the comparable Eighth Revision category. A ratio higher than 1.00 indicates the reverse situation. (For a more comprehensive discussion of the methodology and interpretation of comparability ratios, see "Monthly Vital Statistics Report", Vol. 28, No. 11, Supplement, February 1980.)

Table 7 shows the 20 leading causes of death for 1983, with the numbers and rates for the same causes for 1979 to 1982, and for the comparable cause categories for 1974 to 1978, along with the corresponding comparability ratios. These 20 causes of death accounted for 91 per cent of all deaths in 1983. For many years, the four leading causes have been Diseases of the Heart, Malignant Neoplasms, Cerebrovascular Diseases, and Accidents, with the gap between Accidents and Chronic Obstructive Pulmonary Diseases (the fifth leading cause) narrowing rapidly. In 1983, the number of Chronic Obstructive Pulmonary Diseases (309, yielding a rate of 32.4) surpassed the number of Accidents (234, yielding a rate of 24.5). The ten leading causes accounted for 86 per cent of all deaths; rates for the ten leading causes may be seen in Figures 5A and 5B for the past ten years. The five leading causes of death for each sex are illustrated in Figure 6.

Table 31 shows the ten leading causes of death by sex, with rates for 1983 and 1982, and the per cent change in rates. The number of deaths for the five leading causes of death in each age group are shown in Table 32, along with age-specific death rates in 1983 and 1982 and the per cent change in rates. Median ages for all causes of death and for the ten leading causes of death, by sex, are shown in Table C below:

Table C - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1983

Causes	Male	Female	Total
ALL CAUSES	71.9	78.8	75.3
1. Diseases of the Heart	73.1	82.2	77.8
2. Malignant Neoplasms	70.3	71.8	71.0
3. Cerebrovascular Diseases	78.9	82.8	81.4
4. Chronic Obstructive Pulmonary Disease and Allied Conditions	74.5	76.2	75.0
5. Accidents and Adverse Effects	36.2	69.7	45.8
6. Pneumonia and Influenza	81.2	86.5	84.7
7. Diabetes Mellitus	72.9	75.6	74.4
8. Atherosclerosis	80.0	85.0	83.3
9. Chronic Liver Disease and Cirrhosis	59.1	62.5	60.1
10. Suicide	32.7	46.0	34.5

Cardiovascular Diseases is not ranked as a cause of death, but includes five cause of death categories, four of which were among the 20 leading causes. The five categories are: Diseases of the Heart (rank 1); Cerebrovascular Diseases (rank 3); Atherosclerosis (rank 8); Hypertension with or without Renal Disease (rank 14); and Other Diseases of Arteries, Arterioles, and Capillaries, which is not ranked. There were 4,668 deaths from Cardiovascular Diseases in 1983 (Table 25), representing 50 per cent of all deaths (48 per cent for males and 53 per cent for females). The provisional national rate was 418.1 per 100,000 estimated population, 14 per cent lower than the state rate of 488.8.

Figure 5a - Rates From Five Leading Causes of Death in 1983, with Comparable Rates for 1974-1982, Rhode Island Residents



Figure 5b - Rates From the 6-10th Leading Causes of Death in 1983, with Comparable Rates for 1974-1982, Rhode Island Residents



Figure 6 - Leading Causes of Death by Sex
Rhode Island Residents, 1983



Each slice represents a percentage of the total number of deaths, by sex, for the year.

Diseases of the Heart has been the leading cause of death historically, both nationally and in the state. The rate has remained fairly constant for many years and was 389.5 per 100,000 estimated population in 1983 (Figure 5A). Of all deaths in 1983, 40 per cent of both males and females died from heart disease. It appears as one of the five leading causes in all age groups over age 19, as shown in Table 32 and in Figures 8, 9, and 10. It was the leading cause of death among persons 65 years of age and over (44 per cent of deaths in this age group). The provisional national rate was 327.6 in 1983, 16 per cent lower than the state rate.

Malignant Neoplasm, including Neoplasms of Lymphatic and Hematopoietic Tissues with 25 per cent of all deaths, was the second leading cause of death in Rhode Island, as well as in the United States, in 1983. The state rate was 241.0 per 100,000 estimated population; the provisional national rate was 188.3, 22 per cent below the state rate. Malignant Neoplasms was the second leading cause of death for both males and females (Table 31 and Figure 6), accounting for 26 per cent of male deaths and 24 per cent of female deaths. Malignant Neoplasms appears as one of the five leading causes of death in all age groups over age five, as shown in Table 32 and Figures 8, 9, and 10). It was the leading cause of death among persons aged 20-44 (23 per cent of deaths in this age group) and among persons 45-64 (38 per cent of deaths among this age group).

The five leading primary sites for each sex are shown in Table D, below, and in Figure 7. All major sites may be seen in Table 25 by race, age, and sex.

Table D - Five Leading Cancer Sites by Sex, Rhode Island Residents, 1983

MALE			FEMALE		
Site	Number	Per Cent	Site	Number	Per Cent
1. Respiratory and Intrathoracic Organs	399	33	1. Digestive Organs and Peritoneum	309	28
2. Digestive Organs and Peritoneum	339	28	2. Breast	199	18
3. Genital Organs	135	11	3. Respiratory and Intrathoracic Organs	183	17
4. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	74	6	4. Genital Organs	114	10
5. Urinary Organs	68	6	5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	74	7

Cerebrovascular Diseases, with 640 resident deaths and a rate of 67.0 per 100,000 population, was the third leading cause of death in 1983. Nine per cent of the females and five per cent of the males died from this cause (Table 31 and Figure 6). The female rate, 80.6 was 55 per cent above the male rate of 52.1. The provisional national rate was 66.8, less than one per cent below the state rate.

Figure 7 - Five Leading Primary Sites
Malignant Neoplasms, by Sex, 1983



MALE



FEMALE

*Lymphatic and Hematopoietic Tissue
(other than Leukemia)

Figure 8 - Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1983



*Certain conditions originating in the perinatal period.

Figure 9 - Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1983



*Chronic Liver Disease and Cirrhosis
**Chronic Obstructive Pulmonary Disease

Figure 10 - Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1983



AGE 65 and OVER

*Chronic Obstructive Pulmonary Disease

Cerebrovascular diseases are primarily diseases of maturity. The median age among decedents in this category was 81.4, eight per cent higher than for all deaths in 1983 (Table C). Only two per cent of these decedents were under 45 years of age, and just seven per cent were younger than 60 years old. In contrast, seven per cent of all decedents were less than 45 years old, and seventeen per cent were less than 60 years old.

Chronic Obstructive Pulmonary Diseases and Allied Conditions was the fourth leading cause of death in 1983. Because of changes from the Eighth to the Ninth Revision of the International Classification of Diseases, this group of diseases was not ranked as one of the ten leading causes before 1979. The comparability ratio between the Eighth and the Ninth Revision for this category is 1.8846, nationally, which means that 88 per cent more deaths are assigned to this category under the Ninth Revision than are assigned to its most nearly comparable category under the Eight Revision ("Bronchitis, Emphysema, and Asthma"). This large variability can be accounted for almost entirely by the transfer of deaths assigned by the Eighth Revision to "Chronic Obstructive Lung Disease without mention of Asthma, Bronchitis, or Emphysema" (ICDA No. 519.3) to the new Ninth Revision title "Chronic Airways Obstruction Not Elsewhere Classified" (ICD No. 496). In Figure 5 and Table 7 for deaths prior to 1979, the number of deaths assigned to ICDA No. 519.3 have been included with the number assigned to the Eighth Revision title "Bronchitis, Emphysema, and Asthma" (ICDA No. 490-492) in order to make that category more comparable to the new Ninth Revision title. Because these figures are not available nationally, there is no comparability ratio for the Ninth Revision title and this special grouping.

There were 309 deaths to Rhode Island residents from this cause of death in 1983, accounting for a rate of 32.4 per 100,000 estimated population. The provisional national rate was 28.4, twelve per cent lower than the state rate.

Chronic obstructive pulmonary diseases was the fourth leading cause of death for males, with males accounting for 64 per cent of the deaths from this cause. It was the fourth leading cause for all decedents aged 45 years and older (Tables 31 and 32). The median age (75.0) was slightly lower than the median age for all causes (75.3).

Accidents ranked fifth among the leading causes in 1983, accounting for 234 deaths and a rate of 24.5 per 100,000 estimated population. For many years, the Rhode Island accidental rate has been lower than the national rate. The 1983 state rate was 37 per cent lower than the provisional U.S. rate of 39.0.

Table E - Resident Accidental Deaths by Type by Sex: Rhode Island, 1983

Type of Accident	Total	Males	Females
All Accidents*(E800-E949)	234	157	77
Railway Accidents(E800-E807)	2	2	0
Motor Vehicles(E810-E825)	99	73	26
Water Transport (E830-E838)	8	7	1
Air and Space Transport(E840-E854)	2	2	0
Poisoning(E850-E869)	13	10	3
Falls(E880-E888)	59	29	30
Fires and Flames(E890-E899)	12	9	3
Drowning(E910)	10	7	3
Food/Object Inhalation(E911-E912)	8	5	3
Electric Current(E925)	2	2	0
All Other (Residual)	19	11	8

* For complete titles, see Table 30.

Figure 11 - Leading Causes of Death From Accidents: Rhode Island Residents, 1983



Accidents were a major factor in deaths among both males and young people. Males accounted for 67 per cent of all accidental deaths, and 50 per cent of the decedents were under 45 years of age. Thirty-two per cent of all accidental deaths, occurred to males younger than 35 years old. Table 31 shows that the accidental death rate for males (34.5 per 100,000 estimated population) was more than double that for females (15.4).

Except for persons 45 years of age and over, accidents ranked as one of the five leading causes in each age group shown in Table 32 and was the leading causes in the age groups 5-19 years. This information is shown in Figures 8, 9, and 10. Accidental deaths occurred predominantly among young males. The median age at death for all accidents was 45.8 years, 36.2 years for males and 69.7 for females). (See Table C). Accidental deaths are also shown by age of decedent and type of accident in Table 30 and Figure 11 and by location of accident in Table 28.

Motor Vehicle Accidents were responsible for the death of 99 Rhode Island residents, 42 per cent of all resident accidental deaths in 1983, accounting for a rate of 10.4 per 100,000 estimated population, the lowest in many years. Table F, below, gives the number of Rhode Island resident deaths and rates for motor vehicle accidents for the years 1974-1983.

Table F - Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1974-1983
(Rates per 100,000 Population)

Year	Number	Rate	Year	Number	Rate
1974	130	13.8	1979	140	15.1
1975	125	13.5	1980	140	14.8
1976	142	15.3	1981	116	12.2
1977	158	16.9	1982	121	12.6
1978	124	13.3	1983	99	10.4

Rhode Island's death rate from motor vehicle accidents has remained below the national rate for many years. The state's 1983 death rate was 44 per cent lower than the provisional national rate of 18.7.

Males accounted for 74 per cent of the deaths from motor vehicle accidents in 1983. The 73 male deaths in this category also represented 46 per cent of all accidental deaths to males. The median age at death was 28.1 for all motor vehicle accidents (26.5 for males and 50.0 for females).

Table 30 distributes Rhode Island deaths from motor vehicle accidents by type of accident by age of decedent. Highway collisions accounted for 91 (92 per cent) of all motor vehicle accidents to Rhode Island residents during 1983.

Non-motor Vehicle Accidents accounted for 135 of the 234 accidental deaths (58 per cent) to Rhode Island residents in 1983. These non-motor vehicle accidents were distributed as follows: falls, 44 per cent; poisoning, 10 per cent; fires and flames, 9 per cent; drowning and submersion, 7 per cent; water transport accidents and inhalation of food or other object, 6 per cent each; railway accidents, air and space transport accidents, and electric current, 1 per cent each. (See Table 30).

Non-motor vehicle accidents may be seen by place of accident by age in Table 28. Half of these accidents occurred at home; 14 per cent in resident institutions; 5 per cent at places of recreation; and 1 per cent in places of industry.

Pneumonia and Influenza accounted for 228 deaths and ranked as the sixth leading cause in 1983, yielding a rate of 23.9 per 100,000 estimated population, 51 per cent higher than in 1982. Of the 228 deaths in this category, 226 were classified to pneumonia and two to influenza. The state rate for pneumonia and influenza was 4 per cent higher than the national provisional rate of 22.9 for 1983.

Pneumonia and influenza constituted the fourth leading cause of death for females and the sixth leading cause for males (Table 31). The male rate of 20.7 was 23 per cent lower than the female rate of 26.8. These deaths occurred predominantly among older persons: the median age was 84.7 years and only 26 decedents (11 per cent) were less than 65 years old (Tables C and 25).

Caution should be exercised in interpreting statistics on pneumonia mortality. In this report, as well as in national publications, deaths are classified to pneumonia only when that disease is designated by the certifying physician as the underlying cause of death, i.e., as the disease initiating the chain of events leading to death. Furthermore, in Rhode Island, when pneumonia is initially classified as the underlying cause of death, the Division of Vital Statistics routinely queries the physician to confirm whether the pneumonia initiated the chain of events leading to death or whether it was a terminal event secondary to another disease or condition. If the pneumonia was secondary to another disease or condition, the death is classified to the disease or condition which led to the pneumonia. It may be inferred, therefore, that deaths involving pneumonia are much greater in number than those classified to pneumonia as the underlying cause of death.

Diabetes Mellitus, with 208 deaths and a rate of 21.8 per 100,000 estimated population, was the seventh leading cause of death in 1983. The Rhode Island death rate from diabetes has been among the highest in the nation, and the state's 1983 rate was 43 per cent higher than the provisional national rate of 15.2. It was the fifth leading cause for females and the seventh leading cause for males (Table 31). The median ages for females (75.6) and for males (72.9) were close to the median ages for all female and male deaths (78.8 and 71.9, respectively). The median age for all diabetes deaths was 74.4.

Atherosclerosis and Hypertension ranked eighth and fourteenth, respectively, in 1983. There were 138 deaths classified to Atherosclerosis (a rate of 14.5) and 52 to Hypertension (a rate of 5.4) (Table 7). These relatively low rates seem to contradict the known devastating effects of these two diseases on the Rhode Island population and on that of the nation as a whole. These low rates occur each year because of the procedure used in classifying deaths for statistical purposes. World Health Organization (WHO) classification rules require deaths from atherosclerosis or hypertension to be assigned to more specific forms of these diseases (such as arteriosclerotic heart disease or acute myocardial infarction) whenever the more specific diseases are mentioned on the death certificate. One must be aware of this procedure, then, when interpreting mortality statistics prepared in accordance with WHO guidelines. The actual involvement of atherosclerosis and hypertension in deaths from diseases of the cardiovascular system is greatly in excess of the relatively few deaths classified to these diseases, both in this report and in national publications. The provisional national rates for 1983 were 11.1 for atherosclerosis and 3.3 for hypertension.

Chronic Liver Disease and Cirrhosis was the ninth leading cause in 1983, with 121 deaths and a rate of 12.7 per 100,000 estimated population. It ranked as the eighth leading cause of death for males and the ninth for females. The provisional national rate of 11.9 for 1983 was six per cent lower than the state rate.

Chronic liver disease and cirrhosis is primarily a disease of the middle years. During 1983, decedents 45-64 years of age accounted for 56 per cent of all deaths from this category. In contrast, only 18 per cent of deaths from all causes in 1983 were in this age category. Chronic liver disease and cirrhosis was the third leading cause of death in this age group, and the median age at death was 60.1 years, substantially lower than for all deaths (75.3).

Suicide was the tenth leading cause of death in 1983, with 101 deaths and a rate of 10.6 per 100,000 population. Suicide was ranked as one of the ten leading causes of death to Rhode Island residents for the first time in 1974. It reached its highest ranking in 1977, when it was the seventh leading cause of death. The state rate for 1983 was fifteen per cent lower than the provisional national rate of 12.4. There were more than three times the number of suicides for males than for females; suicide ranked ninth among males but only fifteenth among females. It was the third leading cause for decedents aged 5-44 years. The median age at death for all suicides was 34.5; the median age for females (46.0) was 41 per cent higher than for males (32.7).

Other Leading Causes, ranking 11th through 20th, accounted for 441 deaths, five per cent of all deaths to Rhode Island residents in 1983. The number of deaths in each category was relatively small, ranging from 73 for "Certain Conditions Originating in the Perinatal Period" to 15 for "Anemias" (Table 7). For this reason, comparisons of the death rates for these categories should be made with caution. Table G below lists these causes with the state rate and the provisional national rate per 100,000 estimated population for 1983.

Table G - Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1983 with Provisional U.S.Rates (Rates per 100,000 Estimated Population)

1983 Rank	Cause of Death (ICD) 1975	Rhode Island Number	Rhode Island Rate	U.S. Rate (Provisional)
11.	Certain Conditions Originating in the Perinatal Period(760-779)	73	7.6	8.1
12.	Nephritis, Nephrotic Syndrome and Nephrosis(580-589)	72	7.5	7.9
13.	Septicemia(038)	54	5.7	5.7
14.	Hypertension with or without Renal Disease(401,403)	52	5.4	3.3
15.	Congenital Anomalies(740-759)	51	5.3	5.5
16.	Homicide and Legal Intervention(E960-978)	38	4.0	8.2
17.	Benign Neoplasms*(210-239)	34	3.6	2.8
18.	Ulcer of Stomach and Duodenum(531-533)	28	2.9	2.7
19.	Hernia and Intestinal Obstruction* (550-553,560)	24	2.5	2.2
20.	Anemias(280-285)	15	1.6	1.6

* For complete category title, see Ninth Revision International Classification of Diseases, 1975.

Caution should be observed in comparing the state's crude rates with the provisional U.S. rates because of the differing age and sex composition of the two populations. As mentioned earlier, the state's proportion of persons 65 years of age and over, according to the 1980 census, was 18 per cent higher than the national proportion.

MARRIAGE AND DIVORCE

Marriage and divorce statistics in this publication relate only to those events which occurred within the state. No data has been included for Rhode Island residents who were married or divorced in other states because exchange of certificates among the states is not complete. There were 8,053 marriages and 3,525 divorces filed in Rhode Island in 1983, yielding rates of 8.4 and 3.7, respectively, per 1,000 estimated population. The divorce rate has no relationship to the marriage rate because most of the divorces in a given year terminate marriages that have lasted a number of years (only 3 of the 1983 divorces were granted to persons who were married less than a year, and 314 divorces were of persons who had been married 25 years of more).

MARRIAGE

The 1983 rate of 8.4 marriages per 1,000 estimated population was the highest rate since 1953. Comparison of the state's average rates for the five-year periods of 1969-1973 and 1979-1983 shows no change (8.1 for both periods) (Table A). The Rhode Island rate has been consistently below the national rate in each of the past 30 years; the last ten years are shown in Figure 12. The state rate for 1983 was 20 per cent below the provisional United States rate of 10.5 in 1983.

In past years, June has been the most popular month for marriages, except for 1981, with May taking its place. This tradition changed in 1983 with 963 marriages recorded for the month of September, averaging 32.1 marriages per day. The second highest average occurred in June (32.0). Seven months, April through October, had averages above the year's daily rate of 22.0. The lowest average occurred in January, when only 325 marriages were performed, for a daily average of 10.5. The months of January through March, and also December, each averaged fewer than 15 marriages per day.

The number of brides and grooms married in Rhode Island in 1983 is shown according to their usual residence in Table 33. Because a marriage usually takes place in the bride's home town or the municipality of the church that she attends, it is not surprising that there were far fewer participants who were non-residents of Rhode Island among the brides than among the grooms. In 1983, 17 per cent of the grooms were non-residents, whereas only 10 per cent of the brides resided outside the state.

The location of churches and courts is an important factor in determining the number of marriages performed in a particular city or town. Of the four municipalities where the Family Courts meet (Newport, Providence, Warwick and Westerly), all except Warwick, had rates above the state average, with Newport, Providence, and Westerly being 18.4, 9.4, and 11.5 respectively. Warwick equalled the state rate of 8.4.

Figure 12 - Marriage Rates per 1,000 Population R.I. and the U.S., Occurrence Data, 1974-1983



Table 3 shows the number of marriages occurring in each city or town with the rates per 1,000 estimated population occurring in that area. The highest rate (75.2) was recorded in New Shoreham. Among those municipalities with an estimated population greater than 5,000, five had rates one-third or more higher than the state rate (11.2 or more): Newport, 18.4; Scituate, 12.9; South Kingstown, 12.3; East Greenwich, 12.2; and Westerly, 11.6. Three towns with greater than 5,000 estimated population had rates one-third or more lower than the state rate (5.6 or less): North Providence, 4.4; Glocester, 4.5 and Middletown, 5.2.

Table 36 shows the number of times previously married for each party. Sixty-two per cent of marriages involved those in which parties were marrying for the first time. Marriages in which one party was marrying for the first time and the other was marrying for the second time added 20 per cent; 12 per cent had both parties marrying for the second time; and in 7 per cent of the cases, at least one of the parties was marrying for the third time or more.

A breakdown of previous marital status is shown in Table 37. Marriages between one previously unmarried and one divorced partner accounted for 20 per cent; marriages between two divorced individuals, 14 per cent; and between two widowed parties, one per cent; and where only one of the two parties was widowed, five per cent.

The age distribution of brides and grooms who married in Rhode Island in 1983, including the number of brides and grooms under age 18, is shown in Table 34.

The age distribution of brides and grooms by previous marital status is shown in Table 35. Twelve per cent of all the brides who were marrying for the first time in 1983 were under 20 years of age, 5 per cent less than in 1982. Four per cent of the grooms marrying for the first time, compared with six per cent in 1982, were under age 20. There were two brides and one groom under the age of 20 who had been previously married. Thirty-nine per cent of all brides and 32 per cent of all grooms were in the age group 20-24 years. The percentage of teen-age brides and grooms has decreased over the last several years.

The median age at first marriage was 23.4 years for brides and 25.1 years for grooms. The median age for remarried persons was much higher than for single persons: for brides whose previous marital status was divorced, it was 32.5 years; for previously divorced grooms, it was 36.2 years. The median age at remarriage for the widowed was 52.8 years for brides and 60.1 years for grooms. The median age in Rhode Island for all marriages was 24.9 years for brides and 27.4 years for grooms.

Educational achievement for brides and grooms is shown in Table 38. Twenty-four per cent of the brides and 27 per cent of the grooms were college graduates (the 1982 figures were 21 and 25 per cent, respectively). Three per cent of all the brides and four per cent of all grooms had completed eight or less years of schooling.

The race of the vast majority (95 per cent) of the 1983 marital partners was white; 94 per cent of marriages were between two white persons; and four per cent were between two non-white persons. Marriages between white brides and non-white grooms were one per cent of the total; between non-white brides and white grooms, two-thirds of one per cent.

Figure 13 - Divorce Rates per 1,000 Population R.I. and the U.S., Occurrence Data, 1974-1983



D I V O R C E

Reports of 3,525 final divorces were received by the Division of Vital Statistics in 1983 from the state's Family Courts. The rate of 3.7 per 1,000 estimated population was three per cent lower than the 1982 rate of 3.8. The 1979-1983 average rate of 3.7 was 95 per cent higher than the 1969-1973 rate of 1.9 (Table A).

The 1983 provisional national rate of 5.0 was 35 per cent above the state rate. The provisional national rates for each of the three previous years ranged from 5.1 to 5.3. Rhode Island's rate has been consistently below the national rate for the past 10 years (Figure 13).

The total population is a poor base for determining the divorce rate. A more precise measure of divorce is the number of divorces per 1,000 married females aged 15 and over. This rate is accurately known only in decennial census years. The Rhode Island rate for 1980 was 16.7 divorces per 1,000 married females aged 15 and over. The rates for the previous ten year intervals, 1970, 1960, 1950, 1940, and 1930 were: 8.1, 5.0, 4.7, 4.2, and 5.0, respectively.

The highest daily average for divorces (11.4 per day) occurred in February, when 330 decrees were finalized. The lowest daily average (8.0 per day) occurred in November, when 240 decrees became final. The daily average for the year was 9.6.

Rhode Island law does not provide for annulment, but there were eight divorces on grounds of "void marriage" in 1983. The most frequent grounds for obtaining a final decree was "irreconcilable differences", accounting for 90 per cent of all divorces. Eight per cent were granted on the grounds of "living separate and apart three years" and one per cent on grounds of "extreme cruelty". The remaining divorces were distributed among the following grounds: "wilful desertion", "neglect and refusal to provide", and "other gross misbehavior".

The 1983 data on duration of marriage show that 46 per cent of the marriages had endured ten years or more; 28 per cent, five to nine years; and 26 per cent, one to four years. Only three final decrees were entered before the couple had been married a full year.

Age of husband and wife at the time of divorce are tabulated for all 1983 divorces in Table 39 and are tabulated by age according to previous marital status for husband and wife in Table 41. The median age at time of divorce for all men was 34.9 years and for all women, 32.5. The median age at time of divorce after a first marriage was 33.4 for husbands and 31.1 for wives. The median age of persons for whom the 1983 divorce terminated a remarriage was 41.4 for men and 37.7 for women. Among those terminating a remarriage, 25 per cent of the husbands and 15 per cent of the wives were 50 years of age or older. On those records where previous marital status was stated, 81 per cent of both husbands and wives were terminating a first marriage; 19 per cent of husbands and 19 per cent of wives were terminating a remarriage. Previous marital status was not stated for two per cent of the husbands and three per cent of wives.

At least 3,671 children under 18 years of age were affected by a 1983 divorce decree. There were 129 records with the information regarding children not stated (four per cent) (See Table 43). Thirty-nine per cent of the divorces in 1983 involved no children; 28 per cent involved one child; 23 per cent involved two children; seven per cent, three children; and three per cent, four or more children.

Education is one of the most poorly reported items on the divorce record. Education was not stated for seven per cent of both husbands and wives divorced in 1983. In those cases where the item was reported, 18 per cent of the husbands and 13 per cent of the wives were college graduates; nine per cent of the husbands and five per cent of the wives had completed eight years or less of schooling. A breakdown of educational achievement is shown in Table 44.

The race of the vast majority of people divorced in 1983 was white. Ninety-two per cent of both husbands and wives were stated to be white; four per cent of both husbands and wives were stated to be non-white. In one per cent of the divorces, one of the partners was white and the other was non-white; in the remaining three per cent of the divorces, the race of one or both partners was unknown.

Table 1 - United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980

Characteristic	Total Population*			Male			Female		
	1980	1970	Per Cent Change	1980	1970	Per Cent Change	1980	1970	Per Cent Change
RACE									
Total	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
White	896,692	914,757	- 2.0	426,601	447,892	- 4.8	470,091	466,865	+ 0.7
Non-White	50,462	31,968	+ 57.9	24,650	16,399	+ 50.3	25,812	15,569	+ 65.8
Black	27,584	25,338	+ 8.9	13,351	12,825	+ 4.1	14,233	12,513	+ 13.7
Other Races	22,878	6,630	+245.1	11,299	3,574	+216.1	11,579	3,056	+278.9
AGE IN YEARS									
All Ages	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
Under 5	56,692	76,035	- 25.4	28,887	38,878	- 25.7	27,805	37,157	- 25.2
Under 1	12,075	15,096	- 20.0	6,215	7,712	- 19.4	5,860	7,384	- 20.6
1 - 4	44,617	60,939	- 26.8	22,672	31,166	- 27.3	21,945	29,773	- 26.3
5 - 9	61,465	85,874	- 28.4	31,458	43,903	- 28.3	30,007	41,971	- 28.5
10 - 14	74,170	88,289	- 16.0	37,965	44,935	- 15.5	36,205	43,354	- 16.5
15 - 19	89,773	85,680	+ 4.8	44,771	44,181	+ 1.3	45,002	41,499	+ 8.4
20 - 24	90,231	87,963	+ 2.6	44,292	49,076	- 9.7	45,939	38,887	+ 18.1
25 - 29	76,215	59,319	+ 28.5	37,646	30,154	+ 24.8	38,569	29,165	+ 32.2
30 - 34	69,820	47,276	+ 47.7	34,583	23,586	+ 46.6	35,237	23,690	+ 48.7
35 - 39	54,393	47,465	+ 14.6	26,577	23,374	+ 13.7	27,816	24,091	+ 15.5
40 - 44	44,470	56,237	- 21.0	21,513	27,220	- 21.0	22,957	29,017	- 20.9
45 - 49	44,708	59,557	- 24.9	21,438	28,677	- 25.2	23,270	30,880	- 24.6
50 - 54	53,096	55,598	- 4.5	25,210	26,266	- 4.0	27,886	29,332	- 4.9
55 - 59	55,748	50,268	+ 10.9	26,182	23,523	+ 11.3	29,566	26,745	+ 10.5
60 - 64	49,451	43,232	+ 14.4	22,460	19,278	+ 16.5	26,991	23,954	+ 12.7
65 - 69	42,414	35,251	+ 20.3	16,346	14,947	+ 9.4	24,068	20,304	+ 18.5
70 - 74	33,148	28,665	+ 15.6	12,994	11,498	+ 13.0	20,154	17,167	+ 17.4
75 - 79	23,891	20,268	+ 17.9	8,619	7,892	+ 9.2	12,272	12,376	+ 23.4
80 - 84	15,491	12,030	+ 28.8	4,947	4,375	+ 13.1	10,544	7,655	+ 37.7
85 & Over	11,978	7,718	+ 55.2	3,363	2,528	+ 33.0	8,615	5,190	+ 66.0
Median Age	31.7	29.2	+ 8.6	30.1	26.9	+ 11.9	33.3	31.9	+ 4.4
65 Years & Over	126,922	103,932	+ 22.1	46,269	41,240	+ 12.2	78,653	62,692	+ 25.5

* The 1970 figures in this table add to 946,725 -- the original total. This total was later corrected to 949,723, but no corrections for age, sex, or race have been received.

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1970, 1980, and 1983 Estimate

City or Town by County	1970	1980	1983 Estimate*
STATE TOTAL	949,723	947,154	955,000
BRISTOL COUNTY	45,937	46,942	47,331
Barrington	17,554	16,174	16,308
Bristol	17,860	20,128	20,295
Warren	10,523	10,640	10,728
KENT COUNTY	142,382	154,163	155,440
Coventry	22,947	27,065	27,289
East Greenwich	9,577	10,211	10,295
Warwick	83,694	87,123	87,845
West Greenwich	1,841	2,738	2,761
West Warwick	24,323	27,026	27,250
NEWPORT COUNTY	94,228	81,383	82,057
Jamestown	2,911	4,040	4,073
Little Compton	2,385	3,085	3,111
Middletown	29,290	17,216	17,359
Newport	34,562	29,259	29,501
Portsmouth	12,521	14,257	14,375
Tiverton	12,559	13,526	13,638
PROVIDENCE COUNTY	581,470	571,349	576,082
Burrillville	10,087	13,164	13,273
Central Falls	18,716	16,995	17,136
Cranston	74,287	71,992	72,588
Cumberland	26,605	27,069	27,293
East Providence	48,207	50,980	51,402
Foster	2,626	3,370	3,398
Glocester	5,160	7,550	7,613
Johnston	22,037	24,907	25,113
Lincoln	16,182	16,949	17,089
North Providence	24,337	29,188	29,430
North Smithfield	9,349	9,972	10,055
Pawtucket	76,984	71,204	71,794
Providence	179,116	156,804	158,103
Scituate	7,489	8,405	8,475
Smithfield	13,468	16,886	17,026
Woonsocket	46,820	45,914	46,294
WASHINGTON COUNTY	85,706	93,317	94,090
Charlestown	2,863	4,800	4,840
Exeter	3,245	4,453	4,490
Hopkinton	5,392	6,406	6,459
Narragansett	7,138	12,088	12,188
New Shoreham	489	620	625
North Kingstown	29,793	21,938	22,120
Richmond	2,625	4,018	4,051
South Kingstown	16,913	20,414	20,583
Westerly	17,248	18,580	18,734

* Estimates obtained by extrapolation, using the 1983 statewide estimate obtained from Current Population Reports, January,1984, Series P-25,No.944, and the U.S. Census Population.

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1983
(Rates per 1,000 Estimated Population)

City or Town	LIVE BIRTHS Number Occurrences	LIVE BIRTHS Number Residents	LIVE BIRTHS Resident Rate	DEATHS Number Occurrences	DEATHS Number Residents	DEATHS Resident Rate	MARRIAGES Occurrences Number	MARRIAGES Occurrences Rate
STATE TOTAL	13,092	12,576	13.2	9,496	9,286	9.7	8,053	8.4
Barrington	0	157	9.6	35	125	7.7	161	9.9
Bristol	2	233	11.5	129	183	9.0	196	9.7
Burrillville	1	199	15.0	143	130	9.8	85	6.4
Central Falls	0	317	18.5	114	201	11.7	128	7.5
Charlestown	2	71	14.7*	12	42	8.7*	47	9.7*
Coventry	1	371	13.6	115	185	6.8	194	7.1
Cranston	2	739	10.2	480	750	10.3	498	6.9
Cumberland	2	259	9.5	113	232	8.5	243	8.9
East Greenwich	0	105	10.2	17	91	8.8	126	12.2
East Providence	4	588	11.4	270	564	11.0	314	6.1
Exeter	0	77	17.1*	7	27	6.0*	21	4.7*
Foster	0	47	13.8*	12	31	9.1*	29	8.5*
Glocester	1	109	14.3	12	45	5.9	34	4.5
Hopkinton	0	106	16.4	6	38	5.9	65	10.1
Jamestown	1	44	10.8*	8	33	8.1*	67	16.4*
Johnston	2	261	10.4	102	200	8.0	140	5.6
Lincoln	1	174	10.2	38	185	10.8	97	5.7
Little Compton	0	47	15.1*	14	35	11.3*	38	12.2*
Middletown	3	208	12.0	92	111	6.4	91	5.2
Narragansett	1	158	13.0	12	83	6.8	100	8.2
Newport	913	411	13.9	364	293	9.9	544	18.4
New Shoreham	0	13	20.8*	4	10	16.0*	47	75.2*
North Kingstown	1	336	15.2	86	152	6.9	149	6.7
North Providence	0	275	9.3	399	261	8.9	130	4.4
North Smithfield	1	92	9.1	210	98	9.7	60	6.0
Pawtucket	804	1061	14.8	818	865	12.0	554	7.7
Portsmouth	0	219	15.2	21	93	6.5	115	8.0
Providence	7684	2647	16.7	3434	1798	11.4	1482	9.4
Richmond	2	72	17.8*	6	23	5.7*	9	2.2*
Scituate	0	93	11.0	9	69	8.1	109	12.9
Smithfield	0	173	10.2	89	130	7.6	119	7.0
South Kingstown	478	246	12.0	244	130	6.3	253	12.3
Tiverton	2	131	9.6	15	96	7.0	139	10.2
Warren	1	149	13.9	97	125	11.7	72	6.7
Warwick	1768	984	11.2	1102	902	10.3	741	8.4
Westerly	681	288	15.4	294	180	9.6	217	11.6
West Greenwich	0	37	13.4*	10	19	6.9*	12	4.3*
West Warwick	2	414	15.2	69	252	9.2	221	8.1
Woonsocket	732	665	14.4	494	499	10.8	406	8.8

* Rate based on less than 5,000 population and may be statistically unreliable.

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1954-1983

Year	Population Estimates (Except Census Years)	Resident Live Births		Resident Total Deaths		Rhode Island Occurrences Marriages		Divorces	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1954	817,000	18,046	22.1	8,191	10.0	6,110	7.5	823	1.0
1955	825,000	17,895	21.7	8,697	10.5	6,357	7.7	827	1.0
1956	843,000	18,174	21.6	8,415	10.0	6,325	7.5	913	1.1
1957	854,000	18,846	22.1	8,512	10.0	5,884	6.9	933	1.1
1958	860,000	18,295	21.3	8,737	10.2	5,659	6.6	946	1.1
1959	854,000	18,667	21.9	8,767	10.3	5,770	6.8	1,049	1.2
1960	859,488	18,386	21.4	8,984	10.5	5,817	6.8	1,055	1.2
1961	869,000	18,326	21.1	8,814	10.1	5,640	6.5	1,040	1.2
1962	877,600	18,320	20.9	9,127	10.4	5,575	6.4	921	1.0
1963	885,600	18,121	20.5	9,520	10.7	5,967	6.7	1,055	1.2
1964	893,500	18,010	20.2	9,319	10.4	6,103	6.8	1,100	1.2
1965	892,709	17,270	19.3	9,614	10.8	6,321	7.1	1,193	1.3
1966	898,000	16,314	18.2	9,454	10.5	6,122	6.8	1,273	1.4
1967	900,000	15,803	17.6	9,370	10.4	6,536	7.3	871	1.0
1968	914,000	15,211	16.6	9,717	10.6	7,311	8.0	971	1.1
1969	938,000	15,463	16.5	9,288	9.9	7,548	8.0	1,267	1.4
1970	949,723	15,821	16.7	9,497	10.0	7,531	7.9	1,687	1.8
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8
1983	955,000	12,576	13.2	9,286	9.7	8,053	8.4	3,525	3.7

1954-1956 Data from Vital Statistics of the United States, U.S. Government Publications.

Table 5 - Number of Infant, Neonatal, Perinatal and Maternal Deaths with Rates
Rhode Island Residents, 1954-1983

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1954	416	23.1	332	18.4	295	16.3	199	11.0	494	27.1	11	6.1
1955	419	23.4	321	17.9	295	16.5	222	12.4	517	28.5	2	1.1
1956	439	24.2	332	18.3	304	16.7	223	12.3	527	28.6	3	1.7
1957	450	23.9	345	18.3	311	16.5	228	12.1	539	28.3	5	2.7
1958	388	21.2	287	15.7	257	14.0	208	11.4	465	25.1	5	2.7
1959	444	23.8	336	18.0	301	16.1	191	10.2	492	26.1	3	1.6
1960	423	23.0	300	16.3	280	15.2	195	10.6	475	25.6	6	3.3
1961	412	22.5	310	16.9	286	15.6	198	10.8	484	26.1	2	1.1
1962	468	25.5	350	19.1	311	17.0	202	11.0	513	27.7	1	0.5
1963	438	24.2	342	18.9	315	17.4	208	11.5	523	28.5	5	2.8
1964	449	24.9	342	19.0	310	17.2	196	10.9	506	27.8	2	1.1
1965	385	22.3	299	17.3	274	15.9	188	10.9	462	26.5	2	1.2
1966	359	22.0	269	16.5	247	15.1	151	9.3	398	24.2	2	1.2
1967	306	19.4	244	15.4	219	13.9	155	9.8	374	23.4	2	1.3
1968	326	21.4	252	16.6	236	15.5	131	8.6	267	23.9	-	-
1969	304	19.7	235	15.2	214	13.8	151	9.8	365	23.4	4	2.6
1970	312	19.7	241	15.2	218	13.8	135	8.5	353	22.1	4	2.5
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	7.0	269	20.1	-	-
1973	206	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	-	-
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	-	-
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	-	-
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	11.5	1	0.8
1983	145	11.5	113	9.0	98	7.8	51	4.1	149	11.8	1	0.8

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births Combined with Late Fetal Deaths
\# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
TOTAL RHODE ISLAND, 1983

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	9286	145	14	10	14	36	78	141	198	437	503	754	999	1233	1355	1262	2074	33
BARRINGTON	125	0	0	0	0	0	1	2	3	5	7	10	17	18	14	19	29	0
BRISTOL	183	6	0	0	0	0	1	3	5	6	6	14	17	19	24	29	53	0
BURRILLVILLE	130	0	0	1	1	0	0	1	2	4	8	8	13	20	19	21	31	1
CENTRAL FALLS	201	4	1	1	0	1	1	2	2	9	7	16	21	27	39	21	48	1
CHARLESTOWN	42	1	0	0	0	1	0	1	0	4	2	3	5	8	9	4	4	0
COVENTRY	185	1	0	0	0	3	0	2	2	11	14	15	26	25	27	23	36	0
CRANSTON	750	8	0	0	2	4	5	9	12	29	31	48	89	93	129	102	183	6
CUMBERLAND	232	4	0	0	0	4	4	1	3	17	12	25	25	38	34	30	34	1
EAST GREENWICH	91	1	0	1	0	0	0	0	6	6	4	8	9	13	12	16	15	0
EAST PROVIDENCE	564	12	0	0	0	2	4	10	9	31	28	53	56	71	84	82	121	1
EXETER	27	1	0	0	0	0	1	1	1	4	1	3	3	4	3	2	3	0
FOSTER	31	0	0	0	0	0	0	0	2	2	3	2	1	5	8	5	3	0
GLOCESTER	45	0	0	0	0	0	0	0	1	3	3	4	2	10	11	4	7	0
HOPKINTON	38	2	0	0	0	0	2	0	0	1	0	5	6	1	7	4	10	0
JAMESTOWN	33	4	0	0	0	0	0	1	0	1	1	2	4	5	6	1	8	0
JOHNSTON	200	1	1	1	2	2	1	1	8	14	15	17	18	36	28	17	37	1
LINCOLN	185	1	0	0	0	3	1	1	6	7	7	14	15	21	44	26	39	0
LITTLE COMPTON	35	0	0	0	0	0	0	0	1	0	0	4	2	5	9	8	6	0
MIDDLETOWN	111	0	0	0	0	0	2	1	1	5	4	12	13	16	12	18	26	1
NARRAGANSETT	83	0	0	0	0	0	2	0	5	6	3	6	6	11	10	13	21	0
NEWPORT	293	6	0	0	0	0	3	7	6	8	14	20	22	29	60	47	68	3
NEW SHOREHAM	10	0	2	0	0	0	0	0	0	0	1	1	0	1	0	2	3	0
NORTH KINGSTOWN	152	0	0	0	0	0	1	4	1	8	10	12	23	20	22	16	35	0
NORTH PROVIDENCE	261	2	0	0	1	1	2	4	6	12	19	19	31	38	31	38	56	1
NORTH SMITHFIELD	98	1	0	1	0	0	1	1	3	1	6	12	6	14	9	18	25	0
PAWTUCKET	865	10	1	0	1	5	7	12	16	46	49	75	102	111	104	121	205	0
PORTSMOUTH	93	2	0	0	0	0	2	0	5	1	6	12	18	9	18	9	11	0
PROVIDENCE	1798	42	4	3	0	3	12	29	41	80	100	126	179	232	238	263	440	6
RICHMOND	23	2	0	0	1	0	1	1	3	4	0	0	1	1	4	2	3	0
SCITUATE	69	1	0	0	0	1	0	1	0	1	10	6	5	8	8	10	18	0
SMITHFIELD	130	0	1	0	1	0	0	2	4	9	9	11	17	19	6	23	28	0
SOUTH KINGSTOWN	130	1	0	0	0	1	2	3	5	10	6	6	9	20	16	23	26	2
TIVERTON	96	0	0	0	0	0	0	2	2	3	6	12	12	18	16	14	10	1
WARREN	125	2	0	0	0	1	1	4	4	1	5	16	15	16	21	15	24	0
WARWICK	902	14	3	1	3	1	9	12	16	37	44	82	110	127	138	114	188	3
WESTERLY	180	4	0	0	1	2	2	2	2	11	13	15	19	25	26	19	38	1
WEST GREENWICH	19	1	0	0	0	0	2	1	0	0	0	3	0	4	3	0	5	0
WEST WARWICK	252	3	1	0	0	0	2	12	9	13	19	23	29	29	29	23	58	2
WOONSOCKET	499	8	0	1	1	1	6	8	6	27	30	34	53	66	77	60	119	2

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE MALES RHODE ISLAND, 1983

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4542	68	9	6	8	22	49	96	113	271	323	456	569	680	670	545	650	7
BARRINGTON	55	0	0	0	0	0	1	2	1	3	3	5	7	6	5	10	12	0
BRISTOL	105	2	0	0	0	0	1	3	3	4	4	11	12	12	12	18	23	0
BURRILLVILLE	72	0	0	1	0	0	0	1	1	4	6	6	9	12	10	10	11	1
CENTRAL FALLS	101	1	1	1	0	1	1	2	0	5	3	8	14	20	19	8	17	0
CHARLESTOWN	21	1	0	0	0	0	0	1	0	1	0	2	2	4	6	2	2	0
COVENTRY	94	1	0	0	0	2	0	1	1	9	10	9	17	8	12	11	13	0
CRANSTON	363	4	0	0	0	3	2	7	6	21	22	32	48	58	62	43	55	0
CUMBERLAND	124	2	0	0	0	2	2	1	0	12	11	12	16	27	17	13	9	0
EAST GREENWICH	49	0	0	1	0	0	0	0	4	6	3	2	3	7	8	8	7	0
EAST PROVIDENCE	279	3	0	0	0	2	1	6	5	19	17	24	36	47	45	30	44	0
EXETER	18	1	0	0	0	0	0	1	1	3	1	3	0	3	2	1	2	0
FOSTER	20	0	0	0	0	0	0	0	1	2	2	1	1	5	4	4	0	0
GLOCESTER	25	0	0	0	0	0	0	0	0	2	3	3	2	4	7	2	2	0
HOPKINTON	20	1	0	0	0	0	2	0	0	1	0	2	3	0	5	3	3	0
JAMESTOWN	15	1	0	0	0	0	0	1	0	0	1	1	3	2	3	0	3	0
JOHNSTON	110	0	1	1	2	1	1	1	2	10	10	14	11	24	16	5	10	1
LINCOLN	83	1	0	0	0	2	1	0	3	3	5	3	9	9	17	9	15	0
LITTLE COMPTON	19	0	0	0	0	0	0	0	1	0	0	1	2	2	6	4	3	0
MIDDLETOWN	46	0	0	0	0	0	2	1	1	2	2	6	6	8	4	6	8	0
NARRAGANSETT	43	0	0	0	0	0	2	0	3	3	2	4	3	8	4	7	7	0
NEWPORT	128	1	0	0	0	0	2	4	3	3	9	10	13	12	28	25	18	0
NEW SHOREHAM	6	0	2	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0
NORTH KINGSTOWN	73	0	0	0	0	0	0	2	1	4	9	8	11	9	13	7	9	0
NORTH PROVIDENCE	125	2	0	0	0	0	1	2	5	7	9	13	16	20	14	19	17	0
NORTH SMITHFIELD	51	1	0	1	0	0	1	1	2	1	5	3	1	7	5	8	9	0
PAWTUCKET	421	5	0	0	1	4	5	7	7	34	34	50	56	56	64	45	53	0
PORTSMOUTH	44	1	0	0	0	0	1	0	4	1	4	8	8	2	11	2	2	0
PROVIDENCE	807	20	1	1	0	1	5	15	21	41	59	71	96	130	102	113	129	2
RICHMOND	12	2	0	0	0	0	1	1	1	4	0	0	0	0	2	0	1	0
SCITUATE	33	1	0	0	0	1	0	0	0	0	7	4	3	5	4	4	4	0
SMITHFIELD	73	0	1	0	1	0	0	1	3	8	6	6	15	7	5	9	11	0
SOUTH KINGSTOWN	70	1	0	0	0	0	2	3	2	8	5	4	5	11	7	12	10	0
TIVERTON	51	0	0	0	0	0	0	2	1	1	4	5	10	9	9	5	4	1
WARREN	61	2	0	0	0	1	1	3	3	1	0	10	10	6	7	9	8	0
WARWICK	468	7	2	0	2	1	6	8	12	22	28	59	61	76	70	50	63	1
WESTERLY	97	1	0	0	1	1	2	2	2	6	10	13	11	15	8	10	15	0
WEST GREENWICH	13	1	0	0	0	0	1	1	0	0	0	2	0	3	2	0	3	0
WEST WARWICK	119	1	1	0	0	0	1	10	8	5	11	12	22	9	13	10	16	0
WOONSOCKET	228	4	0	0	1	0	4	6	5	15	18	16	27	37	42	22	30	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE FEMALES RHODE ISLAND, 1983

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4480	54	2	2	5	3	20	34	76	144	157	274	407	524	661	697	1388	26
BARRINGTON	69	0	0	0	0	0	0	0	2	2	4	5	10	12	9	8	17	0
BRISTOL	77	4	0	0	0	0	0	0	2	2	2	3	5	7	12	11	29	0
BURRILLVILLE	57	0	0	0	1	0	0	0	1	0	2	2	4	8	9	11	19	0
CENTRAL FALLS	97	2	0	0	0	0	0	0	2	4	4	8	7	7	19	13	30	1
CHARLESTOWN	17	0	0	0	0	0	0	0	0	2	2	1	3	2	3	2	2	0
COVENTRY	90	0	0	0	0	0	0	1	1	2	4	6	9	17	15	12	23	0
CRANSTON	383	3	0	0	1	1	2	2	6	8	9	16	40	35	67	59	128	6
CUMBERLAND	108	2	0	0	0	2	2	0	3	5	1	13	9	11	17	17	25	1
EAST GREENWICH	41	1	0	0	0	0	0	0	2	0	1	6	5	6	4	7	8	0
EAST PROVIDENCE	262	8	0	0	0	0	3	4	3	10	9	26	19	23	37	49	70	1
EXETER	8	0	0	0	0	0	1	0	0	1	0	0	2	1	1	1	1	0
FOSTER	11	0	0	0	0	0	0	0	1	0	1	1	0	0	4	1	3	0
GLOCESTER	20	0	0	0	0	0	0	0	1	1	0	1	1	6	4	2	5	0
HOPKINTON	18	1	0	0	0	0	0	0	0	0	0	3	3	1	2	1	7	0
JAMESTOWN	17	2	0	0	0	0	0	0	0	1	0	1	1	3	3	1	5	0
JOHNSTON	89	1	0	0	0	1	0	0	5	4	5	3	7	12	12	12	27	0
LINCOLN	102	0	0	0	0	1	0	1	3	4	2	5	6	12	27	17	24	0
LITTLE COMPTON	16	0	0	0	0	0	0	0	0	0	0	3	0	3	3	4	3	0
MIDDLETOWN	62	0	0	0	0	0	0	0	0	3	2	4	7	7	8	12	18	1
NARRAGANSETT	38	0	0	0	0	0	0	0	2	2	1	2	3	2	6	6	14	0
NEWPORT	145	4	0	0	0	0	1	2	2	4	2	7	5	16	28	20	48	3
NEW SHOREHAM	4	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0
NORTH KINGSTOWN	76	0	0	0	0	0	1	2	0	3	0	4	12	11	9	9	25	0
NORTH PROVIDENCE	135	0	0	0	1	1	1	2	1	4	10	6	15	18	17	19	39	1
NORTH SMITHFIELD	47	0	0	0	0	0	0	0	1	0	1	3	5	7	4	10	16	0
PAWTUCKET	431	4	0	0	0	0	1	4	8	12	13	23	46	54	39	76	151	0
PORTSMOUTH	49	1	0	0	0	0	1	0	1	0	2	4	12	7	7	7	9	0
PROVIDENCE	833	8	1	1	0	0	0	6	15	25	27	41	66	83	123	139	294	4
RICHMOND	10	0	0	0	1	0	0	0	2	0	0	0	1	1	1	2	2	0
SCITUATE	36	0	0	0	0	0	0	1	0	1	3	2	2	3	4	6	14	0
SMITHFIELD	57	0	0	0	0	0	0	1	1	1	3	5	2	12	1	14	17	0
SOUTH KINGSTOWN	54	0	0	0	0	1	0	0	3	1	1	2	4	8	9	9	14	2
TIVERTON	44	0	0	0	0	0	0	0	1	2	2	7	2	9	6	9	6	0
WARREN	64	0	0	0	0	0	0	1	1	0	5	6	5	10	14	6	16	0
WARWICK	430	7	1	1	1	0	3	4	4	15	16	23	49	50	68	64	123	2
WESTERLY	80	3	0	0	0	1	0	0	0	5	3	2	8	9	17	9	22	1
WEST GREENWICH	6	0	0	0	0	0	1	0	0	0	0	1	0	1	1	0	2	0
WEST WARWICK	132	2	0	0	0	0	1	1	1	8	8	11	7	20	16	13	42	2
WOONSOCKET	265	1	0	0	0	1	2	2	1	12	11	18	25	29	35	38	89	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE MALES RHODE ISLAND, 1983

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	145	12	1	0	0	3	8	7	7	14	11	14	13	12	12	12	19	0
BARRINGTON	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
BRISTOL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
BURRILLVILLE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CENTRAL FALLS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CHARLESTOWN	3	0	0	0	0	1	0	0	0	1	0	0	0	1	0	0	0	0
COVENTRY	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	2	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
EAST PROVIDENCE	14	0	0	0	0	0	0	0	1	2	0	2	1	0	1	1	6	0
EXETER	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
NARRAGANSETT	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NEWPORT	9	0	0	0	0	0	0	1	1	1	1	2	0	0	2	1	0	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	6	0	1	0	0	0	1	1	0	0	1	1	0	0	1	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	89	7	0	0	0	1	6	4	4	10	9	8	10	10	6	7	7	0
RICHMOND	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
TIVERTON	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
WESTERLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE FEMALES RHODE ISLAND, 1983

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	113	11	2	2	1	2	1	4	2	7	12	9	10	17	10	7	16	0
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	2	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	8	1	0	0	0	0	0	0	0	0	2	1	0	1	1	1	1	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
NARRAGANSETT	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NEWPORT	10	1	0	0	0	0	0	0	0	0	2	1	1	1	2	1	1	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	6	1	0	0	0	1	0	0	1	0	1	0	0	1	0	0	1	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	68	7	2	1	0	1	1	4	1	4	5	6	7	9	6	4	10	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	4	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	1	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
WESTERLY	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	3	0	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RACE AND/OR SEX UNKNOWN RHODE ISLAND, 1983

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	6	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1	1	0
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 7 - Deaths and Death Rates for Leading Causes in 1983, with Comparability Ratios* and for Comparable Causes in 1974-1982
Rhode Island Residents, Rate per 100,000 Population)

1983* Rank	Cause of Death(ICDA)	1983 Number	1983 Rate	1982 Number	1982 Rate	1981 Number	1981 Rate	1980 Number	1980 Rate	1979 Number	1979 Rate	Comparability Ratio	1978 Number	1978 Rate	1977 Number	1977 Rate	1976 Number	1976 Rate	1975 Number	1975 Rate	1974 Number	1974 Rate
1.	Diseases of Heart(390-398,402,404-429)	3720	389.5	3712	387.5	3813	400.5	3831	404.5	3798	408.7	1.0126	3754	401.5	3757	401.8	3833	413.5	3778	407.6	4060	431.8
2.	Neoplasms#(140-208)	2303	241.0	2214	231.1	2152	226.1	2127	224.6	2124	228.6	1.0026	2159	230.9	2237	239.3	2117	228.4	2025	218.4	1926	204.8
3.	Cerebrovascular Diseases (430-438)	640	67.0	595	62.1	622	65.3	723	76.3	708	76.2	1.0049	698	74.7	769	82.2	761	82.1	770	83.1	713	75.8
4.	Chronic Obstructive Pulm. Diseases and Allied Conditions(490-496)	309	32.4	270	28.2	275	28.9	279	29.5	239	25.7	NA	211	22.6	169	18.1	222	23.9	177	19.1	186	19.8
5.	Accidents and Adverse Effects(E800-E949)	234	24.5	271	28.3	293	30.8	328	34.6	309	33.3	0.9970	262	28.0	335	35.8	287	31.0	290	31.3	336	35.7
6.	Pneumonia and Influenza (480-487)	228	23.9	151	15.8	235	24.7	206	21.7	149	16.0	0.9264	171	18.3	130	13.9	212	22.9	149	16.1	232	24.7
7.	Diabetes Mellitus(250)	208	21.8	252	26.3	181	19.0	199	21.0	198	21.3	0.9991	205	21.9	185	19.8	209	22.5	223	24.1	202	21.5
8.	Atherosclerosis(440)	138	14.5	107	11.2	124	13.0	135	14.3	166	17.9	1.0649	132	14.1	129	13.8	137	14.8	129	13.9	104	11.1
9.	Chronic Liver Disease and Cirrhosis(571)	121	12.7	126	13.2	135	14.2	148	15.6	139	15.0	1.0110	136	14.5	163	17.4	161	17.4	185	20.0	172	18.3
10.	Suicide(E950-E959)	101	10.6	110	11.5	105	11.0	108	11.4	115	12.4	1.0032	110	11.8	142	15.2	112	12.1	102	11.0	104	11.1
11.	Certain Conditions Originating in the Perinatal Period(760-779)	73	7.6	65	6.8	77	8.1	69	7.3	93	10.0	1.0765	81	8.7	62	6.6	82	8.8	75	8.1	104	11.1
12.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	72	7.5	74	7.7	85	8.9	81	8.6	80	8.6	1.7397	32	3.4	43	4.6	43	4.6	49	5.3	30	3.2
13.	Septicemia(038)	54	5.7	44	4.6	63	6.5	37	3.9	37	4.0	0.8500	26	2.8	19	2.0	29	3.1	12	1.3	22	2.3
14.	Hypertension with/without Renal Disease(401,403)	52	5.4	38	4.0	35	3.7	32	3.4	37	4.0	1.2703	33	3.5	21	2.2	36	3.9	23	2.5	26	2.8
15.	Congenital Anomalies (740-759)	51	5.3	55	5.7	63	6.6	58	6.1	60	6.5	0.9984	65	7.0	59	6.3	61	6.6	45	4.9	51	5.4
16.	Homicide and Legal Intervention(E960-E978)	38	4.0	37	3.9	48	5.0	55	5.8	37	4.0	1.0057	41	4.4	41	4.4	27	2.9	36	3.9	36	3.8
17.	Benign Neoplasms# (210-239)	34	3.6	31	3.2	25	2.6	31	3.3	24	2.6	1.2085	22	2.4	29	3.1	24	2.6	15	1.6	30	3.2
18.	Ulcer of Stomach and Duodenum(531-533)	28	2.9	48	5.0	25	2.6	38	4.0	27	2.9	1.1192	26	2.8	30	3.2	34	3.7	33	3.5	25	2.7
19.	Hernia and Intestinal Obstruction(550-553,560)	24	2.5	33	3.4	27	2.8	33	3.5	21	2.3	0.9432	16	1.7	31	3.3	27	2.9	25	2.7	39	4.2
20.	Anemias(280-285)	15	1.6	25	2.6	13	1.4	5	0.5	16	1.7	0.9296	13	1.4	6	0.6	10	1.1	16	1.7	10	1.1

* Caution should be observed in comparing 1979-1983 causes with previous years because of major changes resulting from the adoption of the Ninth Revision of the International Classification of Diseases in 1979. See the Introduction for a discussion of comparability ratios.

\# For complete category title, see Ninth Revision, International Classification of Disease, 1975.

N.A. Comparability ratio not available for categories 490-496. See discussion of this category in the Introduction.

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1979-1983

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
RHODE ISLAND	ALL	947154	45759	9.7	715	11.6	61531	13.0	9803	159.3	3870	62.9
BARRINGTON	301-304	16174	558	6.9	5	6.5	769	9.5	23	29.9	29	37.7
BRISTOL	307-309	20128	926	9.2	18	15.1	1189	11.8	94	79.1	82	69.0
BURRILLVILLE	129,130	13164	576	8.8	6	6.5	929	14.1	84	90.4	54	58.1
CENTRAL FALLS	108-111	16995	1065	12.5	17	11.2	1512	17.8	340	224.9	131	86.6
CHARLESTOWN	511	4800	191	8.0(C)	4	10.5(C)	382	15.9(C)	51	133.5(C)	25	65.4(C)
COVENTRY	206,207	27065	318	6.8	24	12.9	1854	13.7	182	98.2	91	49.1
CRANSTON	134-148	71992	3714	10.3	31	8.9	3502	9.7	311	88.8	171	48.8
EDGEWOOD-PAWTUXET	134-136	13382	691	10.3	11	13.9	794	11.9	112	141.1	40	50.4
AUBURN	137;138,140	18402	1137	12.4	10	10.0	999	10.9	61	61.1	56	56.1
GARDEN CITY-DEAN ESTATES	139,143,144	12077	598	9.9	1	2.9(C)	350	5.8	13	37.1(C)	8	22.9(C)
ARLINGTON-KNIGHTSVILLE	141,147	11017	724	13.1	4	6.2	646	11.7	81	125.4	39	60.4
WEST CRANSTON	145,146,148	13165	425	6.5	5	8.2	610	9.3	31	50.8	23	37.7
STATE INSTITUTIONS PETTACONSETT	142	3949	127	6.4(C)	0	0.0	100	5.1(C)	13	130.0(C)	5	50.0(C)
CUMBERLAND	112-114	27069	1121	8.3	21	16.0	1314	9.7	111	84.5	67	51.0
NORTH	114	14290	534	7.5	10	16.1	623	8.7	43	69.0	35	56.2
SOUTH	112,113	12779	589	9.2	11	16.0	689	10.8	68	98.7	32	46.4
EAST GREENWICH	209	10211	437	8.6	7	13.5	520	10.2	72	138.5	38	73.1
EAST PROVIDENCE	101-107	50980	2638	10.3	38	12.8	2974	11.7	322	108.3	190	63.9
NORTH	101	7463	429	11.5	5	12.9(C)	388	10.4	35	90.2(C)	28	72.2(C)
NORTH CENTER	102,103	11694	623	10.7	10	12.7	790	13.5	82	103.8	49	62.0
SOUTH CENTER	104,105	17076	887	10.4	10	10.4	965	11.3	105	108.8	58	60.1
SOUTH	106,107	14747	695	9.4	13	15.6	832	11.3	100	120.2	55	66.1
EXETER	505	4453	137	6.2(C)	5	15.2(C)	329	14.8(C)	35	106.4(C)	18	54.7(C)
FOSTER	133	3370	148	8.8(C)	0	0.0	211	12.5(C)	11	52.1(C)	10	47.4(C)
GLOCESTER	131	7550	243	6.4	2	3.8	524	13.9	41	78.2	33	63.0
HOPKINTON	507	6406	239	7.5	9	18.7(C)	482	15.0	66	136.9(C)	29	60.2(C)
JAMESTOWN	413	4040	207	10.2(C)	9	31.5(C)	286	14.2(C)	20	69.9(C)	19	66.4(C)
JOHNSTON	122-125	24907	972	7.8	11	8.1	1357	10.9	106	78.1	69	50.8
LINCOLN	115-117	16949	865	10.2	10	11.7	857	10.1	66	77.0	33	38.5
NORTH	115	4717	258	10.9(C)	2	7.4(C)	272	11.5(C)	22	80.9(C)	8	29.4(C)
SOUTH	116,117	12232	605	9.9	8	13.7	584	9.5	44	75.3	25	42.8
LITTLE COMPTON	414	3085	138	8.9(C)	2	10.4(C)	192	12.4(C)	19	99.0(C)	10	52.1(C)
MIDDLETOWN	402-404	17186	514	6.0	8	6.6	1220	14.2	110	90.2	60	49.2
NARRAGANSETT	515	12088	417	6.9	6	8.2	732	12.1	62	84.7	33	45.1

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1979-1983

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
NEWPORT	405-412	29259	1488	10.2	26	12.5	2081	14.2	474	227.8	136	65.4
NORTH	405,406											
	410-412	16421	833	10.1	21	14.7	1428	17.4	371	259.8	109	76.3
SOUTH	407-409	12838	646	10.1	4	6.1	651	10.1	102	156.7	27	41.5
NEW SHOREHAM	415	620	41	13.2(C)	0	0.0	71	22.9(C)	6	84.5(C)	2	28.2(C)
NORTH KINGSTOWN	501-504	21938	748	6.8	9	5.4	1662	15.2	137	82.4	76	45.7
NORTH PROVIDENCE	118-121	29188	1353	9.3	7	5.0	1402	9.6	79	56.3	61	43.5
NORTH SMITHFIELD	128	9972	448	9.0	6	12.2(C)	492	9.9	31	63.0(C)	26	52.8(C)
PAWTUCKET	149-171	71204	4271	12.0	55	11.0	4978	14.0	852	171.2	331	66.5
FAIRLAWN	150-163	7139	369	10.3	4	10.2(C)	393	11.0	32	81.4(C)	25	63.6(C)
WOODLAWN-DOWNTOWN	149,151,152, 161,162,164	16254	1200	14.8	18	12.5	1442	17.7	369	255.9	105	72.8
OAKHILL	165,166	5658	317	11.2	2	5.6(C)	359	12.7	33	91.9(C)	19	52.9(C)
PLEASANT VIEW-	153,154,160											
EAST SIDE	167,171	14874	820	11.0	20	15.2	1317	17.7	268	203.5	91	69.1
NORTH DARLINGTON	155-159	17638	983	11.1	9	8.4	1075	12.2	120	111.6	66	61.4
SOUTH DARLINGTON	168-170	9641	580	12.0	2	5.2(C)	388	8.0	29	74.7(C)	25	64.4(C)
PORTSMOUTH	401	14257	491	6.9	8	7.7	1043	14.6	60	57.5	33	31.6
PROVIDENCE	001-037	156804	9178	11.7	187	15.1	12379	15.8	3885	313.8	1051	84.9
WASHINGTON PARK	001	7763	336	8.7	10	13.4	748	19.3	193	258.0	50	66.8
ELMWOOD	002,003	14219	767	10.8	31	16.0	1932	27.2	762	394.4	187	96.8
SO. PROVIDENCE(D)	004-007	9271	498	10.7	29	23.7	1226	26.4	650	530.2	134	109.3
FEDERAL HILL-												
OLNEYVILLE	008-011,019	14041	1269	18.1	15	16.0	936	13.3	349	372.9	86	91.9
WEST END	012-015	13968	855	12.2	31	17.8	1745	25.0	669	383.4	167	95.7
ANNEX-MANTON	016-018,020	17630	1047	11.9	20	13.5	1486	16.9	421	283.3	94	63.3
ELMHURST-												
UPPER MT. PLEASANT	021,023,024	20755	1156	11.1	10	10.7	937	9.0	95	101.4	57	60.8
SMITH HILL-												
LOWER MT. PLEASANT	022,025,026	9404	638	13.6	13	15.7	830	17.7	242	291.6	61	73.5
EAGLE PARK-												
WANSKUCK	027-029	14791	841	11.4	9	10.6	852	11.5	204	239.4	76	89.2
HOPE	030-033	12299	910	14.8	13	15.3	849	13.8	215	253.2	77	90.7
EAST SIDE	034,035	10185	535	10.5	1	2.3(C)	429	8.4	23	53.6(C)	27	62.9(C)
COLLEGE HILL-												
FOX POINT	036,037	12278	318	5.2	5	12.8(C)	392	6.4	52	132.7(C)	31	79.1(C)
INNER CITY (E)	003-007,009-014,019,025,026,031,037	51637	3324	12.9	105	19.0	5537	21.4	2302	415.7	557	100.6
RICHMOND	506	4018	127	6.3(C)	8	23.7(C)	338	16.8(C)	49	145.0(C)	12	35.5(C)
SCITUATE	132	8405	331	7.9	5	10.2(C)	491	11.7	31	63.1(C)	23	46.8(C)
SMITHFIELD	126,127	16886	572	6.8	6	6.9	875	10.4	56	64.0	52	59.4

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1979-1983

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
SOUTH KINGSTOWN	512-514	20414	647	6.3	10	7.8	1282	12.6	168	131.0	61	47.6
TIVERTON	416,417	13526	542	8.0	4	5.3	753	11.1	76	100.9	47	62.4
WARREN	305,306	10640	547	10.3	8	12.0	664	12.5	50	75.3	35	52.7
WARWICK	210-224	87123	4123	9.5	51	10.6	4820	11.1	487	101.0	284	58.9
LAKEWOOD-SPRING GREEN	210,212,213	17633	1042	11.8	11	12.4	888	10.1	71	80.8	42	47.3
NORWOOD-HILLSGROVE	211,214	14830	676	9.1	5	6.3	796	10.7	71	89.2	52	65.3
GREENWOOD-PONTIAC	221,223	9155	484	10.6	3	7.1(C)	425	9.3	34	80.0(C)	22	51.8(C)
BUTTONWOODS	219	12407	515	8.3	9	12.6	717	11.6	50	69.7	46	64.2
OAKLAND BEACH-WARWICK NECK	215-218	18433	821	8.9	13	10.4	1249	13.6	210	168.1	89	71.3
COWESETT-POTOWAMUT	220,222,224	14395	584	8.1	10	13.4	744	10.3	51	68.5	33	44.4
WESTERLY	508,510	18580	864	9.3	14	10.4	1343	14.5	159	118.4	72	53.6
WEST GREENWICH	208	2738	87	6.4(C)	2	9.6(C)	209	15.3(C)	17	81.3(C)	9	43.1(C)
WEST WARWICK	201-205	27026	1222	9.0	27	13.1	2062	15.3	276	133.9	116	56.3
WOONSOCKET	172-185	45914	2655	11.6	49	14.2	3451	15.0	784	227.2	251	72.7
FAIRMOUNT-CENTRAL	172,174,176	8844	472	10.7	10	11.9	839	19.0	285	339.7	66	78.7
GLOBE-NORTH END	173,175	7305	415	11.4	4	7.4	537	14.7	60	111.7	31	57.7
BERNON	177-179	10177	565	11.1	11	13.8	796	15.6	157	197.2	59	74.1
SOCIAL	180-183	8983	722	16.1	11	14.9	740	16.5	189	255.4	60	81.1
EAST WOONSOCKET	184,185	10605	479	9.0	13	24.4	532	10.0	90	169.2	35	65.8

* THE SUM OF NEIGHBORHOOD FIGURES WILL NOT ALWAYS EQUAL THE CITY OR TOWN TOTAL BECAUSE TOTALS INCLUDE ITEMS WITH CENSUS TRACT UNKNOWN.
(A) AVERAGE RATE PER 1,000 POPULATION ACCORDING TO THE 1980 CENSUS.
(B) AVERAGE RATIO PER 1,000 LIVE BIRTHS, 1979-1983.
(C) RATE BASED ON EITHER A DENOMINATOR OF LESS THAN 500 LIVE BIRTHS OR LESS TN AND MAY BE STATISTICALLY UNRELIABLE.
(D) SOUTH PROVIDENCE IS ALSO REFERRED TO AS "MODEL CITY AREA".
(E) PROVIDENCE "INNER CITY" GROUPING INCLUDES CENSUS TRACTS THAT ALSO APPEAR IN OTHER NEIGHBORHOOD GROUPINGS.

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1960-1983 (Rhode Island Residents)

	BIRTHS OUT OF WEDLOCK				
Year	Number	Ratio	Year	Number	Ratio
1960	611	33.2	1972	1,064	80.1
1961	611	33.3	1973	1,140	92.9
1962	528	28.8	1974	1,133	99.9
1963	580	21.0	1975	1,244	116.0
1964	662	36.8	1976	1,352	125.3
1965	694	40.2	1977	1,577	135.7
1966	778	47.7	1978	1,623	140.9
1967	847	53.6	1979	1,704	143.7
1968	911	59.9	1980	1,904	156.5
1969	1,022	66.1	1981	1,966	158.2
1970	1,148	72.6	1982	2,009	160.7
1971	1,116	74.9	1983	2,220	176.5

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1974-1983

			AGE OF MOTHER IN YEARS				
Year		Total	Under 20	20-24	25-29	30-34	35 and Over
1974	Number	1,133*	585	331	142	53	19
	Ratio	99.9	336.8	85.4	37.3	38.1	37.0
1975	Number	1,244	618	379	163	53	31
	Ratio	116.0	385.5	103.6	44.5	40.0	66.1
1976	Number	1,352*	632	430	192	66	31
	Ratio	125.3	401.3	116.5	51.8	48.2	70.0
1977	Number	1,577	700	589	181	72	35
	Ratio	135.7	431.6	147.4	46.3	45.1	71.4
1978	Number	1,623*	693	583	215	95	36
	Ratio	140.9	467.0	150.6	55.5	53.2	72.6
1979	Number	1,704*	715	605	260	90	34
	Ratio	143.7	477.9	154.7	64.3	47.0	68.8
1980	Number	1,904	764	726	269	102	43
	Ratio	156.5	510.0	176.9	66.9	50.3	83.2
1981	Number	1,966*	768	743	286	127	40
	Ratio	158.2	526.7	183.7	67.6	59.3	72.3
1982	Number	2,009	767	775	312	111	43
	Ratio	160.7	544.0	191.7	73.4	51.1	68.8
1983	Number	2,220	855	796	376	148	45
	Ratio	176.5	596.2	210.6	86.5	63.1	67.1

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1983

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	12576	5641	4272	1784	520	161	80	33	36	49
WHITE MALE	5834	2680	2003	830	204	54	25	12	5	21
WHITE FEMALE	5377	2473	1881	709	207	53	22	4	12	16
NON WHITE MALE	668	244	192	127	45	24	19	12	5	0
NON-WHITE FEMALE	662	233	191	113	63	30	14	4	14	0
UNKNOWN MALE	18	5	1	2	1	0	0	1	0	8
UNKNOWN FEMALE	17	6	4	3	0	0	0	0	0	4
UNDER 15 YEARS										
TOTAL	18	18	0	0	0	0	0	0	0	0
WHITE MALE	9	9	0	0	0	0	0	0	0	0
WHITE FEMALE	3	3	0	0	0	0	0	0	0	0
NON-WHITE MALE	3	3	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	3	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	68	67	1	0	0	0	0	0	0	0
WHITE MALE	24	24	0	0	0	0	0	0	0	0
WHITE FEMALE	25	24	1	0	0	0	0	0	0	0
NON-WHITE MALE	12	12	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	7	7	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	161	140	19	2	0	0	0	0	0	0
WHITE MALE	72	62	8	2	0	0	0	0	0	0
WHITE FEMALE	47	44	3	0	0	0	0	0	0	0
NON-WHITE MALE	23	17	6	0	0	0	0	0	0	0
NON-WHITE FEMALE	19	17	2	0	0	0	0	0	0	0
17 YEARS										
TOTAL	251	221	27	3	0	0	0	0	0	0
WHITE MALE	106	100	5	1	0	0	0	0	0	0
WHITE FEMALE	100	89	10	1	0	0	0	0	0	0
NON-WHITE MALE	27	19	7	1	0	0	0	0	0	0
NON-WHITE FEMALE	18	13	5	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1983

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	418	342	65	10	0	0	0	0	0	1
WHITE MALE	161	135	23	3	0	0	0	0	0	0
WHITE FEMALE	184	150	31	2	0	0	0	0	0	1
NON-WHITE MALE	34	25	7	2	0	0	0	0	0	0
NON-WHITE FEMALE	37	30	4	3	0	0	0	0	0	0
UNKNOWN FEMALE	2	2	0	0	0	0	0	0	0	0
19 YEARS										
TOTAL	518	369	108	31	5	1	0	0	0	4
WHITE MALE	216	160	44	9	1	0	0	0	0	2
WHITE FEMALE	211	160	39	12	0	0	0	0	0	0
NON-WHITE MALE	40	21	10	7	2	0	0	0	0	0
NON-WHITE FEMALE	49	28	15	3	2	1	0	0	0	0
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	2
20 YEARS										
TOTAL	637	407	180	38	10	1	0	0	0	1
WHITE MALE	290	193	81	13	3	0	0	0	0	0
WHITE FEMALE	246	171	58	15	1	0	0	0	0	1
NON-WHITE MALE	48	23	18	5	2	0	0	0	0	0
NON-WHITE FEMALE	50	19	22	4	4	1	0	0	0	0
UNKNOWN MALE	2	1	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0
21 YEARS										
TOTAL	689	370	226	73	15	3	0	0	0	2
WHITE MALE	302	175	97	25	5	0	0	0	0	0
WHITE FEMALE	286	160	93	28	4	0	0	0	0	1
NON-WHITE MALE	48	10	20	13	2	3	0	0	0	0
NON-WHITE FEMALE	50	23	16	7	4	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	1	0	0	0	0	0	0	0	1
22 YEARS										
TOTAL	755	400	265	72	13	0	0	0	0	5
WHITE MALE	356	191	126	33	3	0	0	0	0	3
WHITE FEMALE	309	174	109	22	2	0	0	0	0	2
NON-WHITE MALE	44	20	15	7	2	0	0	0	0	0
NON-WHITE FEMALE	45	15	14	10	6	0	0	0	0	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1983

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS TOTAL	817	392	310	85	24	2	0	1	0	3
WHITE MALE	378	185	146	37	7	0	0	1	0	2
WHITE FEMALE	354	178	135	34	6	0	0	0	0	1
NON-WHITE MALE	48	17	17	8	6	0	0	0	0	0
NON-WHITE FEMALE	35	11	11	6	5	2	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0
24 YEARS TOTAL	881	407	340	98	21	7	3	0	0	5
WHITE MALE	401	187	164	41	6	1	0	0	0	2
WHITE FEMALE	393	200	143	40	6	2	0	0	0	2
NON-WHITE MALE	41	9	16	10	4	1	1	0	0	0
NON-WHITE FEMALE	45	11	17	7	5	3	2	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1
25-29 YEARS TOTAL	4348	1737	1653	691	178	50	18	7	1	13
WHITE MALE	2086	872	798	315	74	12	4	4	0	7
WHITE FEMALE	1894	774	751	276	69	18	2	0	1	3
NON-WHITE MALE	185	48	50	52	15	9	8	3	0	0
NON-WHITE FEMALE	173	39	53	46	20	11	4	0	0	0
UNKNOWN MALE	5	2	1	1	0	0	0	0	0	1
UNKNOWN FEMALE	5	2	0	1	0	0	0	0	0	2
30-34 YEARS TOTAL	2344	651	904	504	165	60	31	11	10	8
WHITE MALE	1126	329	427	256	70	27	8	4	2	3
WHITE FEMALE	1044	289	436	209	73	20	9	2	3	3
NON-WHITE MALE	82	18	20	16	8	7	8	3	2	0
NON-WHITE FEMALE	87	14	21	21	14	6	6	2	3	0
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	2
UNKNOWN FEMALE	3	1	0	2	0	0	0	0	0	0
35-39 YEARS TOTAL	586	110	164	162	77	28	20	9	9	7
WHITE MALE	275	53	77	87	31	11	11	2	1	2
WHITE FEMALE	250	53	70	66	40	10	6	2	1	2
NON-WHITE MALE	23	2	6	4	3	2	1	4	1	0
NON-WHITE FEMALE	33	2	10	5	2	5	2	1	6	0
UNKNOWN MALE	3	0	0	0	1	0	0	0	0	2
UNKNOWN FEMALE	2	0	1	0	0	0	0	0	0	1

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1983

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS TOTAL	79	9	10	14	12	8	7	3	16	0
WHITE MALE	31	5	7	7	4	3	2	1	2	0
WHITE FEMALE	30	3	2	4	6	3	5	0	7	0
NON-WHITE MALE	8	0	0	2	1	2	0	1	2	0
NON-WHITE FEMALE	9	1	1	1	1	0	0	0	5	0
UNKNOWN MALE	1	0	0	0	0	0	0	1	0	0
45-49 YEARS TOTAL	6	1	0	1	0	1	1	2	0	0
WHITE MALE	1	0	0	1	0	0	0	0	0	0
WHITE FEMALE	1	1	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	0	0	0	0	0	1	1	0	0
NON-WHITE FEMALE	2	0	0	0	0	1	0	1	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1983

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	2220	1294	540	240	84	32	19	3	1	7
WHITE MALE	854	556	180	77	29	4	4	2	1	1
WHITE FEMALE	792	470	197	89	22	9	2	1	0	2
NON-WHITE MALE	295	137	86	38	16	9	9	0	0	0
NON-WHITE FEMALE	267	124	77	35	17	10	4	0	0	0
UNKNOWN MALE	7	4	0	1	0	0	0	0	0	2
UNKNOWN FEMALE	5	3	0	0	0	0	0	0	0	2
UNDER 15 YEARS										
TOTAL	18	18	0	0	0	0	0	0	0	0
WHITE MALE	9	9	0	0	0	0	0	0	0	0
WHITE FEMALE	3	3	0	0	0	0	0	0	0	0
NON-WHITE MALE	3	3	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	3	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	59	58	1	0	0	0	0	0	0	0
WHITE MALE	22	22	0	0	0	0	0	0	0	0
WHITE FEMALE	21	20	1	0	0	0	0	0	0	0
NON-WHITE MALE	10	10	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	6	6	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	132	117	14	1	0	0	0	0	0	0
WHITE MALE	57	50	6	1	0	0	0	0	0	0
WHITE FEMALE	39	37	2	0	0	0	0	0	0	0
NON-WHITE MALE	20	16	4	0	0	0	0	0	0	0
NON-WHITE FEMALE	16	14	2	0	0	0	0	0	0	0
17 YEARS										
TOTAL	171	152	18	1	0	0	0	0	0	0
WHITE MALE	70	67	2	1	0	0	0	0	0	0
WHITE FEMALE	69	63	6	0	0	0	0	0	0	0
NON-WHITE MALE	19	13	6	0	0	0	0	0	0	0
NON-WHITE FEMALE	13	9	4	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1983

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	251	208	36	6	0	0	0	0	0	1
WHITE MALE	86	73	11	2	0	0	0	0	0	0
WHITE FEMALE	104	85	18	0	0	0	0	0	0	1
NON-WHITE MALE	29	23	4	2	0	0	0	0	0	0
NON-WHITE FEMALE	30	25	3	2	0	0	0	0	0	0
UNKNOWN FEMALE	2	2	0	0	0	0	0	0	0	0
19 YEARS										
TOTAL	224	157	48	14	2	0	0	0	0	3
WHITE MALE	92	72	14	5	0	0	0	0	0	1
WHITE FEMALE	69	48	16	5	0	0	0	0	0	0
NON-WHITE MALE	30	18	9	2	1	0	0	0	0	0
NON-WHITE FEMALE	31	19	9	2	1	0	0	0	0	0
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	2
20 YEARS										
TOTAL	202	121	64	11	5	1	0	0	0	0
WHITE MALE	79	54	22	1	2	0	0	0	0	0
WHITE FEMALE	67	48	17	2	0	0	0	0	0	0
NON-WHITE MALE	28	10	13	3	2	0	0	0	0	0
NON-WHITE FEMALE	26	8	12	4	1	1	0	0	0	0
UNKNOWN MALE	2	1	0	1	0	0	0	0	0	0
21 YEARS										
TOTAL	181	93	53	22	10	3	0	0	0	0
WHITE MALE	71	40	18	8	5	0	0	0	0	0
WHITE FEMALE	62	35	19	6	2	0	0	0	0	0
NON-WHITE MALE	21	4	8	5	1	3	0	0	0	0
NON-WHITE FEMALE	25	12	8	3	2	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
22 YEARS										
TOTAL	151	84	45	18	3	0	0	0	0	1
WHITE MALE	61	35	18	7	1	0	0	0	0	0
WHITE FEMALE	43	23	12	7	0	0	0	0	0	1
NON-WHITE MALE	28	16	7	3	2	0	0	0	0	0
NON-WHITE FEMALE	19	10	8	1	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1993

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	155	65	62	22	6	0	0	0	0	0
WHITE MALE	64	28	27	8	1	0	0	0	0	0
WHITE FEMALE	55	27	20	8	0	0	0	0	0	0
NON-WHITE MALE	23	8	9	2	4	0	0	0	0	0
NON-WHITE FEMALE	13	2	6	4	1	0	0	0	0	0
24 YEARS										
TOTAL	107	39	42	21	2	1	2	0	0	0
WHITE MALE	32	12	12	7	1	0	0	0	0	0
WHITE FEMALE	48	23	13	6	0	0	0	0	0	0
NON-WHITE MALE	15	2	6	6	0	0	1	0	0	0
NON-WHITE FEMALE	12	2	5	2	1	1	1	0	0	0
25-29 YEARS										
TOTAL	376	132	116	79	31	10	7	0	0	1
WHITE MALE	136	69	34	24	9	0	0	0	0	0
WHITE FEMALE	140	40	50	33	11	5	1	0	0	0
NON-WHITE MALE	49	10	17	11	4	2	5	0	0	0
NON-WHITE FEMALE	48	11	15	11	7	3	1	0	0	0
UNKNOWN MALE	2	2	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1
30-34 YEARS										
TOTAL	148	39	33	38	19	12	6	1	0	0
WHITE MALE	55	19	12	10	8	3	2	1	0	0
WHITE FEMALE	56	13	16	19	5	3	0	0	0	0
NON-WHITE MALE	17	4	3	3	2	3	2	0	0	0
NON-WHITE FEMALE	20	3	2	6	4	3	2	0	0	0
35-39 YEARS										
TOTAL	39	11	7	6	6	3	3	2	0	1
WHITE MALE	17	6	3	2	2	1	2	1	0	0
WHITE FEMALE	14	5	1	3	4	0	0	1	0	0
NON-WHITE MALE	3	0	0	1	0	1	1	0	0	0
NON-WHITE FEMALE	4	0	3	0	0	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1983

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS TOTAL	5	0	1	1	0	1	1	0	1	0
WHITE MALE	3	0	1	1	0	0	0	0	1	0
WHITE FEMALE	2	0	0	0	0	1	1	0	0	0
45-49 YEARS TOTAL	1	0	0	0	0	1	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	1	0	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	12576**	811	94	53	149	515	1893	4636	3801	1164	208	31
WHITE	11211	671	72	45	123	431	1582	4076	3523	1106	198	28
NON-WHITE	1330	136	21	8	25	82	305	548	273	53	10	3
RACE UNKNOWN	35	4	1	0	1	2	6	12	5	5	0	0
UNDER 15 YEARS												
TOTAL	18	2	1	0	0	1	2	9	4	0	0	0
WHITE	12	1	1	0	0	0	1	5	4	0	0	0
NON-WHITE	6	1	0	0	0	1	1	4	0	0	0	0
15 YEARS												
TOTAL	68	7	1	0	1	5	12	29	16	3	1	0
WHITE	49	6	1	0	0	5	5	23	12	3	0	0
NON-WHITE	19	1	0	0	1	0	7	6	4	0	1	0
16 YEARS												
TOTAL	161	18	1	1	3	13	28	70	38	5	2	0
WHITE	119	9	1	1	1	6	22	51	31	4	2	0
NON-WHITE	42	9	0	0	2	7	6	19	7	1	0	0
17 YEARS												
TOTAL	251	30	3	4	6	17	40	102	62	16	0	0
WHITE	206	20	3	4	3	10	34	84	51	16	0	0
NON-WHITE	45	10	0	0	3	7	6	18	11	0	0	0
18 YEARS												
TOTAL	418	34	1	2	5	26	82	163	104	28	4	1
WHITE	345	23	1	1	4	17	60	134	93	28	4	1
NON-WHITE	71	11	0	1	1	9	22	28	10	0	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	1	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	518	55	4	2	19	30	88	109	126	46	1	0
WHITE	427	38	3	1	13	21	63	169	111	43	1	0
NON-WHITE	89	16	1	1	6	8	25	30	15	3	0	0
RACE UNKNOWN	2	1	0	0	0	1	0	0	0	0	0	0
20 YEARS TOTAL	637	38	5	4	3	26	125	253	167	43	7	3
WHITE	536	27	1	3	2	21	101	209	151	40	5	3
NON-WHITE	98	11	4	1	1	5	24	43	15	2	2	0
RACE UNKNOWN	3	0	0	0	0	0	0	1	1	1	0	0
21 YEARS TOTAL	689	58	11	3	7	37	101	258	208	50	9	1
WHITE	588	48	8	3	7	30	82	216	182	47	9	1
NON-WHITE	98	9	3	0	0	6	19	41	26	3	0	0
RACE UNKNOWN	3	1	0	0	0	1	0	1	0	0	0	0
22 YEARS TOTAL	755	50	7	2	12	29	120	281	234	61	6	2
WHITE	665	38	5	1	9	23	98	241	222	57	6	2
NON-WHITE	89	12	2	1	3	6	21	40	12	4	0	0
RACE UNKNOWN	1	0	0	0	0	0	1	0	0	0	0	0
23 YEARS TOTAL	817	50	9	4	8	29	129	318	236	63	15	2
WHITE	732	42	8	3	7	24	115	284	212	58	15	2
NON-WHITE	83	8	1	1	1	5	14	33	24	4	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	0	1	0	0
24 YEARS TOTAL	881	48	4	1	12	31	150	330	263	77	9	1
WHITE	794	42	4	1	11	26	134	290	240	76	9	0
NON-WHITE	86	6	0	0	1	5	16	40	22	1	0	1
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	4348	246	29	13	45	159	587	1561	1394	453	87	10
WHITE	3980	211	18	10	41	142	502	1413	1322	430	85	9
NON-WHITE	358	33	10	3	3	17	83	144	71	23	2	1
RACE UNKNOWN	10	2	1	0	1	0	2	4	1	0	0	0
30-34 YEARS												
TOTAL	2344	131	11	16	17	87	337	826	746	245	52	6
WHITE	2170	125	11	16	15	83	292	753	708	238	48	5
NON-WHITE	169	6	0	0	2	4	44	70	38	6	4	1
RACE UNKNOWN	5	0	0	0	0	0	1	3	0	1	0	0
35-39 YEARS												
TOTAL	586	39	6	0	10	23	80	206	178	64	14	4
WHITE	525	36	6	0	9	21	64	183	167	57	13	4
NON-WHITE	56	3	0	0	1	2	14	22	11	5	1	0
RACE UNKNOWN	5	0	0	0	0	0	2	1	0	2	0	0
40-44 YEARS												
TOTAL	79	5	1	1	1	2	11	28	23	10	1	1
WHITE	61	5	1	1	1	2	9	20	16	9	1	1
NON-WHITE	17	0	0	0	0	0	2	8	6	1	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
45-49 YEARS												
TOTAL	6	0	0	0	0	0	1	3	2	0	0	0
WHITE	2	0	0	0	0	0	0	1	1	0	0	0
NON-WHITE	4	0	0	0	0	0	1	2	1	0	0	0

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	256**	114	9	8	27	70	87	42	13	0	0	0
WHITE	229	98	7	7	21	63	80	39	12	0	0	0
NON-WHITE	27	16	2	1	6	7	7	3	1	0	0	0
UNDER 15 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
15 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS TOTAL	4	3	0	0	0	3	1	0	0	0	0	0
WHITE	4	3	0	0	0	3	1	0	0	0	0	0
17 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
18 YEARS TOTAL	7	1	0	0	0	1	2	3	1	0	0	0
WHITE	7	1	0	0	0	1	2	3	1	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	12	11	1	1	6	3	1	0	0	0	0	0
WHITE	6	6	1	1	2	2	0	0	0	0	0	0
NON-WHITE	6	5	0	0	4	1	1	0	0	0	0	0
20 YEARS												
TOTAL	5	1	0	0	0	1	4	0	0	0	0	0
WHITE	5	1	0	0	0	1	4	0	0	0	0	0
21 YEARS												
TOTAL	17	10	0	2	1	7	4	2	1	0	0	0
WHITE	13	10	0	2	1	7	2	1	0	0	0	0
NON-WHITE	4	0	0	0	0	0	2	1	1	0	0	0
22 YEARS												
TOTAL	16	8	2	1	2	3	4	2	2	0	0	0
WHITE	14	6	2	0	2	2	4	2	2	0	0	0
NON-WHITE	2	2	0	1	0	1	0	0	0	0	0	0
23 YEARS												
TOTAL	17	10	0	0	1	9	5	2	0	0	0	0
WHITE	14	9	0	0	1	8	4	1	0	0	0	0
NON-WHITE	3	1	0	0	0	1	1	1	0	0	0	0
24 YEARS												
TOTAL	26	11	2	0	3	6	11	4	0	0	0	0
WHITE	24	9	2	0	2	5	11	4	0	0	0	0
NON-WHITE	2	2	0	0	1	1	0	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	68	32	2	1	10	19	22	10	4	0	0	0
WHITE	62	27	0	1	9	17	21	10	4	0	0	0
NON-WHITE	6	5	2	0	1	2	1	0	0	0	0	0
30-34 YEARS												
TOTAL	69	24	2	3	3	16	26	14	5	0	0	0
WHITE	69	24	2	3	3	16	26	14	5	0	0	0
35-39 YEARS												
TOTAL	13	3	0	0	1	2	6	4	0	0	0	0
WHITE	9	2	0	0	1	1	4	3	0	0	0	0
NON-WHITE	4	1	0	0	0	1	2	1	0	0	0	0
40-44 YEARS												
TOTAL	2	0	0	0	0	0	1	1	0	0	0	0
WHITE	2	0	0	0	0	0	1	1	0	0	0	0
45-49 YEARS												
AGE UNKNOWN												

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	2220**	242	30	14	38	160	441	853	512	139	18	4
WHITE	1646	157	17	8	23	109	308	639	400	118	13	2
NON-WHITE	562	82	12	6	15	49	132	211	109	20	5	2
RACE UNKNOWN	12	3	1	0	0	2	1	3	3	1	0	0
UNDER 15 YEARS												
TOTAL	18	2	1	0	0	1	2	9	4	0	0	0
WHITE	12	1	1	0	0	0	1	5	4	0	0	0
NON-WHITE	6	1	0	0	0	1	1	4	0	0	0	0
15 YEARS												
TOTAL	59	6	1	0	1	4	9	25	15	3	1	0
WHITE	43	5	1	0	0	4	4	19	12	3	0	0
NON-WHITE	16	1	0	0	1	0	5	6	3	0	1	0
16 YEARS												
TOTAL	132	14	1	1	2	10	20	61	31	5	1	0
WHITE	96	8	1	1	1	5	14	45	24	4	1	0
NON-WHITE	36	6	0	0	1	5	6	16	7	1	0	0
17 YEARS												
TOTAL	171	19	2	2	3	12	31	70	39	11	0	0
WHITE	139	13	2	2	1	8	26	59	29	11	0	0
NON-WHITE	32	6	0	0	2	4	5	11	10	0	0	0
18 YEARS												
TOTAL	251	24	1	1	5	17	53	97	61	13	1	0
WHITE	190	14	1	0	4	9	35	74	51	13	1	0
NON-WHITE	59	10	0	1	1	8	18	22	9	0	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	1	0	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	224	34	2	1	10	21	41	86	44	16	0	0
WHITE	161	19	1	0	6	12	24	67	36	13	0	0
NON-WHITE	61	14	1	1	4	8	17	19	8	3	0	0
RACE UNKNOWN	2	1	0	0	0	1	0	0	0	0	0	0
20 YEARS TOTAL	202	18	2	1	1	15	34	85	45	15	2	2
WHITE	146	11	0	1	0	10	21	63	36	12	1	2
NON-WHITE	54	8	2	0	1	5	13	22	8	2	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	0	1	1	0	0
21 YEARS TOTAL	181	17	4	0	2	11	30	81	41	12	0	0
WHITE	133	11	2	0	2	7	21	61	29	11	0	0
NON-WHITE	46	5	2	0	0	3	9	19	12	1	0	0
RACE UNKNOWN	2	1	0	0	0	1	0	1	0	0	0	0
22 YEARS TOTAL	151	19	5	1	2	11	34	57	34	7	0	0
WHITE	104	10	3	0	0	7	24	38	28	4	0	0
NON-WHITE	47	9	2	1	2	4	10	19	6	3	0	0
23 YEARS TOTAL	155	12	4	1	2	5	36	62	37	6	2	0
WHITE	119	10	3	0	2	5	29	47	26	5	2	0
NON-WHITE	36	2	1	1	0	0	7	15	11	1	0	0
24 YEARS TOTAL	107	13	2	0	2	9	25	44	21	2	1	0
WHITE	80	9	2	0	1	6	18	37	12	2	1	0
NON-WHITE	27	4	0	0	1	3	7	7	9	0	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1983

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS TOTAL	376	42	5	4	4	29	85	112	93	33	7	1
WHITE	276	28	0	2	3	23	61	79	74	26	6	0
NON-WHITE	97	13	4	2	1	6	24	32	18	7	1	1
RACE UNKNOWN	3	1	1	0	0	0	0	1	1	0	0	0
30-34 YEARS TOTAL	148	14	0	2	3	9	29	52	38	12	2	1
WHITE	111	12	0	2	2	8	20	36	31	11	1	0
NON-WHITE	37	2	0	0	1	1	9	16	7	1	1	1
35-39 YEARS TOTAL	39	7	0	0	1	6	9	10	8	4	1	0
WHITE	31	6	0	0	1	5	7	9	7	3	0	0
NON-WHITE	7	1	0	0	0	1	1	2	1	1	1	0
RACE UNKNOWN	1	0	0	0	0	0	1	0	0	0	0	0
40-44 YEARS TOTAL	5	0	0	0	0	0	3	1	1	0	0	0
WHITE	5	0	0	0	0	0	3	1	1	0	0	0
45-49 YEARS TOTAL	1	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE	1	0	0	0	0	0	0	1	0	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN BY SELECTED CHARACTERISTICS, RHODE ISLAND, 1983

CITY OR TOWN	ALL RACES				WHITE				NON-WHITE				UNKNOWN
	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	12576	12489	2220	811	11211	11147	1646	671	1330	1308	562	136	35
BARRINGTON	157	157	5	7	153	153	5	6	4	4	0	1	0
BRISTOL	233	231	15	21	228	227	15	20	3	2	0	1	2
BURRILLVILLE	199	198	22	10	199	198	22	10	0	0	0	0	0
CENTRAL FALLS	317	317	77	33	290	290	68	30	25	25	8	3	2
CHARLESTOWN	71	69	8	6	67	65	8	6	4	4	0	0	0
COVENTRY	371	370	38	21	367	366	37	21	3	3	0	0	1
CRANSTON	739	738	71	41	718	717	68	38	17	17	3	3	4
CUMBERLAND	259	257	24	17	256	254	24	17	3	3	0	0	0
EAST GREENWICH	105	105	18	7	102	102	17	7	3	3	1	0	0
EAST PROVIDENCE	588	583	71	40	546	542	58	33	42	41	13	7	0
EXETER	77	77	14	7	76	76	14	7	1	1	0	0	0
FOSTER	47	47	3	0	47	47	3	0	0	0	0	0	0
GLOCESTER	109	108	10	6	109	108	10	6	0	0	0	0	0
HOPKINTON	106	106	20	8	104	104	20	8	2	2	0	0	0
JAMESTOWN	44	43	5	7	42	41	3	6	2	2	2	1	0
JOHNSTON	261	258	30	15	256	253	30	15	4	4	0	0	1
LINCOLN	174	172	12	10	171	169	12	10	3	3	0	0	0
LITTLE COMPTON	47	47	5	5	46	46	5	5	0	0	0	0	1
MIDDLETOWN	208	205	18	3	197	194	16	3	11	11	2	0	0
NARRAGANSETT	158	157	19	5	146	145	13	5	12	12	6	0	0
NEWPORT	411	411	90	27	357	357	66	21	54	54	24	6	0
NEW SHOREHAM	13	13	1	0	13	13	1	0	0	0	0	0	0
NORTH KINGSTOWN	336	335	28	16	327	326	23	15	9	9	5	1	0
NORTH PROVIDENCE	275	275	20	11	267	267	18	11	8	8	2	0	0
NORTH SMITHFIELD	92	91	8	3	91	90	8	3	1	1	0	0	0
PAWTUCKET	1061	1060	210	62	954	953	174	54	105	105	36	8	2
PORTSMOUTH	219	219	8	11	211	211	8	10	7	7	0	1	1
PROVIDENCE	2647	2611	919	231	1756	1738	485	133	874	856	425	95	17
RICHMOND	72	70	16	2	69	68	14	2	2	2	1	0	1
SCITUATE	93	93	7	6	92	92	7	6	1	1	0	0	0
SMITHFIELD	173	173	8	10	171	171	8	10	2	2	0	0	0
SOUTH KINGSTOWN	246	241	38	12	220	215	31	11	25	25	7	1	1
TIVERTON	131	129	11	5	130	128	11	5	1	1	0	0	0
WARREN	149	147	11	7	146	144	10	7	2	2	1	0	1
WARWICK	984	980	114	65	967	964	113	62	16	15	1	2	1
WESTERLY	288	285	38	21	280	277	37	20	8	8	1	1	0
WEST GREENWICH	37	37	6	1	36	36	6	1	1	1	0	0	0
WEST WARWICK	414	412	58	19	403	401	58	19	11	11	0	0	0
WOONSOCKET	665	662	144	33	601	599	120	28	64	63	24	5	0

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1983

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	12576	964	953	1066	1121	1097	1106	1097	1104	1092	1031	984	961
BARRINGTON	157	14	17	14	7	9	12	15	17	10	16	14	12
BRISTOL	233	17	16	21	15	14	24	23	16	24	22	20	21
BURRILLVILLE	199	13	22	17	14	23	22	17	8	16	11	21	15
CENTRAL FALLS	317	24	22	21	32	26	31	26	35	28	20	30	22
CHARLESTOWN	71	5	8	3	2	7	7	6	7	6	7	8	5
COVENTRY	371	31	33	34	38	33	18	28	27	28	38	30	33
CRANSTON	739	58	51	63	72	72	70	65	54	68	58	50	58
CUMBERLAND	259	27	13	32	18	21	20	33	22	14	22	14	23
EAST GREENWICH	105	13	8	11	11	10	8	6	8	9	9	5	7
EAST PROVIDENCE	588	47	38	46	59	51	69	53	61	44	47	33	40
EXETER	77	6	7	6	4	7	5	8	4	8	10	6	6
FOSTER	47	1	1	3	6	7	2	6	7	5	1	3	5
GLOCESTER	109	11	9	6	10	3	14	12	10	9	8	10	7
HOPKINTON	106	9	6	6	8	7	14	10	7	10	13	4	12
JAMESTOWN	44	5	4	3	2	3	1	5	4	6	3	5	3
JOHNSTON	261	14	24	17	34	15	28	23	21	24	24	13	24
LINCOLN	174	11	16	19	10	10	16	11	14	20	17	20	10
LITTLE COMPTON	47	4	0	3	6	5	6	6	4	4	2	2	5
MIDDLETOWN	208	14	19	19	13	16	23	18	19	18	13	21	15
NARRAGANSETT	158	15	10	17	15	10	14	9	19	14	15	13	7
NEWPORT	411	25	27	38	30	41	36	43	39	37	36	31	28
NEW SHOREHAM	13	0	1	1	0	1	1	1	2	2	1	3	0
NORTH KINGSTOWN	336	24	27	28	31	31	26	32	40	22	23	24	28
NORTH PROVIDENCE	275	25	25	18	19	17	21	20	22	31	37	18	22
NORTH SMITHFIELD	92	6	9	6	8	14	7	7	7	10	2	8	8
PAWTUCKET	1061	59	84	96	88	97	94	92	100	96	79	96	80
PORTSMOUTH	219	15	12	20	21	25	23	17	18	19	18	14	17
PROVIDENCE	2647	200	201	237	242	229	210	239	245	219	210	215	200
RICHMOND	72	12	5	5	2	4	7	3	7	6	6	9	6
SCITUATE	93	9	4	5	8	10	4	7	14	6	10	8	8
SMITHFIELD	173	12	10	10	19	18	19	11	19	11	19	10	15
SOUTH KINGSTOWN	246	25	11	22	28	20	22	22	19	21	16	22	18
TIVERTON	131	11	11	8	13	16	15	8	14	9	6	11	9
WARREN	149	8	15	9	16	16	12	13	9	10	14	13	14
WARWICK	984	69	80	77	87	80	82	85	82	102	87	86	67
WESTERLY	288	32	16	25	32	26	29	23	23	21	17	18	26
WEST GREENWICH	37	4	5	2	4	3	2	3	3	3	2	3	3
WEST WARWICK	414	31	34	29	39	35	30	33	26	44	49	32	32
WOONSOCKET	665	58	52	69	58	65	62	58	51	58	43	41	50

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
RHODE ISLAND	12576	2220	811	73	10456	1742	103	52	223
BARRINGTON	157	5	7	1	151	6	0	0	0
301	51	3	1	1	49	2	0	0	0
302	40	0	3	0	39	1	0	0	0
303	35	2	1	0	33	2	0	0	0
304	31	0	2	0	30	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
BRISTOL	233	15	21	3	194	29	3	2	5
307	81	10	12	2	66	11	0	1	3
308	43	3	3	1	37	4	0	1	1
309	107	2	5	0	90	13	3	0	1
UNKNOWN	2	0	1	0	1	1	0	0	0
BURRILLVILLE	199	22	10	1	179	17	0	1	2
129	90	14	6	0	80	9	0	1	0
130	109	8	4	1	99	8	0	0	2
CENTRAL FALLS	317	77	33	4	248	61	2	0	6
108	75	21	8	1	56	17	0	0	2
109	75	18	7	0	62	11	1	0	1
110	90	16	12	3	68	18	1	0	3
111	77	22	6	0	62	15	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	71	8	6	0	59	8	0	1	3
COVENTRY	371	38	21	2	325	41	0	0	5
206	274	28	18	1	244	26	0	0	4
207	97	10	3	1	81	15	0	0	1
CRANSTON	739	71	41	1	657	74	0	1	7
134	52	8	2	0	47	4	0	1	0
135	65	14	4	0	56	8	0	0	1
136	35	8	4	0	29	5	0	0	1
137	123	9	9	0	108	13	0	0	2

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
CRANSTON(CONT.)									
138	48	4	3	0	44	4	0	0	0
139	17	1	1	0	14	3	0	0	0
140	61	4	5	0	53	8	0	0	0
141	58	7	7	0	47	10	0	0	1
142	17	1	0	0	15	1	0	0	1
143	34	1	0	0	32	2	0	0	0
144	25	1	2	1	23	2	0	0	0
145	60	2	1	0	56	4	0	0	0
146	38	1	1	0	36	2	0	0	0
147	70	10	0	0	64	5	0	0	1
148	35	0	2	0	32	3	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
CUMBERLAND	259	24	17	2	229	27	1	-	1
112	62	9	4	1	56	5	1	0	0
113	75	7	2	0	66	9	0	0	0
114	122	8	11	1	107	13	0	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	105	18	7	0	90	12	0	1	2
EAST PROVIDENCE	588	71	40	3	494	80	4	3	7
101	74	6	3	0	66	6	1	0	1
102	110	11	9	0	83	23	3	0	1
103	60	6	5	0	49	10	0	0	1
104	98	11	10	1	83	13	0	0	2
105	105	15	4	1	91	12	0	1	1
106	74	13	4	0	68	5	0	0	1
107	67	9	5	1	54	11	0	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0
EXETER-505	77	14	7	1	68	7	0	2	0
FOSTER-133	47	3	0	0	38	3	0	0	6
GLOCESTER-131	109	10	6	0	93	12	1	0	3

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
HOPKINTON-507	106	20	8	0	91	13		0	1
JAMESTOWN-413	44	5	7	1	35	9	0	0	0
JOHNSTON	261	30	15	1	231	27	0	1	2
122	44	3	7	0	38	6	0	0	0
123	93	8	4	1	83	7	0	1	2
124	90	12	2	0	81	9	0	0	0
125	34	7	2	0	29	5	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
LINCOLN	174	12	10	0	163	11	0	0	0
115	59	6	1	0	54	5	0	0	0
116	33	1	1	0	32	1	0	0	0
117	82	5	8	0	77	5	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	47	5	5	1	40	4	0	1	2
MIDDLETOWN	208	18	3	2	187	17	4	0	0
402	16	1	0	0	15	1	0	0	0
403	125	11	2	2	112	10	3	0	0
404	67	6	1	0	60	6	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	158	19	5	2	138	19	0	0	1
NEWPORT	411	90	27	1	352	51	5	1	2
405	98	32	5	0	78	18	1	1	0
406	84	17	5	0	71	11	1	0	1
407	47	11	4	0	42	4	0	0	1
408	33	11	2	0	29	4	0	0	0
409	53	6	2	1	51	2	0	0	0
410	33	3	1	0	27	4	2	0	0
411	27	2	2	0	25	2	0	0	0
412	35	8	6	0	28	6	1	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
NEW SHOREHAM-415	13	1	0	0	11	1	1	0	0
NORTH KINGSTOWN	336	28	16	3	302	32	1	1	0
501	166	14	9	2	148	18	0	0	0
502	9	1	0	0	5	4	0	0	0
503	86	7	6	0	80	5	0	1	0
504	74	5	1	1	69	4	1	0	0
UNKNOWN	1	1	0	0	0	1	0	0	0
NORTH PROVIDENCE	275	20	11	2	255	19	1	0	0
118	60	3	5	1	57	3	0	0	0
119	61	4	2	0	58	3	0	0	0
120	61	5	2	0	55	6	0	0	0
121	93	8	2	1	85	7	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	92	8	3	0	88	3	1	0	0
PAWTUCKET	1061	210	62	6	854	178	7	2	20
149	8	1	1	0	7	1	0	0	0
150	63	8	9	0	52	8	0	0	3
151	110	33	4	1	77	27	1	0	5
152	27	11	3	1	19	7	0	1	0
153	42	11	1	1	32	10	0	0	0
154	42	10	1	0	35	5	1	0	1
155	74	13	3	1	66	7	0	0	1
156	40	7	1	0	33	6	1	0	0
157	33	3	2	0	30	3	0	0	0
158	34	6	1	0	29	4	1	0	0
159	40	5	1	0	34	6	0	0	0
160	59	9	6	1	47	9	0	0	3
161 **	89	22	7	0	70	17	1	0	1
163	31	2	0	0	29	2	0	0	0
164 **	72	15	2	0	52	17	0	1	2

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PAWTUCKET(CONT.)									
165	41	3	2	0	34	7	0	0	0
166	21	3	0	0	18	2	0	0	1
167	48	9	2	0	37	3	0	0	2
168	38	3	4	0	34	4	0	0	0
169	11	0	0	0	9	2	0	0	0
170	47	5	2	0	41	6	0	0	0
171	90	31	10	1	68	19	2	0	1
UNKNOWN	1	0	0	0	1	0	0	0	0
PORTSMOUTH-401	219	8	11	2	206	11	0	1	1
PROVIDENCE	2647	919	231	9	1858	598	55	22	114
1	155	49	17	0	112	32	2	1	8
2	252	105	21	0	161	67	5	4	15
3	153	62	20	0	81	50	6	3	13
4	100	41	10	1	50	36	6	0	8
5	74	50	12	0	42	25	2	0	5
6	37	22	3	0	19	15	2	0	1
7	42	24	4	0	25	13	1	1	2
8	5	1	1	0	4	1	0	0	0
9	37	11	4	0	28	6	0	1	2
10	32	11	3	0	23	8	1	0	0
11	25	14	4	0	21	3	0	0	1
12	79	51	13	0	43	28	4	0	4
13	112	35	12	2	67	32	2	1	10
14	153	65	14	2	82	54	5	2	10
15	39	6	2	0	30	8	0	0	1
16	127	43	3	0	98	23	1	1	4
17	50	15	2	0	42	6	1	1	0
18	99	47	10	0	70	23	1	0	5
19	108	43	5	0	69	31	2	1	5
20	67	31	6	0	46	11	3	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PROVIDENCE(CONT.)									
21	101	17	6	0	88	11	1	0	1
22	53	9	3	0	46	7	0	0	0
23	49	5	5	1	46	3	0	0	0
24	60	3	4	0	50	6	2	1	1
25	49	14	2	0	37	6	2	1	3
26	72	28	10	1	47	17	1	2	5
27	48	25	3	0	34	11	2	1	0
28	68	10	9	0	61	5	1	1	0
29	68	18	4	0	48	17	1	0	2
30	0	0	0	0	0	0	0	0	0
31	49	20	0	0	38	9	1	0	1
32	63	17	7	2	52	11	0	0	0
33	52	4	2	0	45	7	0	0	0
34	53	0	4	0	51	0	0	0	2
35	35	5	0	0	30	4	0	0	1
36	24	2	2	0	22	1	0	0	1
37	57	13	2	0	46	9	0	0	2
UNKNOWN	6	3	2	0	4	2	0	0	0
INNER CITY	1173	504	118	6	718	342	35	12	72
RICHMOND-506	72	16	2	1	63	6	0	0	3
SCITUATE-132	93	7	6	0	79	12	1	1	0
SMITHFIELD	173	8	10	1	156	16	0	0	1
126	88	6	4	0	78	10	0	0	0
127	85	2	6	1	78	6	0	0	1
SOUTH KINGSTOWN	246	38	12	0	208	33	4	0	1
512	91	18	7	0	75	14	2	0	0
513	142	18	4	0	124	16	1	0	1
514	11	1	1	0	9	2	0	0	0
UNKNOWN	2	1	0	0	0	1	1	0	0
TIVERTON	131	11	5	3	114	15	1	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
TIVERTON(CONT.)									
416	63	6	1	2	58	4	1	0	0
417	68	5	4	1	56	11	0	0	1
WARREN	149	11	7	0	134	13	2	0	0
305	64	7	4	0	54	8	2	0	0
306	85	4	3	0	80	5	0	0	0
WARWICK	984	114	65	9	876	93	4	3	8
210	82	7	4	1	74	8	0	0	0
211	72	7	6	1	67	4	1	0	0
212	53	5	3	0	48	5	0	0	0
213	52	5	2	1	48	3	0	1	0
214	97	12	11	0	85	10	1	0	1
215	130	29	9	2	110	18	0	1	1
216	11	1	1	0	8	3	0	0	0
217	75	17	8	1	64	9	0	0	2
218	50	2	2	1	45	4	1	0	0
219	136	12	8	0	124	10	0	0	2
220	39	4	0	0	33	5	0	0	1
221	50	3	3	0	49	1	0	0	0
222	66	2	4	0	60	5	0	1	0
223	44	7	3	0	37	6	1	0	0
224	26	1	1	2	24	1	0	0	1
UNKNOWN	1	0	0	0	0	1	0	0	0
WESTERLY	288	38	21	2	225	46	2	1	14
508	150	16	10	1	121	27	0	0	2
509	118	21	10	1	87	18	2	1	10
510	15	1	1	0	13	1	0	0	1
UNKNOWN	5	0	0	0	4	0	0	0	1
WEST GREENWICH-208	37	6	1	0	33	4	0	0	0
WEST WARWICK	414	58	19	2	348	62	1	2	1
201	147	13	7	1	126	20	0	1	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
WEST WARWICK(CONT.)									
202	65	9	2	0	55	10	0	0	0
203	94	21	6	0	75	18	1	0	0
204	64	11	4	1	50	13	0	1	0
205	44	4	0	0	42	1	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
WOONSOCKET	665	144	33	7	584	72	1	4	4
172	26	11	2	0	23	3	0	0	0
173	65	9	3	1	61	4	0	0	0
174	69	25	3	1	58	10	0	1	0
175	43	2	2	0	42	1	0	0	0
176	62	24	7	1	51	7	1	2	1
177	42	4	0	1	40	2	0	0	0
178	47	10	4	0	36	9	0	1	1
179	68	11	6	1	61	6	0	0	1
180	28	9	2	1	18	9	0	0	1
181	43	11	1	0	39	4	0	0	0
182	39	7	1	0	35	4	0	0	0
183	21	4	1	0	17	4	0	0	0
184	65	15	1	0	60	5	0	0	0
185	44	2	0	1	40	4	0	0	0
UNKNOWN	3	0	0	0	3	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

Table 18A - Births and Births Out of Wedlock, 1983
All Ages and Under Age 20 by City or Town of Residence

CITY OR TOWN	ALL BIRTHS	UNDER AGE 20 BIRTHS	ALL BIRTHS OUT OF WEDLOCK	BIRTHS UNDER AGE 20 OUT OF WEDLOCK
RHODE ISLAND	12,576	1,434	2,220	855
Barrington	157	(a)	(a)	0
Bristol	233	23	15	(a)
Burrillville	199	31	22	13
Central Falls	317	53	77	32
Charlestown	71	11	8	(a)
Coventry	371	32	38	16
Cranston	739	35	71	21
Cumberland	259	18	24	9
East Greenwich	105	8	18	7
East Providence	588	48	71	21
Exeter	77	11	14	8
Foster	47	(a)	(a)	(a)
Glocester	109	9	10	7
Hopkinton	106	17	20	8
Jamestown	44	(a)	(a)	(a)
Johnston	261	18	30	14
Lincoln	174	8	12	(a)
Little Compton	47	(a)	(a)	(a)
Middletown	208	20	18	18
Narragansett	158	10	19	6
Newport	411	47	90	36
New Shoreham	13	0	(a)	0
North Kingstown	336	18	28	9
North Providence	275	16	20	10
North Smithfield	92	8	8	(a)
Pawtucket	1,061	144	210	77
Portsmouth	219	13	8	(a)
Providence	2,647	463	919	334
Richmond	72	9	16	6
Scituate	93	6	7	(a)
Smithfield	173	7	8	(a)
South Kingstown	246	14	38	9
Tiverton	131	10	11	6
Warren	149	17	11	7
Warwick	984	78	114	48
Westerly	288	41	38	14
West Greenwich	37	(a)	6	(a)
West Warwick	414	55	58	25
Woonsocket	665	122	144	69

(a) Number is greater than zero but less than six.

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1983

		RACE			WEEKS OF UTEROGESTATION			
MODE OF DELIVERY	TOTAL	WHITE	NON-WHITE	UNKNOWN	UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	7703	6392	635	676	7587	42	51	23
SPONTANEOUS	719	125	14	580	623	38	51	7
INDUCED	6984	6267	621	96	6964	4	0	16

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1983

MONTH	TOTAL	WEEKS OF UTEROGESTATION			
		UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	7703	7587	42	51	23
JANUARY	657	651	3	1	2
FEBRUARY	644	632	1	7	4
MARCH	722	713	1	4	4
APRIL	631	624	3	4	0
MAY	602	595	4	3	0
JUNE	636	621	7	8	0
JULY	591	580	7	4	0
AUGUST	642	634	2	2	4
SEPTEMBER	671	659	5	5	2
OCTOBER	634	625	2	3	4
NOVEMBER	623	615	1	5	2
DECEMBER	650	638	6	5	1

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1983

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	6083	1706	4308	676	510	148	5407	1196	4160
BARRINGTON	81	31	46	20	17	1	61	14	45
301	19	7	11	5	4	0	14	3	11
302	13	6	7	2	2	0	11	4	7
303	29	11	18	8	8	0	21	3	18
304	20	7	10	5	3	1	15	4	9
BRISTOL	97	30	66	19	16	2	78	14	64
307	27	11	15	9	8	0	18	3	15
308	30	6	24	3	3	0	27	3	24
309	39	13	26	7	5	2	32	8	24
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
BURRILLVILLE	43	15	28	5	5	0	38	10	28
129	22	5	17	1	1	0	21	4	17
130	21	10	11	4	4	0	17	6	11
CENTRAL FALLS	148	49	96	10	8	1	138	41	95
108	35	8	26	3	2	0	32	6	26
109	46	18	27	1	1	0	45	17	27
110	37	14	22	4	3	1	33	11	21
111	30	9	21	2	2	0	28	7	21
CHARLESTOWN	23	7	16	5	3	2	18	4	14
511	23	7	16	5	3	2	18	4	14
COVENTRY	141	34	107	13	9	4	128	25	103
206	110	26	84	9	7	2	101	19	82
207	31	8	23	4	2	2	27	6	21
CRANSTON	372	108	260	50	35	14	322	73	246
134	32	10	22	2	2	0	30	8	22
135	48	11	37	7	4	3	41	7	34
136	18	5	13	1	1	0	17	4	13
137	33	10	22	4	2	2	29	8	20
138	24	8	16	5	4	1	19	4	15
139	14	8	6	2	2	0	12	6	6

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1983

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
140	31	10	21	7	4	3	24	6	18
141	24	9	14	3	2	0	21	7	14
142	7	1	6	0	0	0	7	1	6
143	19	3	16	4	3	1	15	0	15
144	15	4	11	0	0	0	15	4	11
145	27	4	22	0	0	0	27	4	22
146	14	6	8	0	0	0	14	6	8
147	48	18	30	15	11	4	33	6	26
148	18	2	16	0	0	0	18	2	16
CUMBERLAND	124	35	87	15	12	3	109	23	84
112	32	9	22	4	3	1	28	6	21
113	36	14	22	3	2	1	33	12	21
114	55	12	42	8	7	1	47	5	41
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
EAST GREENWICH	67	7	60	3	3	0	64	4	60
209	67	7	60	3	3	0	64	4	60
EAST PROVIDENCE	315	103	208	54	45	9	261	58	199
101	31	12	18	8	8	0	23	4	18
102	50	18	31	7	7	0	43	11	31
103	29	9	20	4	2	2	25	7	18
104	48	13	35	5	5	0	43	8	35
105	70	22	47	7	5	2	63	17	45
106	56	20	36	17	13	4	39	7	32
107	29	8	20	6	5	1	23	3	19
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
EXETER	18	10	8	3	3	0	15	7	8
505	18	10	8	3	3	0	15	7	8
FOSTER	20	8	12	3	2	1	17	6	11
133	20	8	12	3	2	1	17	6	11
GLOCESTER	31	15	16	4	4	0	27	11	16

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1983

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
131	31	15	16	4	4	0	27	11	16
HOPKINTON	30	7	22	3	2	0	27	5	22
507	30	7	22	3	2	0	27	5	22
JAMESTOWN	27	13	14	6	6	0	21	7	14
413	27	13	14	6	6	0	21	7	14
JOHNSTON	147	50	94	27	25	2	120	25	92
122	23	6	17	5	5	0	18	1	17
123	43	15	28	8	8	0	35	7	28
124	48	20	28	10	9	1	38	11	27
125	33	9	21	4	3	1	29	6	20
LINCOLN	81	22	58	5	5	0	76	17	58
115	15	5	10	1	1	0	14	4	10
116	20	7	13	4	4	0	16	3	13
117	44	9	34	0	0	0	44	9	34
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
LITTLE COMPTON	20	4	16	0	0	0	20	4	16
414	20	4	16	0	0	0	20	4	16
MIDDLETOWN	81	19	61	2	1	0	79	18	61
402	4	1	3	1	1	0	3	0	3
403	43	12	31	0	0	0	43	12	31
404	32	6	25	1	0	0	31	6	25
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
NARRAGANSETT	121	20	100	13	11	2	108	9	98
515	121	20	100	13	11	2	108	9	98
NEWPORT	263	44	218	5	5	0	258	39	218
405	34	8	25	0	0	0	34	8	25
406	40	6	34	1	1	0	39	5	34
407	50	8	42	2	2	0	48	6	42
408	40	4	36	0	0	0	40	4	36
409	36	4	32	1	1	0	35	3	32

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1983

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
410	27	3	24	0	0	0	27	3	24
411	13	2	11	0	0	0	13	2	11
412	14	7	7	1	1	0	13	6	7
UNKNOWN TRACT	9	2	7	0	0	0	9	2	7
NEW SHOREHAM	7	0	7	0	0	0	7	0	7
415	7	0	7	0	0	0	7	0	7
NORTH KINGSTOWN	138	40	96	17	15	1	121	25	95
501	57	17	39	6	5	1	51	12	38
502	1	0	1	0	0	0	1	0	1
503	45	13	32	6	6	0	39	7	32
504	35	10	24	5	4	0	30	6	24
NORTH PROVIDENCE	185	50	133	27	22	5	158	28	128
118	41	4	37	1	1	0	40	3	37
119	41	14	27	6	6	0	35	8	27
120	36	7	29	2	2	0	34	5	29
121	67	25	40	18	13	5	49	12	35
NORTH SMITHFIELD	44	10	33	8	6	2	36	4	31
128	44	10	33	8	6	2	36	4	31
PAWTUCKET	532	153	370	45	26	18	487	127	352
149	6	0	6	0	0	0	6	0	6
150	43	11	31	5	4	1	38	7	30
151	50	18	30	5	3	2	45	15	28
152	12	8	3	2	1	0	10	7	3
153	8	0	8	0	0	0	8	0	8
154	15	5	10	0	0	0	15	5	10
155	23	8	13	1	1	0	22	7	13
156	17	3	14	1	0	1	16	3	13
157	18	3	15	5	2	3	13	1	12
158	23	6	17	3	2	1	20	4	16
159	16	3	13	0	0	0	16	3	13

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1983

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
160	34	11	23	3	1	2	31	10	21
161	38	9	29	3	1	2	35	8	27
163	14	3	10	0	0	0	14	3	10
164	63	19	43	3	0	3	60	19	40
165	21	10	11	4	4	0	17	6	11
166	9	3	6	1	1	0	8	2	6
167	25	6	19	1	1	0	24	5	19
168	12	3	9	2	2	0	10	1	9
169	15	2	13	0	0	0	15	2	13
170	26	7	19	2	2	0	24	5	19
171	38	13	24	4	1	3	34	12	21
UNKNOWN TRACT	6	2	4	0	0	0	6	2	4
PORTSMOUTH	56	15	40	2	2	0	54	13	40
401	56	15	40	2	2	0	54	13	40
PROVIDENCE	1516	435	1069	168	107	60	1348	328	1009
1	75	27	47	5	4	1	70	23	46
2	118	42	75	11	8	3	107	34	72
3	62	21	41	7	3	4	55	18	37
4	36	15	19	3	1	2	33	14	17
5	26	4	22	2	0	2	24	4	20
6	13	2	11	1	0	1	12	2	10
7	26	4	22	4	1	3	22	3	19
8	36	3	33	1	0	1	35	3	32
9	26	5	21	0	0	0	26	5	21
10	16	1	15	2	0	2	14	1	13
11	23	5	18	1	0	1	22	5	17
12	29	6	21	1	1	0	28	5	21
13	29	9	20	1	1	0	28	8	20
14	80	38	42	11	3	8	69	35	34
15	19	9	10	2	2	0	17	7	10

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1983

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
16	37	7	30	3	2	1	34	5	29
17	20	8	11	5	3	1	15	5	10
18	47	11	35	3	2	1	44	9	34
19	59	16	43	7	5	2	52	11	41
20	21	5	16	6	3	3	15	2	13
21	45	13	32	8	8	0	37	5	32
22	22	5	17	4	2	2	18	3	15
23	39	14	24	6	6	0	33	8	24
24	41	10	30	3	2	1	38	8	29
25	18	9	9	2	1	1	16	8	8
26	41	11	30	7	3	4	34	8	26
27	36	15	20	10	8	2	26	7	18
28	33	7	25	1	1	0	32	6	25
29	45	16	29	8	6	2	37	10	27
30	1	0	1	1	0	1	0	0	0
31	57	10	47	5	3	2	52	7	45
32	56	19	37	8	4	4	48	15	33
33	49	16	33	6	5	1	43	11	32
34	39	14	25	7	7	0	32	7	25
35	45	9	36	4	3	1	41	6	35
36	89	11	78	5	4	1	84	7	77
37	40	10	30	6	5	1	34	5	29
UNKNOWN TRACT	22	8	14	1	0	1	21	8	13
RICHMOND	18	4	14	4	2	2	14	2	12
506	18	4	14	4	2	2	14	2	12
SCITUATE	48	17	31	15	11	4	33	6	27
132	48	17	31	15	11	4	33	6	27
SMITHFIELD	109	28	81	11	10	1	98	18	80
126	67	12	55	4	3	1	63	9	54
127	42	16	26	7	7	0	35	9	26

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1983

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
SOUTH KINGSTOWN	170	45	121	30	22	4	140	23	117
512	55	18	35	13	8	3	42	10	32
513	62	23	37	16	13	1	46	10	36
514	50	2	48	0	0	0	50	2	48
UNKNOWN TRACT	3	2	1	1	1	0	2	1	1
TIVERTON	40	8	31	2	1	0	38	7	31
416	17	6	11	1	1	0	16	5	11
417	23	2	20	1	0	0	22	2	20
WARREN	51	14	37	5	4	1	46	10	36
305	20	8	12	4	3	1	16	5	11
306	31	6	25	1	1	0	30	5	25
WARWICK	452	114	333	30	25	4	422	89	329
210	47	12	35	6	6	0	41	6	35
211	35	10	23	2	1	0	33	9	23
212	21	6	15	1	1	0	20	5	15
213	19	5	14	3	3	0	16	2	14
214	43	7	36	0	0	0	43	7	36
215	61	19	42	4	2	2	57	17	40
216	2	1	1	1	1	0	1	0	1
217	35	6	28	3	2	1	32	4	27
218	19	5	14	1	1	0	18	4	14
219	50	13	36	2	2	0	48	11	36
220	30	6	24	0	0	0	30	6	24
221	22	7	15	0	0	0	22	7	15
222	45	13	31	6	6	0	39	7	31
223	14	1	13	1	0	1	13	1	12
224	7	2	5	0	0	0	7	2	5
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
WESTERLY	71	21	49	7	6	0	64	15	49
508	34	8	26	4	4	0	30	4	26

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1983

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
509	27	7	19	2	1	0	25	6	19
510	9	5	4	1	1	0	8	4	4
UNKNOWN TRACT	1	1	0	0	0	0	1	1	0
WEST GREENWICH	20	8	11	2	1	0	18	7	11
208	20	8	11	2	1	0	18	7	11
WEST WARWICK	142	31	110	6	4	2	136	27	108
201	56	12	44	4	2	2	52	10	42
202	22	3	19	0	0	0	22	3	19
203	31	6	25	0	0	0	31	6	25
204	14	3	11	2	2	0	12	1	11
205	18	7	10	0	0	0	18	7	10
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
WOONSOCKET	234	82	149	32	29	3	202	53	146
172	9	1	8	1	1	0	8	0	8
173	19	7	11	5	5	0	14	2	11
174	27	9	17	6	5	1	21	4	16
175	16	6	10	1	1	0	15	5	10
176	18	6	12	1	0	1	17	6	11
177	13	6	7	1	1	0	12	5	7
178	26	11	15	3	3	0	23	8	15
179	20	8	11	3	3	0	17	5	11
180	14	6	8	0	0	0	14	6	8
181	15	4	11	2	2	0	13	2	11
182	16	4	12	3	2	1	13	2	11
183	7	3	4	2	2	0	5	1	4
184	15	3	12	0	0	0	15	3	12
185	14	7	7	4	4	0	10	3	7
UNKNOWN TRACT	5	1	4	0	0	0	5	1	4

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1983

			ALL AGES	AGE OF MOTHER IN YEARS														
				< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
TOTAL			6984	45	96	165	253	622	680	652	587	560	466	392	1312	714	339	90	7	4
MARITAL STATUS OF MOTHER																				
MARRIED			1545	2	1	1	9	23	53	64	63	94	103	93	472	312	196	54	4	1
UNMARRIED			5378	43	94	163	243	595	625	581	521	464	360	294	830	394	132	34	3	2
UNKNOWN			61	0	1	1	1	4	2	7	3	2	3	5	10	8	11	2	0	1
PREVIOUS DELIVERIES TO MOTHER																				
NONE			3153	43	93	144	211	482	467	407	316	262	174	128	298	94	28	3	1	2
ONE			1628	2	3	20	30	115	155	164	168	133	153	117	361	147	50	10	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	1	954	2	2	12	23	71	108	99	126	87	101	70	183	50	17	3	0	0
0	1	0	64	0	0	1	0	7	8	12	4	1	5	4	15	5	2	0	0	0
1	0	0	610	0	1	7	7	37	39	53	38	45	47	43	163	92	31	7	0	0
TWO			1051	0	0	0	11	18	45	66	67	96	90	70	308	182	83	15	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	2	209	0	0	0	2	5	17	20	16	37	22	16	56	16	2	0	0	0
0	1	1	40	0	0	0	1	1	2	2	5	1	3	6	15	2	2	0	0	0
0	2	0	4	0	0	0	0	1	0	0	1	0	0	1	0	1	0	0	0	0
1	0	1	329	0	0	0	5	2	15	29	26	30	31	20	98	58	14	1	0	0
1	1	0	61	0	0	0	1	1	4	4	2	2	9	4	19	9	4	2	0	0
2	0	0	408	0	0	0	2	8	7	11	17	26	25	23	120	96	61	12	0	0

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1983
AGE OF MOTHER IN YEARS

			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
THREE PREVIOUS DELIVERIES WERE			589	0	0	0	1	6	10	9	25	42	28	40	188	148	69	21	2	0
*L.B.	S.F.D.	I.F.D.																		
0	0	3	36	0	0	0	0	1	1	0	3	3	3	2	16	7	0	0	0	0
0	1	2	12	0	0	0	0	0	0	1	2	1	0	2	5	1	0	0	0	0
0	2	1	3	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0
0	3	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
1	0	2	101	0	0	0	0	2	4	3	8	13	5	6	38	16	6	0	0	0
1	1	1	36	0	0	0	0	1	1	0	1	2	1	5	12	11	2	0	0	0
1	2	0	10	0	0	0	0	0	0	0	2	0	1	1	2	2	1	1	0	0
2	0	1	184	0	0	0	1	0	3	4	6	17	12	10	57	48	21	5	0	0
2	1	0	74	0	0	0	0	2	1	0	0	2	1	6	22	23	12	5	0	0
3	0	0	132	0	0	0	0	0	0	1	3	4	4	7	35	39	27	10	2	0
FOUR PREVIOUS DELIVERIES WERE			273	0	0	0	0	1	2	5	9	16	12	19	82	69	43	14	1	0
*L.B.	S.F.D.	I.F.D.																		
0	0	4	17	0	0	0	0	0	0	1	0	2	2	3	4	5	0	0	0	0
0	1	3	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0
0	2	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
1	0	3	26	0	0	0	0	0	0	0	3	5	2	1	8	5	2	0	0	0
1	1	2	11	0	0	0	0	0	1	0	1	0	1	0	8	0	0	0	0	0
1	2	1	4	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0	0	0
1	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
2	0	2	64	0	0	0	0	0	1	3	1	2	3	11	21	13	8	1	0	0
2	1	1	29	0	0	0	0	0	0	1	2	3	0	1	9	9	2	2	0	0
2	2	0	6	0	0	0	0	0	0	0	0	1	0	0	0	1	4	0	0	0
3	0	1	62	0	0	0	0	1	0	0	1	1	2	1	16	19	15	6	0	0
3	1	0	16	0	0	0	0	0	0	0	0	0	1	0	3	6	4	2	0	0
4	0	0	32	0	0	0	0	0	0	0	0	1	1	2	11	6	7	3	1	0

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1983

				AGE OF MOTHER IN YEARS															
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FIVE			136	0	0	0	0	0	0	1	1	6	3	9	43	36	19	14	3	1
PREVIOUS DELIVERIES WERE																			
*L.B.	S.F.D.	I.F.D.																	
0	0	5	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
0	1	4	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
1	0	4	4	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0
1	1	3	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
1	2	2	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
1	3	1	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
1	4	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
2	0	3	18	0	0	0	0	0	0	1	0	2	1	0	7	5	2	0	0	0
2	1	2	11	0	0	0	0	0	0	0	1	2	0	1	3	3	1	0	0	0
2	2	1	10	0	0	0	0	0	0	0	0	0	0	2	5	2	1	0	0	0
2	3	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
3	0	2	19	0	0	0	0	0	0	0	0	0	0	3	6	7	2	1	0	0
3	1	1	11	0	0	0	0	0	0	0	0	1	0	0	2	5	2	1	0	0
3	2	0	12	0	0	0	0	0	0	0	0	0	0	0	3	4	2	2	1	0
4	0	1	9	0	0	0	0	0	0	0	0	0	0	0	1	3	1	2	2	0
4	1	0	14	0	0	0	0	0	0	0	0	0	1	1	4	2	3	3	0	0
5	0	0	19	0	0	0	0	0	0	0	0	0	0	1	4	3	5	5	0	1

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURENCES 1983

				AGE OF MOTHER IN YEARS														
			ALL AGES	<15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
SIX			65	0	0	0	0	0	0	0	0	0	3	4	17	15	21	5	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	6	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
1	0	5	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
1	1	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
1	3	2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
1	4	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
2	0	4	5	0	0	0	0	0	0	0	0	0	0	0	4	0	0	1	0	0
2	1	3	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
2	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
2	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
3	0	3	5	0	0	0	0	0	0	0	0	0	0	1	1	2	1	0	0	0
3	1	2	7	0	0	0	0	0	0	0	0	0	2	1	2	1	0	1	0	0
3	2	1	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
3	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
4	0	2	8	0	0	0	0	0	0	0	0	0	0	1	1	4	2	0	0	0
4	1	1	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
4	2	0	3	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0
5	0	1	9	0	0	0	0	0	0	0	0	0	1	1	1	2	4	0	0	0
5	1	0	3	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
6	0	0	7	0	0	0	0	0	0	0	0	0	0	0	1	2	1	3	0	0
SEVEN +			56	0	0	0	0	0	0	0	0	3	3	2	7	16	18	7	0	0
UNKNOWN			33	0	0	1	0	0	1	0	1	2	0	3	8	7	8	1	0	1

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS,
AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1983

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	89	100.0	12	26	25	14	10	1	0	1
FIRST DELIVERY	18	20.2	8	4	5	1	0	0	0	0
SECOND DELIVERY	19	21.3	2	5	7	3	1	0	0	1
NO PREVIOUS FETAL DEATHS	16		2	5	7	1	1	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	0	0	2	0	0	0	1
THIRD DELIVERY	17	19.1	0	8	5	1	2	1	0	0
NO PREVIOUS FETAL DEATHS	12		0	4	5	1	1	1	0	0
ONE PREVIOUS FETAL DEATH	4		0	3	0	0	1	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
FOURTH DELIVERY	7	7.9	0	2	3	2	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	2		0	0	1	1	0	0	0	0
TWO PREVIOUS FETAL DEATHS	5		0	2	2	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FIFTH DELIVERY	5	5.6	0	1	2	0	2	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	3		0	0	1	0	2	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	1	1	0	0	0	0	0
SIXTH DELIVERY	2	2.2	0	0	0	1	1	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	2		0	0	0	1	1	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SEVENTH DELIVERY	2	2.2	0	0	0	0	2	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	0	1	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
EIGHTH OR MORE DELIVERY	3	3.4	0	1	1	0	1	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	0	1	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	1	1	0	0	0	0	0
UNKNOWN BIRTH ORDER	16	18.0	2	5	2	6	1	0	0	0

TABLE 22B - SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND BY

NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1983

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL SPONTANEOUS FETAL DEATHS	719	100.0	69	166	247	152	65	15	3	2
FIRST DELIVERY	122	17.0	23	26	46	21	6	0	0	0
SECOND DELIVERY	102	14.2	6	34	37	16	7	1	0	1
NO PREVIOUS FETAL DEATHS	79		5	27	30	9	7	1	0	0
ONE PREVIOUS FETAL DEATH	23		1	7	7	7	0	0	0	1
THIRD DELIVERY	72	10.0	2	21	20	15	10	3	1	0
NO PREVIOUS FETAL DEATHS	40		0	7	15	8	7	2	1	0
ONE PREVIOUS FETAL DEATH	22		1	6	5	7	3	0	0	0
TWO PREVIOUS FETAL DEATHS	10		1	8	0	0	0	1	0	0
FOURTH DELIVERY	25	3.5	1	3	9	10	1	1	0	0
NO PREVIOUS FETAL DEATHS	5		0	0	1	2	1	1	0	0
ONE PREVIOUS FETAL DEATH	8		1	1	1	5	0	0	0	0
TWO PREVIOUS FETAL DEATHS	8		0	2	3	3	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	4		0	0	4	0	0	0	0	0
FIFTH DELIVERY	16	2.2	0	3	3	6	4	0	0	0
NO PREVIOUS FETAL DEATHS	2		0	0	0	1	1	0	0	0
ONE PREVIOUS FETAL DEATH	4		0	0	1	2	1	0	0	0
TWO PREVIOUS FETAL DEATHS	3		0	0	1	0	2	0	0	0
THREE+ PREVIOUS FETAL DEATHS	7		0	3	1	3	0	0	0	0
SIXTH DELIVERY	7	1.0	0	0	0	4	2	1	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	0	1	0	0
ONE PREVIOUS FETAL DEATH	4		0	0	0	3	1	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	0	1	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SEVENTH DELIVERY	9	1.3	0	2	1	3	3	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	0	1	0	0	0
TWO PREVIOUS FETAL DEATHS	3		0	0	0	2	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	5		0	2	1	1	1	0	0	0
EIGHTH OR MORE DELIVERY	5	0.7	0	1	2	0	1	0	1	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	0	1	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	1	0	0	0	1	0
THREE+ PPEVIOUS FETAL DEATHS	2		0	1	1	0	0	0	0	0
UNKNOWN BIRT- ORDER	361	50.2	37	76	129	77	31	9	1	1

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER 1983

FETAL WEIGHT IN GRAMS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PER CENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	89	100.0	12	26	25	14	10	1	0	1
1,000 OR LESS	26	29.2	3	12	7	2	1	0	0	1
1,001 - 1,500	10	11.2	2	3	4	1	0	0	0	0
1,501 - 2,000	5	5.6	1	1	2	0	1	0	0	0
2,001 - 2,500	3	3.4	0	1	0	1	1	0	0	0
LOW WEIGHT TOTAL	44	49.4	6	17	13	4	3	0	0	1
2,501 - 3,000	10	11.2	3	2	2	3	0	0	0	0
3,001 - 3,500	9	10.1	1	2	3	0	2	1	0	0
3,501 - 4,000	1	1.1	0	0	1	0	0	0	0	0
4,001 - 4,500	0	0.0	0	0	0	0	0	0	0	0
4,501 - 5,000	0	0.0	0	0	0	0	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	25	28.1	2	5	6	7	5	0	0	0

TABLE 24 - FETAL DEATHS OCCURRING IN RHODE ISLAND BY

SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1983

CAUSE OF FETAL DEATH (ICD, 1975)	FETAL DEATHS BY WEEKS OF UTEROGESTATION									
	TOTAL		UNDER 20		20 - 27		28 OR MORE		UNKNOWN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ALL CAUSES	7703	100.0	7587	98.5	42	0.5	51	0.7	23	0.3
CONGENITAL ANOMALIES (740-759)	15	0.2	4	0.1	6	14.3	5	9.8	0	0.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7688	99.8	7583	99.9	36	85.7	46	90.2	23	100.0
MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)	7	0.1	2	0.0	0	0.0	5	9.8	0	0.0
MATERNAL COMPLICATIONS OF PREGNANCY (761)/	576	7.5	564	7.4	4	9.5	1	2.0	7	30.4
COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (762)	48	0.6	20	0.3	11	26.2	17	33.3	0	0.0
COMPLICATIONS OF LABOR AND DELIVERY (763)	1	0.0	0	0.0	1	2.4	0	0.0	0	0.0
SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (765)	3	0.0	0	0.0	1	2.4	2	3.9	0	0.0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	8	0.1	0	0.0	4	9.5	4	7.8	0	0.0
OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779)	7045	91.5	6997	92.2	15	35.7	17	33.3	16	69.6

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL CAUSES																	
TOTAL	9286*	145	14	10	14	36	78	141	198	437	503	754	999	1233	1355	1262	2107
WHITE MALE	4542	68	9	6	8	22	49	96	113	271	323	456	569	680	670	545	657
WHITE FEMALE	4480	54	2	2	5	9	20	34	76	144	157	274	407	524	661	697	1414
NON-WHITE MALE	145	12	1	0	0	3	8	7	7	14	11	14	13	12	12	12	19
NON-WHITE FEMALE	113	11	2	2	1	2	1	4	2	7	12	9	10	17	10	7	16
UNKNOWN MALE	3	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0
UNKNOWN FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
CERTAIN OTHER INTESTINAL INFECTIONS (007,009)																	
TOTAL	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TUBERCULOSIS(010-018)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
OTHER TUBERCULOSIS(013-018)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MENINGOCOCCAL INFECTION(036)																	
TOTAL	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA(038)																	
TOTAL	54	2	0	0	0	0	1	0	1	1	0	6	7	4	7	10	15
WHITE MALE	29	0	0	0	0	0	1	0	1	0	0	5	2	3	4	8	5
WHITE FEMALE	23	0	0	0	0	0	0	0	0	1	0	1	5	1	3	2	10
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
VIRAL HEPATITIS(070)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0
WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037, 039 -041,046-054,056-066,071-088,098-139																	
TOTAL	20	3	0	0	0	0	0	0	0	2	3	1	2	6	1	1	1
WHITE MALE	8	2	0	0	0	0	0	0	0	0	2	0	1	3	0	0	0
WHITE FEMALE	10	0	0	0	0	0	0	0	0	2	1	1	1	3	0	1	1
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)																	
TOTAL	2302	0	3	2	5	1	10	32	55	141	211	297	322	356	335	260	272
WHITE MALE	1178	0	3	1	1	1	6	15	19	69	120	174	163	180	189	120	117
WHITE FEMALE	1062	0	0	0	3	0	4	13	33	66	81	116	151	166	145	136	148
NON-WHITE MALE	31	0	0	0	0	0	0	3	2	5	4	2	5	5	1	1	3
NON-WHITE FEMALE	29	0	0	1	1	0	0	1	1	1	6	4	3	5	0	3	3
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149)																	
TOTAL	48	0	0	0	0	0	0	0	0	4	3	9	11	5	8	3	5
WHITE MALE	31	0	0	0	0	0	0	0	0	1	2	7	6	4	6	3	2
WHITE FEMALE	16	0	0	0	0	0	0	0	0	2	1	2	5	1	2	0	3
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159)																	
TOTAL	648	0	0	0	0	0	1	3	6	24	53	84	95	95	107	84	96
WHITE MALE	331	0	0	0	0	0	1	1	3	16	30	57	50	52	56	33	32
WHITE FEMALE	299	0	0	0	0	0	0	1	3	6	18	25	43	40	51	48	64
NON-WHITE MALE	7	0	0	0	0	0	0	1	0	2	2	1	0	0	0	1	0
NON-WHITE FEMALE	10	0	0	0	0	0	0	0	0	0	3	0	2	3	0	2	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165)																	
TOTAL	582	0	0	0	1	0	0	4	10	54	73	97	92	92	73	50	36
WHITE MALE	388	0	0	0	1	0	0	1	3	37	51	64	55	64	54	34	24
WHITE FEMALE	181	0	0	0	0	0	0	3	6	16	19	31	35	26	19	16	10
NON-WHITE MALE	11	0	0	0	0	0	0	0	1	1	2	1	2	2	0	0	2
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
MALIGNANT NEOPLASMS OF BREAST(174-175)																	
TOTAL	202	0	0	0	0	0	0	3	11	19	22	25	27	26	23	21	25
WHITE MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
WHITE FEMALE	195	0	0	0	0	0	0	3	11	19	19	24	26	26	22	21	24
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	1
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)																	
TOTAL	249	0	0	0	0	0	1	5	5	11	12	23	29	42	45	36	40
WHITE MALE	130	0	0	0	0	0	1	1	0	0	3	14	15	19	28	22	27
WHITE FEMALE	109	0	0	0	0	0	0	3	4	11	9	7	14	20	16	14	11
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	3	1	0	1
NON-WHITE FEMALE	5	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	1
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)																	
TOTAL	95	0	0	0	1	0	0	1	0	3	13	7	11	13	16	17	13
WHITE MALE	68	0	0	0	0	0	0	1	0	2	11	4	10	11	11	9	9
WHITE FEMALE	26	0	0	0	0	0	0	0	0	1	2	3	1	2	5	8	4
NON-WHITE FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES(170-173,190-199)																	
TOTAL	254	0	1	2	2	0	3	9	11	17	18	28	35	41	34	24	29
WHITE MALE	116	0	1	1	0	0	2	7	7	9	11	15	14	15	14	10	10
WHITE FEMALE	130	0	0	0	2	0	1	2	3	8	7	12	18	25	20	13	19
NON-WHITE MALE	4	0	0	0	0	0	0	0	1	0	0	0	3	0	0	0	0
NON-WHITE FEMALE	4	0	0	1	0	0	0	0	0	0	0	1	0	1	0	1	0
LEUKEMIA(204-208)																	
TOTAL	76	0	2	0	1	1	3	1	6	1	1	9	9	11	11	8	12
WHITE MALE	39	0	2	0	0	1	2	0	3	1	0	4	5	6	9	1	5
WHITE FEMALE	35	0	0	0	1	0	1	0	3	0	1	5	4	5	2	7	6
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES(200-203)																	
TOTAL	148	0	0	0	0	0	2	6	6	8	16	15	13	31	18	17	16
WHITE MALE	72	0	0	0	0	0	0	4	3	3	11	8	8	9	10	8	8
WHITE FEMALE	71	0	0	0	0	0	2	1	3	3	5	7	5	21	8	9	7
NON-WHITE MALE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE(210-239)																	
TOTAL	34	0	0	0	0	0	0	2	0	4	0	5	3	6	6	2	6
WHITE MALE	21	0	0	0	0	0	0	1	0	2	0	3	3	6	4	1	1
WHITE FEMALE	13	0	0	0	0	0	0	1	0	2	0	2	0	0	2	1	5
DIABETES MELLITUS(250)																	
TOTAL	208	0	0	0	0	0	0	4	3	14	7	16	26	39	32	32	35
WHITE MALE	81	0	0	0	0	0	0	2	1	6	3	8	10	18	11	12	10
WHITE FEMALE	118	0	0	0	0	0	0	2	2	6	3	8	14	20	21	18	24
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	0	1	0	0	2	1	0	1	0
NUTRITIONAL DEFICIENCIES(260-269)																	
TOTAL	7	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	3
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2
ANEMIAS(280-285)																	
TOTAL	15	0	0	0	0	0	0	1	0	0	0	0	2	2	2	3	5
WHITE MALE	6	0	0	0	0	0	0	1	0	0	0	0	0	1	1	2	1
WHITE FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1	3
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MENINGITIS(320-322)																	
TOTAL	6	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	3
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MAJOR CARDIOVASCULAR DISEASES (390-448)																	
TOTAL	4668	3	0	0	1	2	1	13	52	162	183	317	479	589	753	734	1379
WHITE MALE	2186	2	0	0	0	2	1	6	39	130	128	205	308	341	346	300	378
WHITE FEMALE	2387	1	0	0	1	0	0	5	11	28	48	98	163	238	386	425	983
NON-WHITE MALE	50	0	0	0	0	0	0	1	2	2	3	10	4	3	10	7	8
NON-WHITE FEMALE	43	0	0	0	0	0	0	1	0	2	4	4	4	7	9	2	10
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
DISEASES OF THE HEART (390-398,402,404-429)																	
TOTAL	3720	3	0	0	0	0	1	8	41	139	161	283	404	489	587	558	1046
WHITE MALE	1820	2	0	0	0	0	1	5	33	119	118	186	263	293	276	235	289
WHITE FEMALE	1823	1	0	0	0	0	0	2	6	16	37	85	134	190	292	317	743
NON-WHITE MALE	40	0	0	0	0	0	0	0	2	2	3	9	4	2	9	5	4
NON-WHITE FEMALE	35	0	0	0	0	0	0	1	0	2	3	3	3	4	8	1	10
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE(390-398)																	
TOTAL	29	0	0	0	0	0	0	0	2	2	3	3	3	1	7	1	7
WHITE MALE	7	0	0	0	0	0	0	0	1	1	1	0	1	1	0	1	1
WHITE FEMALE	21	0	0	0	0	0	0	0	1	1	2	3	2	0	6	0	6
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
HYPERTENSIVE HEART DISEASE(402)																	
TOTAL	53	0	0	0	0	0	0	0	1	1	4	9	7	7	5	11	8
WHITE MALE	25	0	0	0	0	0	0	0	1	0	2	6	6	3	2	4	1
WHITE FEMALE	27	0	0	0	0	0	0	0	0	1	1	3	1	4	3	7	7
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
TOTAL	14	0	0	0	0	0	0	0	0	0	0	0	1	4	1	2	6
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
WHITE FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	6
ISCHEMIC HEART DISEASE (410-414)																	
TOTAL	3097	2	0	0	0	0	0	3	27	115	137	229	334	415	498	468	869
WHITE MALE	1552	1	0	0	0	0	0	2	23	100	104	152	214	252	245	201	258
WHITE FEMALE	1484	1	0	0	0	0	0	1	3	13	28	68	114	159	239	261	597
NON-WHITE MALE	32	0	0	0	0	0	0	0	1	1	3	7	3	2	6	5	4
NON-WHITE FEMALE	27	0	0	0	0	0	0	0	0	1	2	2	3	2	6	1	10
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ACUTE MYOCARDIAL INFARCTION (410)																	
TOTAL	1688	1	0	0	0	0	0	3	19	80	96	166	211	278	290	241	303
WHITE MALE	931	0	0	0	0	0	0	2	15	70	74	108	130	170	143	114	105
WHITE FEMALE	728	1	0	0	0	0	0	1	3	8	20	51	77	106	142	126	193
NON-WHITE MALE	14	0	0	0	0	0	0	0	1	1	1	5	1	1	1	1	2
NON-WHITE FEMALE	14	0	0	0	0	0	0	0	0	1	1	2	3	1	3	0	3
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE(411)																	
TOTAL	6	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	0
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
ANGINA PECTORIS(413)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ICHEMIC HEART DISEASE(412,414)																	
TOTAL	1399	1	0	0	0	0	0	0	8	35	41	62	122	135	204	226	565
WHITE MALE	616	1	0	0	0	0	0	0	8	30	30	43	84	81	99	87	153
WHITE FEMALE	751	0	0	0	0	0	0	0	0	5	8	17	36	52	96	134	403
NON-WHITE MALE	18	0	0	0	0	0	0	0	0	0	2	2	2	1	5	4	2
NON-WHITE FEMALE	13	0	0	0	0	0	0	0	0	0	1	0	0	1	3	1	7
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
OTHER DISEASES OF ENDOCARDIUM(424)																	
TOTAL	32	1	0	0	0	0	0	1	1	1	2	1	5	4	7	4	5
WHITE MALE	19	1	0	0	0	0	0	1	0	1	1	0	4	2	4	2	3
WHITE FEMALE	13	0	0	0	0	0	0	0	1	0	1	1	1	2	3	2	2
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)																	
TOTAL	495	0	0	0	0	0	1	4	10	20	15	41	54	58	69	72	151
WHITE MALE	214	0	0	0	0	0	1	2	8	17	10	28	38	34	24	26	26
WHITE FEMALE	267	0	0	0	0	0	0	1	1	1	5	10	15	22	41	46	125
NON-WHITE MALE	8	0	0	0	0	0	0	0	1	1	0	2	1	0	3	0	0
NON-WHITE FEMALE	6	0	0	0	0	0	0	1	0	1	0	1	0	2	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
HYPERTENSION WITH OR WITHOUT RENAL DISEASE(401,403)																	
TOTAL	52	0	0	0	0	0	0	1	0	2	3	2	3	7	9	6	19
WHITE MALE	20	0	0	0	0	0	0	0	0	1	2	2	1	4	5	3	2
WHITE FEMALE	32	0	0	0	0	0	0	1	0	1	1	0	2	3	4	3	17
CEREBROVASCULAR DISEASES (430-438)																	
TOTAL	640	0	0	0	1	1	0	4	9	18	11	15	52	64	110	125	230
WHITE MALE	231	0	0	0	0	1	0	1	5	6	5	8	31	23	44	44	61
WHITE FEMALE	396	0	0	0	1	0	0	2	4	10	6	6	20	37	65	79	166
NON-WHITE MALE	6	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	3
NON-WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	1	3	1	1	0
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE(431-432)																	
TOTAL	102	0	0	0	1	1	0	0	1	8	4	4	15	12	25	11	20
WHITE MALE	42	0	0	0	0	1	0	0	0	5	2	2	9	1	11	6	5
WHITE FEMALE	59	0	0	0	1	0	0	0	1	3	2	2	5	11	14	5	15
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
TOTAL	119	0	0	0	0	0	0	0	1	1	0	2	6	13	22	31	43
WHITE MALE	40	0	0	0	0	0	0	0	0	0	0	0	5	5	11	10	9
WHITE FEMALE	77	0	0	0	0	0	0	0	1	1	0	1	1	7	11	21	34
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
CEREBRAL EMBOLISM(434.1)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)																	
TOTAL	418	0	0	0	0	0	0	4	7	9	7	9	31	39	63	83	166
WHITE MALE	149	0	0	0	0	0	0	1	5	3	3	6	17	17	22	28	47
WHITE FEMALE	259	0	0	0	0	0	0	2	2	6	4	3	14	19	40	53	116
NON-WHITE MALE	6	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	3
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ATHEROSCLEROSIS(440)																	
TOTAL	138	0	0	0	0	0	0	0	1	1	4	4	5	15	20	28	60
WHITE MALE	54	0	0	0	0	0	0	0	1	0	2	2	3	11	8	9	18
WHITE FEMALE	82	0	0	0	0	0	0	0	0	1	2	1	2	4	12	19	41
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES(441-448)																	
TOTAL	118	0	0	0	0	1	0	0	1	2	4	13	15	14	27	17	24
WHITE MALE	61	0	0	0	0	1	0	0	0	2	1	7	10	10	13	9	8
WHITE FEMALE	54	0	0	0	0	0	0	0	1	0	2	6	5	4	13	7	16
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS(466)																	
TOTAL	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
PNEUMONIA AND INFLUENZA(480-487)																	
TOTAL	228	6	2	0	0	0	1	0	1	4	2	10	10	17	28	35	112
WHITE MALE	90	2	1	0	0	0	1	0	1	1	1	4	6	10	14	16	33
WHITE FEMALE	131	2	0	0	0	0	0	0	0	3	1	6	4	5	14	18	78
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1
NON-WHITE FEMALE	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PNEUMONIA(480-486)																	
TOTAL	226	6	2	0	0	0	1	0	1	4	2	10	10	16	28	34	112
WHITE MALE	89	2	1	0	0	0	1	0	1	1	1	4	6	9	14	16	33
WHITE FEMALE	130	2	0	0	0	0	0	0	0	3	1	6	4	5	14	17	78
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1
NON-WHITE FEMALE	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INFLUENZA(487)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS(490-496)																	
TOTAL	309	0	0	0	0	0	0	0	2	10	16	23	41	62	55	48	52
WHITE MALE	194	0	0	0	0	0	0	0	0	7	13	10	28	43	34	30	29
WHITE FEMALE	107	0	0	0	0	0	0	0	2	2	2	13	13	16	21	16	22
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	1
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)																	
TOTAL	18	0	0	0	0	0	0	0	0	1	0	2	2	3	3	2	5
WHITE MALE	11	0	0	0	0	0	0	0	0	1	0	0	1	3	1	1	4
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	2	1	0	2	1	1
EMPHYSEMA(492)																	
TOTAL	58	0	0	0	0	0	0	0	0	3	2	7	8	14	14	7	3
WHITE MALE	47	0	0	0	0	0	0	0	0	3	2	5	5	11	12	6	3
WHITE FEMALE	9	0	0	0	0	0	0	0	0	0	0	2	3	2	2	0	0
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
ASTHMA(493)																	
TOTAL	12	0	0	0	0	0	0	0	0	2	1	0	2	2	1	1	3
WHITE MALE	5	0	0	0	0	0	0	0	0	1	1	0	1	1	1	0	0
WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)																	
TOTAL	221	0	0	0	0	0	0	0	2	4	13	14	29	43	37	38	41
WHITE MALE	131	0	0	0	0	0	0	0	0	2	10	5	21	28	20	23	22
WHITE FEMALE	86	0	0	0	0	0	0	0	2	2	2	9	8	13	17	15	18
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
ULCER OF STOMACH AND DUODENUM(531-533)																	
TOTAL	28	0	0	0	0	0	1	1	1	2	0	4	4	2	5	2	6
WHITE MALE	17	0	0	0	0	0	1	1	1	1	0	3	3	2	3	0	2
WHITE FEMALE	11	0	0	0	0	0	0	0	0	1	0	1	1	0	2	2	4
APPENDICITIS(540-543)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA(550-553,560)																	
TOTAL	24	2	0	0	0	0	0	0	1	0	0	1	2	2	3	7	6
WHITE MALE	13	2	0	0	0	0	0	0	1	0	0	0	0	1	2	5	2
WHITE FEMALE	11	0	0	0	0	0	0	0	0	0	0	1	2	1	1	2	4

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CHRONIC LIVER DISEASE AND CIRRHOSIS(571)																	
TOTAL	121	0	0	0	0	0	0	4	8	28	20	20	10	14	11	4	2
WHITE MALE	81	0	0	0	0	0	0	3	5	19	16	13	7	9	7	0	2
WHITE FEMALE	38	0	0	0	0	0	0	1	3	8	3	7	3	5	4	4	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER(574-575)																	
TOTAL	12	0	0	0	0	0	0	0	0	0	2	0	2	2	1	2	3
WHITE MALE	7	0	0	0	0	0	0	0	0	0	1	0	2	2	1	1	0
WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS(580-589)																	
TOTAL	72	2	0	1	0	0	0	0	2	1	1	3	4	13	14	10	21
WHITE MALE	34	1	0	0	0	0	0	0	0	1	1	3	1	6	8	6	7
WHITE FEMALE	35	0	0	0	0	0	0	0	2	0	0	0	3	7	6	4	13
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME(580-581)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED(582-583,587)																	
TOTAL	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
RENAL FAILURE,DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSE(584-586,588-589)																	
TOTAL	65	2	0	1	0	0	0	0	2	1	1	3	4	12	14	9	16
WHITE MALE	31	1	0	0	0	0	0	0	0	1	1	3	1	5	8	5	6
WHITE FEMALE	31	0	0	0	0	0	0	0	2	0	0	0	3	7	6	4	9
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
INFECTIONS OF KIDNEY(590)																	
TOTAL	5	0	0	0	0	1	0	0	0	0	0	0	1	0	0	2	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
NON-WHITE FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
HYPERPLASIA OF PROSTATE(600)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM(630-676)																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
PREGNANCY WITH ABORTIVE OUTCOME (630-638)																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES(740-759)																	
TOTAL	51	36	1	2	0	2	0	4	2	0	0	1	0	2	0	1	0
WHITE MALE	21	15	1	1	0	0	0	2	1	0	0	0	0	0	0	1	0
WHITE FEMALE	23	15	0	1	0	2	0	2	1	0	0	0	0	2	0	0	0
NON-WHITE MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)																	
TOTAL	73	72	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	34	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	29	29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	8	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769)																	
TOTAL	17	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779)																	
TOTAL	56	55	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	26	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	21	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	8	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799)																	
TOTAL	19	7	0	0	1	1	2	0	0	0	1	2	1	1	1	0	2
WHITE MALE	10	4	0	0	1	1	0	0	0	0	1	1	1	0	1	0	0
WHITE FEMALE	7	2	0	0	0	0	2	0	0	0	0	1	0	1	0	0	1
NON-WHITE FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER DISEASES(RESIDUAL)																	
TOTAL	634	3	4	2	0	5	6	7	20	34	37	28	60	101	80	92	155
WHITE MALE	271	1	2	1	0	1	3	3	10	16	22	16	24	47	34	34	57
WHITE FEMALE	338	1	2	1	0	4	2	2	10	13	14	10	33	52	45	56	93
NON-WHITE MALE	16	0	0	0	0	0	1	1	0	3	1	2	3	0	1	1	3
NON-WHITE FEMALE	8	1	0	0	0	0	0	1	0	2	0	0	0	2	0	0	2
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)																	
TOTAL	234	3	3	3	7	14	33	29	24	13	13	13	16	11	16	12	24
WHITE MALE	146	1	2	3	6	9	23	26	18	8	11	7	7	5	7	5	8
WHITE FEMALE	74	2	0	0	1	3	6	2	4	4	0	6	8	6	9	7	16
NON-WHITE MALE	10	0	0	0	0	1	4	1	2	0	1	0	1	0	0	0	0
NON-WHITE FEMALE	3	0	1	0	0	1	0	0	0	0	1	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS(E810-E825)																	
TOTAL	99	0	1	1	6	11	25	18	7	5	5	7	3	2	4	2	2
WHITE MALE	68	0	0	1	5	7	17	17	6	2	4	4	2	1	0	0	2
WHITE FEMALE	24	0	0	0	1	3	5	1	1	2	0	3	1	1	4	2	0
NON-WHITE MALE	4	0	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS(E800-E807,E826-E949)																	
TOTAL	135	3	2	2	1	3	8	11	17	8	8	6	13	9	12	10	22
WHITE MALE	78	1	2	2	1	2	6	9	12	6	7	3	5	4	7	5	6
WHITE FEMALE	50	2	0	0	0	0	1	1	3	2	0	3	7	5	5	5	16
NON-WHITE MALE	6	0	0	0	0	0	1	1	2	0	1	0	1	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1983

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
SUICIDE(E950-E959)																	
TOTAL	101	0	0	0	0	6	16	30	15	15	6	5	4	0	2	0	2
WHITE MALE	76	0	0	0	0	6	12	26	10	10	3	3	2	0	2	0	2
WHITE FEMALE	22	0	0	0	0	0	2	4	4	5	3	2	2	0	0	0	0
NON-WHITE MALE	2	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
HOMICIDE AND LEGAL INTERVENTION (E960-E978)																	
TOTAL	38	3	0	0	0	3	6	13	8	4	1	0	0	0	0	0	0
WHITE MALE	21	3	0	0	0	1	1	9	5	1	1	0	0	0	0	0	0
WHITE FEMALE	9	0	0	0	0	0	3	2	3	1	0	0	0	0	0	0	0
NON-WHITE MALE	7	0	0	0	0	2	2	1	0	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ALL OTHER EXTERNAL CAUSES(E980-E999)																	
TOTAL	8	0	0	0	0	1	0	1	2	2	0	1	0	0	0	0	1
WHITE MALE	4	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	1
WHITE FEMALE	4	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1983

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	9286	783	773	820	924	751	719	757	655	680	769	775	880
BARRINGTON	125	6	13	14	11	9	13	8	6	9	17	9	10
BRISTOL	183	18	18	16	10	18	15	11	20	12	19	16	10
BURRILLVILLE	130	12	9	13	15	9	7	14	6	6	11	12	16
CENTRAL FALLS	201	16	17	17	27	17	11	18	13	11	22	15	17
CHARLESTOWN	42	4	6	1	5	3	2	2	6	4	0	6	3
COVENTRY	185	16	18	17	11	20	19	15	6	11	24	17	11
CRANSTON	750	65	58	75	77	64	54	70	66	63	51	42	65
CUMBERLAND	232	18	21	18	34	20	14	22	17	20	14	16	18
EAST GREENWICH	91	8	5	8	10	8	5	10	7	4	7	12	7
EAST PROVIDENCE	564	51	36	57	56	45	46	38	46	36	36	53	64
EXETER	27	1	3	6	2	2	1	2	1	1	2	5	1
FOSTER	31	4	3	3	3	1	0	4	2	1	2	1	7
GLOCESTER	45	6	6	8	2	1	3	2	4	2	1	4	6
HOPKINTON	38	8	3	3	0	4	4	2	2	1	4	3	4
JAMESTOWN	33	2	6	2	5	1	2	3	3	4	2	3	0
JOHNSTON	200	20	15	16	20	19	17	10	18	11	17	16	21
LINCOLN	185	11	18	15	22	20	14	14	12	12	18	13	16
LITTLE COMPTON	35	2	1	1	4	3	3	2	2	5	4	5	3
MIDDLETOWN	111	10	13	9	11	5	7	9	2	9	11	12	13
NARRAGANSETT	83	4	7	2	9	7	9	5	2	7	10	12	9
NEWPORT	293	27	24	22	37	26	24	25	22	23	20	27	16
NEW SHOREHAM	10	0	0	0	2	0	1	0	2	2	3	0	0
NORTH KINGSTOWN	152	13	14	12	19	15	8	10	11	7	14	12	17
NORTH PROVIDENC	261	12	22	30	21	19	29	27	16	20	26	18	21
NORTH SMITHFIEL	98	10	6	5	10	3	5	8	11	9	8	8	15
PAWTUCKET	865	69	74	78	87	60	68	59	60	74	71	74	91
PORTSMOUTH	93	6	10	11	4	6	12	10	4	6	7	8	9
PROVIDENCE	1798	162	130	153	172	146	147	139	132	128	153	161	175
RICHMOND	23	1	2	2	3	0	1	2	2	2	2	5	1
SCITUATE	69	5	5	6	5	4	2	10	6	4	11	5	6
SMITHFIELD	130	10	12	6	12	12	10	12	8	12	10	11	15
SOUTH KINGSTOWN	130	12	14	16	14	13	5	14	3	8	10	9	12
TIVERTON	96	10	6	4	11	10	5	7	7	8	10	8	10
WARREN	125	8	17	13	8	6	11	12	6	10	10	12	12
WARWICK	902	78	73	73	82	84	72	78	51	77	69	77	88
WESTERLY	180	20	19	12	16	11	17	13	9	13	18	13	19
WEST GREENWICH	19	2	0	1	4	1	2	1	1	0	2	3	2
WEST WARWICK	252	20	24	23	31	16	22	19	20	11	16	19	31
WOONSOCKET	499	36	45	52	52	43	32	50	43	37	37	33	39

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1983

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
ALL CAUSES - TOTAL	145	113	71	27	15	32
CERTAIN INTESTINAL INFECTIONS(008-009)	1	0	0	0	0	1
MENINGOCOCCAL INFECTION(036)	1	0	0	0	0	1
SEPTICEMIA(038)	2	0	0	0	0	2
VIRAL DISEASES(045-079)	2	0	0	0	0	2
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES (REMAINDER OF 001-139)	1	1	1	0	0	0
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS(323-389)	1	0	0	0	0	1
BRONCHITIS AND BRONCHIOLITIS(466,490-491)	1	0	0	0	0	1
PNEUMONIA AND INFLUENZA(480-487)	6	3	1	1	1	3
PNEUMONIA(480-486)	6	3	1	1	1	3
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION(550-553,560)	2	0	0	0	0	2
CONGENITAL ANOMALIES(740-759)	37	32	17	10	5	5
ANENCEPHALUS AND SIMILAR ANOMALIES(740)	4	4	4	0	0	0
CONGENITAL HYDROCEPHALUS(742.3)	3	2	1	1	0	1
OTHER CONGEN ANOMALIES OF CNTRL SYSTM & EYE(742.0-742.2,742.4-742.9,743)	2	2	2	0	0	0
CONGENITAL ANOMALIES OF HEART(745-746)	8	7	1	4	2	1
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM(747)	1	1	0	0	1	0
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM(748)	4	4	4	0	0	0
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM(752-753)	2	2	1	0	1	0
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM(754-756)	4	4	1	3	0	0
DOWN'S SYNDROME(758.0)	1	1	1	0	0	0
OTHER CHROMOSOMAL ANOMALIES(758.1-758.9)	3	3	1	1	1	0
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES(744,757,759)	5	2	1	1	0	3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	72	68	51	13	4	4
NEWBORN AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY(760)	2	2	2	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761)	7	7	7	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	2	2	2	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	14	14	14	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	6	6	4	2	0	0
FETAL DISTRESS IN LIVEBORN INFANT(768.2-768.4)	4	4	3	1	0	0
BIRTH ASPHYXIA(768.5-768.9)	2	2	1	1	0	0
RESPIRATORY DISTRESS SYNDROME(769)	11	11	5	6	0	0
OTHER RESPIRATORY CONDITIONS OF NEWBORN(770)	17	13	10	2	1	4
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	4	4	2	0	2	0
NEONATAL HEMORRHAGE(772)	1	1	0	1	0	0
ALL OTHER & ILL-DEF'D CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779)	8	8	5	2	1	0
SYMPTOMS,SIGNS, AND ILL-DEFINED CONDITIONS(780-799)	6	1	1	0	0	5
SUDDEN INFANT DEATH SYNDROME(798.0)	4	0	0	0	0	4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-797,798.1-779)	2	1	1	0	0	1
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)	3	1	0	1	0	2
ACCIDENTAL MECHANICAL SUFFOCATION(E913)	2	0	0	0	0	2
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS(E800-E910,E914-E949)	1	1	0	1	0	0
HOMICIDE(E960-E969)	3	2	0	2	0	1
OTHER HOMICIDE(E960-E966,E969-E969)	3	2	0	2	0	1
ALL OTHER CAUSES(RESIDUAL)	7	5	0	0	5	2

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN,
BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE:
RHODE ISLAND, 1983

TYPE OF PLACE OF ACCIDENT	TOTAL	AGE OF DECEDENT IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL ACCIDENTS (E8000-9499)*																	
TOTAL	234**	3	3	3	7	14	33	29	24	13	13	13	16	11	16	12	24
MALE	157	1	2	3	6	10	27	27	20	9	12	7	8	5	7	5	8
FEMALE	77	2	1	0	1	4	6	2	4	4	1	6	8	6	9	7	16
MOTOR VEHICLE ACCIDENTS (E810-825)																	
TOTAL	99	0	1	1	6	11	25	18	7	5	5	7	3	2	4	2	2
MALE	73	0	0	1	5	8	20	17	6	3	4	4	2	1	0	0	2
FEMALE	26	0	1	0	1	3	5	1	1	2	1	3	1	1	4	2	0
NON-MOTOR VEHICLE ACCIDENTS (E800-807,826-949)																	
TOTAL	135	3	2	2	1	3	8	11	17	8	8	6	13	9	12	10	22
MALE	84	1	2	2	1	2	7	10	14	6	8	3	6	4	7	5	6
FEMALE	51	2	0	0	0	1	1	1	3	2	0	3	7	5	5	5	16
00 HOME																	
TOTAL	68	3	2	1	1	1	3	4	8	4	4	2	7	5	7	7	9
MALE	37	1	2	1	1	0	2	3	6	3	4	0	2	2	5	3	2
FEMALE	31	2	0	0	0	1	1	1	2	1	0	2	5	3	2	4	7
10-19 FARM																	
TOTAL	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
11 FARM BUILDING (EXCEPT FARM HOUSE)																	
TOTAL	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
30-39 INDUSTRIAL																	
TOTAL	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
MALE	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
31 CONSTRUCTION																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
38 OTHER SPECIFIED																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN,
BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE:
RHODE ISLAND, 1983

TYPE OR PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
						AGE OF DECEDENT IN YEARS											
40-49 PLACE OF RECREATION																	
TOTAL	7	0	0	0	0	1	1	0	2	0	1	1	0	0	0	1	0
MALE	7	0	0	0	0	1	1	0	2	0	1	1	0	0	0	1	0
41 BOATING																	
TOTAL	4	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	0
MALE	4	0	0	0	0	0	0	0	2	0	1	1	0	0	0	0	0
47 HUNTING & MOUNTAIN CLIMBING																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
49 OTHERS AND UNKNOWN																	
TOTAL	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0
MALE	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0
50 STREET AND HIGHWAY - SIDEWALK																	
TOTAL	6	0	0	0	0	0	0	1	1	2	0	0	1	1	0	0	0
MALE	5	0	0	0	0	0	0	1	1	2	0	0	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
60 PUBLIC BUILDING																	
TOTAL	4	0	0	0	0	0	0	0	1	1	0	0	1	0	1	0	0
MALE	3	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0
FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
70 RESIDENT INSTITUTION																	
TOTAL	19	0	0	0	0	0	0	0	0	0	0	1	2	3	2	2	9
MALE	7	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	2
FEMALE	12	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	7
80-88 OTHER SPECIFIED PLACE																	
TOTAL	10	0	0	0	0	1	2	3	3	0	1	0	0	0	0	0	0
MALE	9	0	0	0	0	1	2	3	2	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
80 OPEN SEA																	
TOTAL	6	0	0	0	0	0	1	2	2	0	1	0	0	0	0	0	0
MALE	5	0	0	0	0	0	1	2	1	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
81 LOGGING SITE - WOOD LOT																	
TOTAL	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
83 LAKE, RIVER, AND STREAM - OTHER THAN RECREATION																	
TOTAL	3	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
MALE	3	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0
90 UNKNOWN																	
TOTAL	7	0	0	0	0	0	0	1	0	0	1	1	0	0	1	0	3
MALE	6	0	0	0	0	0	0	1	0	0	1	1	0	0	1	0	2
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

* NEW ENGLAND STANDARD LOCATION CATEGORIES ARE ASSIGNED ONLY TO

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
RHODE ISLAND	9286	113	145	2302	550	201	25	48	208	3720	1688	29
BARRINGTON	125	0	0	31	7	2	0	1	2	46	17	0
301	34	0	0	6	1	0	0	0	0	17	4	0
302	27	0	0	8	4	0	0	0	0	12	7	0
303	29	0	0	5	0	1	0	1	1	10	6	0
304	35	0	0	12	2	1	0	0	1	7	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	183	3	6	37	11	1	1	1	8	71	34	1
307	49	1	2	10	4	0	0	0	2	16	6	0
308	37	1	1	8	3	0	0	0	1	15	6	0
309	96	1	3	19	4	1	1	1	5	39	22	1
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
BURRILLVILLE	130	0	0	28	5	2	0	0	1	63	37	0
129	77	0	0	17	2	2	0	0	1	39	22	0
130	53	0	0	11	3	0	0	0	0	24	15	0
CENTRAL FALLS	201	3	4	46	14	4	0	0	3	85	43	0
108	58	1	1	16	3	2	0	0	0	26	12	0
109	50	1	2	12	6	0	0	0	1	22	11	0
110	41	0	0	11	3	0	0	0	0	16	10	0
111	52	1	1	7	2	2	0	0	2	21	10	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	42	0	1	9	3	1	0	0	0	20	9	0
COVENTRY	185	1	1	41	12	9	0	2	4	86	42	0
206	142	1	1	31	9	6	0	2	3	68	32	0
207	43	0	0	10	3	3	0	0	1	18	10	0
CRANSTON	750	7	8	194	39	11	2	3	27	295	123	3
134	45	0	0	15	3	0	0	1	0	19	8	0
135	61	1	2	11	4	0	0	0	1	28	13	1
136	24	1	1	3	0	0	0	0	4	8	1	1
137	74	2	2	8	1	0	0	0	1	37	18	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
CRANSTON(CONT.)												
138	70	0	0	14	5	1	0	0	5	30	14	0
139	45	0	0	15	2	1	0	0	0	23	11	1
140	82	0	0	22	6	1	0	0	4	26	11	0
141	62	1	1	19	2	3	0	1	3	22	8	0
142	30	0	0	5	1	2	1	0	0	14	6	0
143	36	0	0	11	1	1	0	0	3	10	5	0
144	45	0	0	19	2	1	1	0	2	16	7	0
145	29	0	0	5	2	0	0	0	1	13	4	0
146	21	1	1	2	0	0	0	0	1	8	3	0
147	88	0	0	29	5	1	0	1	1	28	10	0
148	38	1	1	16	5	0	0	0	1	13	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	232	4	4	52	10	4	0	0	8	99	48	1
112	66	2	2	21	3	0	0	0	3	26	11	0
113	57	0	0	10	3	0	0	0	3	23	11	1
114	109	2	2	21	4	4	0	0	2	50	26	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	91	0	1	20	2	4	0	1	1	38	15	1
EAST PROVIDENCE	564	11	12	146	41	7	1	3	16	205	91	2
101	103	0	0	31	10	1	0	0	2	32	13	0
102	78	1	2	19	7	2	0	1	2	35	17	0
103	50	1	1	13	1	1	0	0	1	17	7	1
104	78	1	1	17	5	0	0	0	2	31	14	0
105	115	2	2	30	5	2	0	0	4	41	17	1
106	75	2	2	18	7	0	1	0	3	30	15	0
107	64	4	4	18	6	1	0	2	2	19	8	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	27	1	1	6	1	1	0	0	0	9	3	0
FOSTER-133	31	0	0	5	2	0	0	0	0	16	8	0
GLOCESTER-131	45	0	0	17	5	0	0	0	3	16	9	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
HOPKINTON-507	38	2	2	7	3	0	0	0	0	20	6	0
JAMESTOWN-413	33	2	4	7	1	0	0	0	3	13	4	0
JOHNSTON	200	1	1	62	23	5	0	0	6	74	42	1
122	28	0	0	5	2	1	0	0	0	13	9	1
123	47	1	1	10	3	1	0	0	2	21	10	0
124	77	0	0	34	13	2	0	0	3	21	12	0
125	47	0	0	13	5	1	0	0	1	18	10	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	1	0
LINCOLN	185	0	1	47	5	3	0	2	2	86	37	0
115	51	0	0	14	1	1	0	1	0	26	10	0
116	29	0	0	5	0	2	0	0	1	13	5	0
117	104	0	1	25	4	6	0	1	1	46	21	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	1	0
LITTLE COMPTON-414	35	0	0	6	2	1	0	0	0	16	7	0
MIDDLETOWN	111	0	0	26	4	4	0	1	2	39	9	1
402	2	0	0	0	0	0	0	0	0	2	2	0
403	55	0	0	13	0	3	0	0	1	21	6	0
404	54	0	0	13	4	1	0	1	1	16	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	83	0	0	19	7	1	1	1	1	26	14	0
NEWPORT	293	6	6	67	9	6	0	3	2	122	46	1
405	49	2	2	10	3	1	0	1	1	23	6	0
406	58	0	0	14	1	2	0	0	1	29	13	0
407	41	1	1	11	2	0	0	0	0	13	4	0
408	38	0	0	7	1	1	0	0	0	15	5	0
409	45	0	0	14	2	1	0	1	0	18	8	1
410	26	1	1	3	0	1	0	0	0	10	4	0
411	28	1	1	6	0	0	0	1	0	10	4	0
412	6	1	1	2	0	0	0	0	0	3	2	0
UNKNOWN	2	0	0	0	0	0	0	0	0	1	0	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
NEW SHOREHAM-415	10	0	0	5	0	0	0	0	1	1	1	0
NORTH KINGSTOWN	152	0	0	45	13	7	0	0	6	58	28	1
501	55	0	0	16	3	2	0	0	2	22	12	1
502	0	0	0	0	0	0	0	0	0	0	0	0
503	53	0	0	15	2	3	0	0	2	19	10	0
504	41	0	0	13	7	2	0	0	2	15	6	0
UNKNOWN	3	0	0	1	1	0	0	0	0	2	0	0
NORTH PROVIDENCE	261	2	2	56	12	5	1	1	3	109	47	4
118	47	1	1	15	6	0	0	0	0	19	6	1
119	46	0	0	11	0	1	0	1	0	18	11	0
120	61	0	0	12	3	0	0	0	1	28	5	2
121	107	1	1	18	3	4	1	0	2	44	25	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	98	1	1	25	7	6	1	0	2	52	25	0
PAWTUCKET	865	7	10	211	42	13	4	3	15	365	168	3
149	18	0	0	4	0	0	0	0	0	10	5	1
150	50	4	4	8	3	0	0	0	0	19	8	1
151	54	1	1	11	1	2	0	0	1	24	15	0
152	53	0	0	11	4	1	0	0	1	21	7	0
153	23	1	2	5	0	1	1	0	0	11	1	0
154	15	0	0	5	2	0	1	0	0	7	4	0
155	42	0	0	9	2	0	0	0	2	25	16	1
156	25	0	0	5	1	1	1	0	1	15	6	0
157	42	0	0	8	2	1	0	0	1	21	10	0
158	51	0	0	12	5	1	1	0	1	24	11	0
159	30	0	0	11	1	0	0	0	0	9	7	0
160	53	1	1	16	4	0	0	0	1	22	10	0
161 **	41	0	1	9	3	0	0	1	1	12	4	0
163	37	0	0	10	3	1	0	0	0	14	8	0
164 **	64	0	1	14	1	0	0	0	1	25	7	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PAWTUCKET(CONT.)												
165	44	0	0	14	0	0	0	0	0	13	7	0
166	24	0	0	4	2	0	0	1	0	11	4	0
167	43	0	0	14	0	2	0	1	1	15	9	0
168	36	0	0	6	2	0	0	0	3	18	9	0
169	26	0	0	10	1	2	0	0	0	8	4	0
170	45	0	0	12	3	0	0	0	0	20	8	0
171	49	0	0	13	2	1	0	0	1	21	8	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	93	2	2	33	5	4	2	1	0	35	9	0
PROVIDENCE	1798	28	42	425	98	41	4	9	44	680	301	2
1	60	4	4	11	0	3	0	0	0	21	14	0
2	86	3	4	26	4	2	1	1	3	24	9	0
3	61	2	3	10	3	2	0	0	1	25	8	0
4	26	2	2	5	2	0	0	0	0	4	2	0
5	30	2	3	11	2	1	0	1	0	11	3	0
6	8	0	1	2	1	0	0	0	0	2	1	0
7	35	0	0	4	1	1	0	0	1	15	4	0
8	58	0	0	16	6	0	0	0	1	24	9	0
9	43	1	1	10	2	1	0	0	2	12	8	0
10	49	0	0	9	4	0	1	0	2	21	9	0
11	34	0	0	8	2	0	0	0	0	14	6	0
12	48	2	3	6	2	1	0	0	2	25	11	0
13	44	2	3	10	3	2	0	0	1	16	9	0
14	36	1	3	6	2	0	0	0	0	12	5	0
15	34	1	2	4	1	1	0	1	0	14	9	0
16	59	1	2	13	3	0	0	0	0	24	12	0
17	43	0	0	14	2	1	0	0	1	15	10	0
18	59	0	2	13	6	2	0	0	1	21	11	0
19	72	0	1	18	2	1	0	1	2	28	15	0
20	41	0	0	9	5	0	0	1	3	17	11	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PROVIDENCE(CONT.)												
21	111	0	1	20	4	2	0	1	4	53	19	0
22	36	0	0	10	4	1	0	0	0	15	6	0
23	57	0	0	13	3	1	0	1	3	26	10	0
24	77	2	2	21	5	2	1	0	3	23	10	0
25	30	1	1	9	0	1	0	0	1	11	6	0
26	49	0	0	14	3	2	0	0	1	15	9	0
27	28	0	0	11	1	1	0	0	1	7	1	0
28	68	0	0	21	2	2	0	2	0	26	9	1
29	78	1	1	23	6	3	0	0	3	27	13	1
30	23	0	0	5	0	0	0	0	0	9	0	0
31	38	0	0	7	1	0	0	0	2	16	10	0
32	25	1	1	6	1	1	0	0	1	9	5	0
33	102	1	1	17	5	3	0	0	1	44	18	0
34	37	0	0	12	3	2	0	0	1	14	6	0
35	53	0	0	13	3	1	0	0	1	19	10	0
36	20	0	0	5	0	1	0	0	0	6	2	0
37	37	1	1	10	3	0	1	0	2	15	1	0
UNKNOWN	3	0	0	3	1	0	0	0	0	0	0	0
INNER CITY	640	14	22	139	33	12	2	2	17	242	107	0
RICHMOND-506	23	2	2	6	0	1	0	0	0	9	5	0
SCITUATE-132	69	0	1	21	4	3	0	1	2	32	17	0
SMITHFIELD	130	0	0	32	9	1	0	0	6	52	25	1
126	73	0	0	19	6	0	0	0	3	25	14	1
127	57	0	0	13	3	1	0	0	3	27	11	0
SOUTH KINGSTOWN	130	1	1	31	13	1	0	0	3	46	20	1
512	59	0	0	13	5	1	0	0	1	20	9	0
513	66	1	1	16	7	0	0	0	1	26	11	1
514	4	0	0	1	0	0	0	0	1	0	0	0
UNKNOWN	1	0	0	1	1	0	0	0	0	0	0	0
TIVERTON	96	0	0	30	7	2	0	0	1	32	19	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
TIVERTON(CONT.)												
416	70	0	0	19	5	2	0	0	1	26	15	0
417	26	0	0	11	2	0	0	0	0	6	4	0
WARREN	125	2	2	27	4	6	1	1	3	41	19	0
305	34	0	0	7	2	1	0	0	2	9	4	0
306	91	2	2	20	2	5	1	1	1	32	15	0
WARWICK	902	13	14	251	61	22	4	7	16	348	164	3
210	101	1	2	21	2	1	0	0	2	47	17	0
211	53	1	1	14	2	1	0	2	2	20	5	1
212	66	0	0	21	2	3	0	0	0	26	16	0
213	72	1	1	19	4	3	0	1	1	31	20	0
214	88	1	1	31	7	5	0	1	0	32	12	1
215	72	2	2	17	6	2	0	2	4	26	13	0
216	7	0	0	2	0	0	0	0	0	1	0	0
217	47	0	0	9	3	0	0	1	1	15	8	0
218	57	1	1	11	4	0	0	0	3	28	16	0
219	102	3	3	31	5	1	2	0	0	36	19	1
220	38	0	0	11	4	0	1	0	0	16	6	0
221	50	0	0	16	8	0	0	0	1	16	7	0
222	82	1	1	27	6	5	1	0	1	31	13	0
223	54	1	1	20	7	1	0	0	1	17	9	0
224	12	1	1	1	1	0	0	0	0	6	3	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	180	3	4	38	12	4	1	1	7	79	35	1
508	102	1	2	20	7	3	0	1	5	44	17	1
509	53	2	2	10	5	0	1	0	1	25	13	0
510	24	0	0	8	0	1	0	0	1	10	5	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	19	1	1	4	2	0	0	0	0	10	7	0
WEST WARWICK	252	3	3	58	19	5	0	1	4	113	65	0
201	57	2	2	13	4	0	0	1	1	22	15	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
WEST WARWICK(CONT.)												
202	44	1	1	14	5	1	0	0	1	20	12	0
203	89	0	0	16	5	3	0	0	1	40	18	0
204	30	0	0	3	2	1	0	0	0	10	7	0
205	32	0	0	6	3	0	0	0	1	21	13	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	499	7	8	131	36	8	2	5	6	213	89	2
172	22	0	0	3	3	0	0	0	0	5	3	0
173	56	0	0	13	3	1	0	1	2	25	8	1
174	33	0	1	3	4	0	0	0	0	12	5	0
175	44	0	0	7	2	1	1	0	1	22	8	0
176	29	1	1	6	2	1	1	0	0	14	5	0
177	29	0	0	7	1	0	0	0	0	12	6	0
178	22	1	1	4	1	1	0	0	1	10	5	0
179	40	1	1	11	2	1	0	0	0	15	7	0
180	72	2	2	13	7	0	0	1	2	29	12	0
181	28	0	0	3	2	1	0	1	0	9	3	1
182	25	0	0	12	2	1	0	1	0	9	5	0
183	17	0	0	6	2	0	0	1	0	8	2	0
184	65	1	1	16	3	1	0	0	0	33	17	0
185	17	1	1	3	2	0	0	0	0	10	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
RHODE ISLAND	640	138	228	309	121	51	73	234	99	101	38	8
BARRINGTON	14	0	0	8	1	0	0	4	1	0	1	0
301	3	0	0	1	0	0	0	3	0	0	0	0
302	1	0	0	1	0	0	0	0	0	0	0	0
303	3	0	0	3	1	0	0	1	1	0	0	0
304	7	0	0	3	0	0	0	0	0	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	12	3	11	4	0	1	2	9	4	2	0	0
307	2	2	3	2	0	1	1	4	2	0	0	0
308	4	1	2	0	0	0	0	2	0	0	0	0
309	6	0	6	2	0	0	1	3	2	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	7	3	6	7	0	1	0	2	1	2	0	0
129	5	1	3	4	0	0	0	1	1	1	0	0
130	2	2	3	3	0	1	0	1	0	1	0	0
CENTRAL FALLS	14	3	6	4	3	1	2	5	1	2	2	0
108	3	1	2	3	0	1	1	3	0	0	0	0
109	3	0	3	1	1	0	1	0	0	0	1	0
110	5	0	0	0	1	0	0	1	1	0	1	0
111	3	2	1	0	1	0	0	1	0	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	2	0	1	1	0	0	0	3	1	1	1	0
COVENTRY	14	1	5	6	2	0	1	5	4	0	0	0
206	12	0	5	5	2	0	1	4	3	0	0	0
207	2	1	0	1	0	0	0	1	1	0	0	0
CRANSTON	52	8	24	24	8	4	5	14	5	6	1	0
134	4	0	0	0	0	0	0	1	0	0	0	0
135	8	0	2	2	0	1	1	1	0	1	0	0
136	2	1	2	1	1	0	1	0	0	0	0	0
137	5	0	5	1	3	1	1	1	1	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
CRANSTON(CONT.)												
138	4	2	1	1	0	0	0	1	1	1	0	0
139	1	0	1	2	0	0	0	0	0	0	0	0
140	5	1	4	4	1	0	0	2	0	0	0	0
141	6	0	3	3	1	0	1	1	1	0	0	0
142	0	0	1	2	1	1	0	0	0	0	0	0
143	1	0	0	2	0	1	0	0	0	0	0	0
144	4	0	1	0	1	0	0	1	0	0	0	0
145	4	1	0	1	0	0	0	1	0	0	0	0
146	1	0	1	1	0	0	0	1	0	2	0	0
147	7	2	3	2	0	0	0	4	2	1	0	0
148	0	1	0	2	0	0	1	0	0	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	9	4	5	8	7	4	1	7	4	5	0	0
112	4	0	1	0	1	2	0	2	1	2	0	0
113	1	1	0	3	2	1	0	2	1	3	0	0
114	4	3	4	5	4	1	1	3	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	6	1	3	3	2	0	0	3	1	1	1	0
EAST PROVIDENCE	42	10	18	27	3	3	7	12	5	4	3	1
101	9	4	3	6	0	0	0	1	0	0	0	0
102	9	0	1	5	0	0	0	0	0	0	0	0
103	4	0	1	4	0	0	1	0	0	1	0	0
104	4	1	6	2	1	0	1	2	2	0	2	0
105	9	3	3	5	1	1	1	4	0	1	1	0
106	5	1	2	3	1	1	1	1	0	1	0	1
107	2	1	2	2	0	1	3	4	3	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	0	0	1	2	0	0	1	1	0	3	0	0
FOSTER-133	3	1	1	2	0	0	0	1	1	0	0	0
GLOCESTER-131	5	0	0	0	1	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
HOPKINTON-507	1	0	1	1	0	0	2	4	1	0	0	0
JAMESTOWN-413	3	0	0	1	0	0	2	0	0	0	0	0
JOHNSTON	12	1	2	6	2	1	1	6	3	2	0	0
122	4	0	0	1	0	0	0	2	1	0	0	0
123	1	0	0	0	1	0	1	2	1	1	0	0
124	4	0	2	2	1	1	0	2	1	0	0	0
125	3	1	0	3	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	9	1	5	6	3	0	0	5	5	1	0	0
115	2	0	0	1	1	0	0	2	2	0	0	0
116	2	0	0	1	0	0	0	0	0	1	0	0
117	5	1	5	4	2	0	0	3	3	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	6	1	1	2	0	0	0	0	0	0	0	0
MIDDLETOWN	14	3	3	3	2	1	0	2	1	0	0	0
402	0	0	0	0	0	0	0	0	0	0	0	0
403	7	0	3	1	2	0	0	1	1	0	0	0
404	7	3	0	2	0	1	0	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	9	3	4	4	2	0	0	3	2	2	0	0
NEWPORT	16	5	8	13	7	3	3	4	1	5	2	0
405	2	0	2	1	0	0	2	2	1	1	0	0
406	1	2	1	2	1	0	0	0	0	1	1	0
407	4	3	0	1	1	1	0	1	0	1	0	0
408	2	0	3	2	2	0	0	1	0	0	0	0
409	3	0	1	1	1	0	0	0	0	0	0	0
410	3	0	0	1	1	1	0	0	0	2	0	0
411	1	0	1	5	1	1	0	0	0	0	1	0
412	0	0	0	0	0	0	1	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
NEW SHOREHAM-415	1	0	0	0	0	0	0	2	0	0	0	0
NORTH KINGSTOWN	10	4	0	5	1	1	0	2	1	2	0	0
501	5	1	0	1	0	0	0	1	0	0	0	0
502	0	0	0	0	0	0	0	0	0	0	0	0
503	3	2	0	3	1	1	0	0	0	2	0	0
504	2	1	0	1	0	0	0	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	17	3	4	12	3	1	0	6	4	3	0	0
118	4	0	1	2	0	0	0	0	0	0	0	0
119	1	0	0	2	1	0	0	1	1	1	0	0
120	6	1	1	2	0	0	0	1	0	0	0	0
121	6	2	2	6	2	1	0	4	3	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	3	2	0	2	0	0	1	5	2	1	0	0
PAWTUCKET	49	18	19	18	12	1	5	19	6	11	2	0
149	0	0	0	0	1	0	0	0	0	0	0	0
150	2	1	2	1	0	0	4	1	0	2	0	0
151	3	1	3	0	1	1	0	0	0	3	1	0
152	2	1	1	2	2	0	0	0	0	0	0	0
153	0	0	0	2	0	0	0	0	0	0	0	0
154	1	0	0	0	0	0	0	0	0	0	0	0
155	0	0	0	1	0	0	0	0	0	0	0	0
156	0	0	0	1	0	0	0	0	0	0	0	0
157	2	2	1	0	1	0	0	1	0	0	0	0
158	1	0	0	1	0	0	0	1	1	1	1	0
159	3	2	0	0	0	0	0	1	1	0	0	0
160	4	0	2	0	1	0	1	3	1	1	0	0
161 **	4	2	0	3	2	0	0	0	0	0	0	0
163	1	1	3	0	0	0	0	2	0	2	0	0
164 **	5	1	3	2	1	0	0	2	1	0	0	0

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PAWTUCKET(CONT.)												
165	5	0	0	1	1	0	0	2	0	0	0	0
166	2	1	1	1	0	0	0	0	0	0	0	0
167	5	0	0	3	1	0	0	1	1	0	0	0
168	1	0	0	0	0	0	0	2	0	0	0	0
169	0	4	2	0	0	0	0	0	0	1	0	0
170	6	1	0	0	0	0	0	1	1	0	0	0
171	2	1	1	0	1	0	0	2	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	6	1	3	2	0	0	1	3	1	0	0	1
PROVIDENCE	125	29	47	62	22	14	18	41	11	20	20	1
1	7	2	1	2	1	1	2	0	0	1	1	0
2	6	3	1	2	3	0	3	2	0	4	4	0
3	2	2	2	4	0	1	2	0	0	2	1	0
4	4	0	1	3	1	1	1	0	0	1	1	0
5	1	0	0	1	1	0	2	0	0	0	1	0
6	0	0	1	0	0	0	0	1	0	0	0	0
7	0	0	2	0	1	0	0	1	1	0	2	0
8	1	1	1	6	0	0	0	1	0	0	0	0
9	4	2	2	0	0	1	1	3	1	0	0	0
10	3	2	1	2	1	0	0	1	0	0	1	0
11	0	2	0	3	0	0	0	1	0	0	0	0
12	3	0	0	1	1	1	1	1	1	0	2	0
13	1	0	2	0	0	1	1	1	0	0	0	0
14	4	0	2	3	0	3	0	2	0	0	0	0
15	2	0	2	1	1	0	1	1	1	0	0	0
16	4	0	1	3	2	0	0	1	1	0	2	0
17	2	1	2	0	0	0	0	0	0	1	0	0
18	6	0	2	2	0	1	0	1	0	3	0	0
19	5	1	0	2	1	0	0	3	1	2	1	0
20	3	0	0	2	0	0	0	1	0	0	1	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PROVIDENCE(CONT.)												
21	6	1	2	2	2	0	0	2	0	0	3	0
22	2	1	1	0	0	0	0	1	1	1	0	0
23	3	0	1	3	0	0	0	5	2	0	0	0
24	8	0	3	1	0	1	1	3	0	0	0	0
25	0	1	0	2	0	0	1	1	0	0	0	0
26	4	3	0	3	0	0	0	2	0	0	0	0
27	3	0	1	1	0	0	0	0	0	0	0	0
28	4	3	2	2	1	0	0	1	0	0	0	1
29	4	1	3	1	2	1	1	0	0	1	0	0
30	5	0	0	0	0	0	0	1	1	0	0	0
31	1	0	1	0	1	0	0	1	1	1	0	0
32	2	0	2	0	0	1	0	1	0	0	0	0
33	7	2	5	3	1	1	0	1	0	1	0	0
34	6	0	0	1	1	0	0	0	0	0	0	0
35	8	0	2	5	0	0	0	0	0	1	0	0
36	0	0	1	1	1	0	0	0	0	1	0	0
37	4	1	0	0	0	0	1	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
INNER CITY	36	14	14	24	7	8	10	19	5	6	9	0
RICHMOND-506	2	0	0	0	0	0	1	1	1	1	1	0
SCITUATE-132	3	1	0	1	0	0	1	1	0	1	0	0
SMITHFIELD	7	3	3	4	0	0	0	5	2	1	0	0
126	4	2	2	4	0	0	0	2	0	1	0	0
127	3	1	1	0	0	0	0	3	2	0	0	0
SOUTH KINGSTOWN	19	1	4	2	0	1	1	2	1	6	1	0
512	10	0	1	2	0	0	0	1	0	2	0	0
513	7	1	3	0	0	1	1	1	1	4	1	0
514	2	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	13	0	2	2	0	0	0	2	2	0	0	1

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
TIVERTON(CONT.)												
416	6	0	2	1	0	0	0	2	2	0	0	0
417	5	0	0	1	0	0	0	0	0	0	0	1
WARREN	14	5	2	4	2	0	2	3	2	0	0	1
305	6	2	0	1	0	0	0	0	0	0	0	0
306	8	3	2	3	2	0	2	3	2	0	0	1
WARWICK	61	14	18	32	25	7	7	18	9	6	2	2
210	7	1	1	7	2	2	0	1	1	1	0	0
211	6	1	0	2	0	0	1	1	0	1	0	0
212	5	0	1	4	5	0	0	0	0	0	0	0
213	4	1	1	2	3	1	0	1	0	0	0	0
214	5	1	1	1	0	0	1	4	2	1	0	0
215	4	2	2	3	4	1	1	0	0	0	0	1
216	0	0	0	1	0	0	0	0	0	0	0	0
217	5	0	3	3	2	0	0	2	0	1	1	0
218	3	0	0	3	0	1	0	0	0	1	0	1
219	5	3	1	1	4	2	1	3	2	1	0	0
220	3	1	2	1	2	0	0	1	0	0	0	0
221	3	1	1	0	0	0	0	2	2	0	1	0
222	4	1	4	4	2	0	1	2	2	0	0	0
223	6	1	1	0	0	0	1	0	0	0	0	0
224	1	0	0	0	1	0	1	1	0	0	0	0
UNKNOWN	0	1	0	0	0	0	0	0	0	0	0	0
WESTERLY	11	1	7	6	4	2	2	5	4	1	0	1
508	6	1	2	4	2	2	0	4	3	0	0	0
509	4	0	4	2	0	0	2	1	1	1	0	1
510	0	0	1	0	2	0	0	0	0	0	0	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	0	0	0	0	0	0	1	3	2	1	0	0
WEST WARWICK	16	2	5	9	2	0	3	10	5	7	0	0
201	5	0	1	3	0	0	2	2	1	3	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1983

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
WEST WARWICK(CONT.)												
202	2	0	0	1	0	0	1	3	1	0	0	0
203	7	0	4	4	2	0	0	4	3	2	0	0
204	1	2	0	1	0	0	0	1	0	2	0	0
205	1	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	33	6	9	16	7	5	3	16	5	4	1	0
172	4	0	0	2	0	1	0	0	0	0	0	0
173	2	2	2	1	2	0	0	2	1	0	0	0
174	2	0	0	1	1	0	0	0	0	0	0	0
175	5	0	1	3	0	0	0	0	0	1	0	0
176	2	0	0	0	0	0	1	3	1	0	0	0
177	1	0	2	2	0	0	0	0	0	1	0	0
178	1	1	0	2	0	1	0	1	0	0	0	0
179	2	0	0	0	0	1	0	3	1	1	1	0
180	6	1	1	2	1	1	1	4	0	0	0	0
181	1	1	0	0	1	0	0	2	2	1	0	0
182	2	0	0	0	1	0	0	0	0	0	0	0
183	0	0	0	1	0	0	0	1	0	0	0	0
184	3	1	2	2	1	1	0	0	0	0	0	0
185	2	0	1	0	0	0	1	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1983

TYPE OF ACCIDENT(ICD CODE)	ALL AGES	AGE IN YEARS UNDER 1	1-4	5-14	15-24	25-44	45-64	65-84	85 & OVER
ALL ACCIDENTS(E800-949)	234	3	3	10	47	53	39	55	24
RAILWAY ACCIDENTS(800-807)	2	0	0	0	0	1	0	1	0
MOTOR VEHICLE ACCIDENTS(810-825)	99	0	1	7	36	25	17	11	2
COLLISION WITH ANOTHER MOTOR VEHICLE(812)	31	0	0	0	15	9	5	2	0
COLLISION WITH PEDESTRIAN(814)	22	0	1	3	0	5	7	6	0
OTHER COLLISION ACCIDENTS(810,811, 813,815)	38	0	0	3	19	10	3	2	1
NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818)	7	0	0	1	2	1	2	0	1
UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819)	1	0	0	0	0	0	0	1	0
WATER TRANSPORT ACCIDENTS(830-838)	8	0	0	0	0	5	3	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (840-845)	2	0	0	0	0	2	0	0	0
POISONING(850-869)	13	0	0	0	1	8	3	1	0
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858)	8	0	0	0	0	7	1	0	0
BY OTHER SOLIDS, LIQUIDS, GASES, AN VAPORS(860-869	5	0	0	0	1	1	2	1	0
FALLS(880-888)	59	0	0	1	2	3	5	30	18
FIRES AND FLAMES(890-899)	12	0	0	0	2	2	4	4	0
DROWNING AND SUBMERSION(910)	10	1	0	0	3	5	0	0	1
INHALATION OF FOOD OR OTHER OBJECT (911-912)	8	0	0	0	0	0	2	4	2
ELECTRIC CURRENT(925)	2	0	0	0	1	1	0	0	0
ALL OTHER (RESIDUAL)	19	2	2	2	2	1	5	4	1

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1983
(Rhode Island Residents;Rate per 100,000 Population,Except Total Rate per 1,000)

Rank Order	Cause of Death(ICD,1975)	1983 Number	1983 Rate	1982 Rate	Per Cent Change
	BOTH SEXES				
	TOTAL	9,286	9.7	9.4	+ 3.2
1.	Diseases of the Heart(390-398,402, 404-429)	3,720	389.5	387.5	+ 0.5
2.	Malignant Neoplasms# (140-208)	2,302	241.0	231.1	+ 4.3
3.	Cerebrovascular Diseases(430-438)	640	67.0	62.1	+ 7.9
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	309	32.4	28.1	+15.3
5.	Accidents & Adverse Effects(E800-E949)	234	24.5	28.3	-13.4
6.	Pneumonia and Influenza(480-487)	228	23.9	15.8	+51.3
7.	Diabetes Mellitus(250)	208	21.8	26.3	-17.1
8.	Atherosclerosis(440)	138	14.5	11.2	+29.5
9.	Chronic Liver Disease and Cirrhosis(571)	121	12.7	13.2	- 3.8
10.	Suicide(E950-E959)	101	10.6	11.5	- 7.8
	All Other Causes	1,285	134.6	121.8	+10.5
	MALE				
	TOTAL	4,690	10.3	10.0	+ 3.0
1.	Diseases of the Heart(390-398,402, 404-429)	1,861	409.0	404.7	+ 1.1
2.	Malignant Neoplasms#(140-208)	1,210	265.9	258.3	+ 2.9
3.	Cerebrovascular Diseases(430-438)	237	52.1	50.0	+ 4.2
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	199	43.7	39.4	+10.9
5.	Accidents and Adverse Effects(E800-E949)	157	34.5	38.1	- 9.4
6.	Pneumonia and Influenza(480-487)	94	20.7	17.5	+18.3
7.	Diabetes Mellitus(250)	85	18.7	23.4	-20.1
8.	Chronic Liver Disease & Cirrhosis(571)	82	18.0	22.6	-20.4
9.	Suicide(E950-E959)	78	17.1	17.5	- 2.3
10.	Atherosclerosis(440)	56	12.3	9.9	+24.2
	All Other Causes	631	138.7	123.6	+12.2
	FEMALE				
	TOTAL	4,596	9.2	8.8	+ 4.5
1.	Diseases of the Heart(390-398,402, 404-429)	1,859	371.8	371.8	0.0
2.	Malignant Neoplasms#(140-208)	1,092	218.4	206.3	+ 5.9
3.	Cerebrovascular Diseases(430-438)	403	80.6	73.2	+10.1
4.	Pneumonia & Influenza(480-487)	134	26.8	14.2	+88.7
5.	Diabetes Mellitus(250)	123	24.6	28.9	-14.9
6.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	110	22.0	17.7	+24.3
7.	Atherosclerosis(440)	82	16.4	12.4	+32.3
8.	Accidents and Adverse Effects(E800-E949)	77	15.4	19.3	-20.2
9.	Chronic Liver Disease & Cirrhosis(571)	39	7.8	6.4	+21.9
10.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	37	7.4	7.4	0.0
	All Other Causes	640	128.0	118.4	+ 8.1

For complete category title, see International Classification of Diseases, 1975 Revision.

Table 32 - Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1983
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups)

Age Group & Rank	Cause of Death (ICD, 1975)	1983 Number	1983 Rate	1982 Rate	Per Cent Change
Under Five Years	ALL CAUSES	159	278.2	251.1	+ 10.8
1.	Certain Conditions Originating in the Perinatal Period (760-779)	73	127.7	113.4	+ 12.6
2.	Congenital Anomalies (740-759)	37	64.7	64.5	+ 0.3
3.	Pneumonia and Influenza (480-487)	8	14.0	7.0	+100.0
4.	Accidents and Adverse Effects (E800-E949)	6	10.5	7.0	+ 50.0
5.	Sudden Infant Death Syndrome (798.0)	4	7.0	7.0	0.0
	All Other Causes	31	54.2	34.9	+ 55.3
5-19 Years	ALL CAUSES	60	26.4	36.4	- 27.5
1.	Accidents and Adverse Effects (E800-E949)	24	10.6	15.8	- 32.9
2.	Malignant Neoplasms* (140-208)	8	3.5	3.1	+ 12.9
3.	Suicide (E950-E959)	6	2.6	3.1	- 16.1
4.	Congenital Anomalies (740-759)	4	1.8	2.2	- 18.2
5.	Homicide (E960-E969)	3	1.3	2.6	- 50.0
	All Other Causes	15	6.6	9.6	- 31.3
20-44 Years	ALL CAUSES	417	123.4	116.5	+ 5.9
1.	Malignant Neoplasms* (140-208)	97	28.7	25.7	+ 11.7
2.	Accidents & Adverse Effects (E800-E949)	86	25.5	25.7	- 0.8
3.	Suicide (E950-E959)	61	18.1	18.9	- 4.2
4.	Diseases of Heart (390-398, 402, 404-429)	50	14.8	14.8	0.0
5.	Homicide (E960-E969)	27	8.0	7.1	+ 12.7
	All Other Causes	96	28.4	24.5	+ 15.9
45-64 Years	ALL CAUSES	1,694	827.6	850.4	- 2.7
1.	Malignant Neoplasms* (140-208)	649	317.1	310.2	+ 2.2
2.	Diseases of Heart (390-398, 402, 404-429)	583	284.8	309.7	- 8.0
3.	Chronic Liver Disease and Cirrhosis (571)	68	33.2	32.1	+ 3.4
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	49	23.9	20.5	+ 16.6
5.	Cerebrovascular Diseases (430-438)	44	21.5	23.4	- 8.1
	All Other Causes	301	147.1	150.0	- 1.9

* For complete category title, see International Classification of Diseases, 1975 Revision.

Table 32 - Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1983
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups) (cont'd)

Age Group & Rank	Cause of Death(ICD, 1975)	1983 Number	1983 Rate	1982 Rate	Per Cent Change
65 Years and Over	ALL CAUSES	6,956	5,435.5	5,145.9	+ 5.6
1.	Diseases of Heart(390-398,402,404-429)	3,084	2,409.9	2,351.7	+ 2.5
2.	Malignant Neoplasms*(140-108)	1,545	1,207.3	1,150.5	+ 4.9
3.	Cerebrovascular Diseases(430-438)	581	454.0	416.0	+ 9.1
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	258	201.6	172.9	+ 16.6
5.	Pneumonia and Influenza	202	157.8	105.9	+ 49.0
	All Other Causes	1,286	1,004.9	903.6	+ 11.2

* For complete category title, see International Classification of Diseases, 1975 Revision.

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1983

(RHODE ISLAND OCCURRENCES)

MARRIAGES ACCORDING TO RESIDENCE

CITY OR TOWN	PERSONS MARRIED	GROOM	BRIDE
TOTAL	16106	8053	8053
BARRINGTON	185	75	110
BRISTOL	323	158	165
BURRILLVILLE	164	74	90
CENTRAL FALLS	325	161	164
CHARLESTOWN	102	50	52
COVENTRY	480	231	249
CRANSTON	1124	518	606
CUMBERLAND	348	155	193
EAST GREENWICH	147	75	72
EAST PROVIDENCE	627	293	334
EXETER	62	33	29
FOSTER	55	29	26
GLOCESTER	118	58	60
HOPKINTON	93	38	55
JAMESTOWN	97	50	47
JOHNSTON	328	158	170
LINCOLN	235	115	120
LITTLE COMPTON	30	12	18
MIDDLETOWN	216	106	110
NARRAGANSETT	244	119	125
NEWPORT	621	302	319
NEW SHOREHAM	18	9	9
NORTH KINGSTOWN	344	168	176
NORTH PROVIDENCE	430	208	222
NORTH SMITHFIELD	112	51	61
PAWTUCKET	1021	495	526
PORTSMOUTH	211	102	109
PROVIDENCE	2035	1034	1001
RICHMOND	60	33	27
SCITUATE	143	71	72
SMITHFIELD	242	112	130
SOUTH KINGSTOWN	314	154	160
TIVERTON	146	61	85
WARREN	156	82	74
WARWICK	1385	651	734
WESTERLY	236	106	130
WEST GREENWICH	49	21	28
WEST WARWICK	445	229	216
WOONSOCKET	657	299	358
OTHER STATES OR FOREIGN PLACES	2178	1357	821

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1983

AGE OF BRIDE		AGE OF GROOM IN YEARS											
IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	8053	338	2567	2322	1200	625	358	223	146	101	73	100	0
UNDER 20	935	257	536	116	20	5	1	0	0	0	0	0	0
20-24	3159	66	1697	1032	249	82	20	9	2	1	0	1	0
25-29	2050	11	276	933	517	214	64	22	8	3	1	1	0
30-34	888	3	48	197	323	160	95	38	15	5	2	2	0
35-39	421	0	7	34	72	121	91	54	26	11	1	4	0
40-44	218	1	3	8	11	26	62	54	28	14	9	2	0
45-49	147	0	0	0	6	14	20	35	37	22	9	4	0
50-54	82	0	0	2	1	2	4	8	16	22	16	11	0
55-59	59	0	0	0	1	1	1	3	8	15	19	11	0
60-64	44	0	0	0	0	0	0	0	6	6	11	21	0
65 & OVER	50	0	0	0	0	0	0	0	0	2	5	43	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1983

AGE GROUP IN YEARS	PREVIOUS MARITAL STATUS OF BRIDE					PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	8053	5941	220	1891	1	8053	5733	201	2112	1
UNDER 20	935	933	0	2	0	338	337	0	1	0
20-24	3159	2980	5	173	1	2567	2483	2	82	0
25-29	2050	1515	11	524	0	2322	1951	3	368	0
30-34	888	381	20	487	0	1200	692	3	504	1
35-39	421	84	18	319	0	625	178	9	438	0
40-44	218	19	17	182	0	358	43	9	306	0
45-49	147	10	24	113	0	223	20	20	183	0
50-54	82	9	27	46	0	146	12	23	111	0
55-59	59	5	28	26	0	101	11	31	59	0
60-64	44	4	28	12	0	73	3	30	34	0
OVER 64	50	1	42	7	0	100	3	71	26	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS

RHODE ISLAND, 1983 (RHODE ISLAND OCCURRENCES)

NUMBER OF THIS	NUMBER OF THIS MARRIAGE FOR GROOM				
MARRIAGE FOR BRIDE	TOTAL	FIRST	SECOND	THIRD OR MORE	UNKNOWN
TOTAL	8053	5739	2026	287	1
FIRST	5941	4987	878	76	0
SECOND	1843	698	995	150	0
THIRD OR MORE	268	54	153	61	0
UNKNOWN	1	0	0	0	1

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS

OF BRIDE AND GROOM, 1983

PREVIOUS MARITAL	PREVIOUS MARITAL STATUS OF GROOM				
STATUS OF BRIDE	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	8053	5739	201	2112	1
SINGLE	5941	4987	29	924	1
WIDOWED	220	39	88	93	0
DIVORCED	1891	712	84	1095	0
UNKNOWN	1	1	0	0	0

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED

BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1983

LAST GRADE COMPLETED BY BRIDE	LAST GRADE COMPLETED BY GROOM						
			HIGH SCHOOL		COLLEGE		
	TOTAL	8 YEARS OR LESS	1 - 3 YEARS	4TH YEAR	1 - 3 YEARS	4TH YEAR OR MORE	NOT STATED
TOTAL	8053	313	1004	2964	1567	2201	4
8 YEARS OR LESS	233	99	64	54	12	4	0
HIGH SCHOOL							
1 - 3 YEARS	898	97	332	359	80	30	0
4TH YEAR	3141	88	476	1633	578	365	1
COLLEGE							
1 - 3 YEARS	1868	24	106	639	566	532	1
4TH YEAR OR MORE	1906	5	24	278	330	1269	0
NOT STATED	7	0	2	1	1	1	2

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1983

AGE OF WIFE IN YEARS

AGE OF HUSBAND IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	3525	26	509	863	697	556	373	206	116	80	40	29	30
UNDER 20	3	0	2	0	1	0	0	0	0	0	0	0	0
20-24	276	16	203	43	9	1	1	0	0	0	0	0	3
25-29	738	5	238	403	71	11	4	0	1	1	0	0	4
30-34	750	3	48	305	326	52	9	2	2	0	0	0	3
35-39	610	0	8	76	207	265	41	8	2	0	0	0	3
40-44	447	2	3	21	50	150	189	18	8	3	0	0	3
45-49	276	0	1	8	20	47	91	96	8	2	1	0	2
50-54	182	0	1	3	5	19	23	55	57	12	5	0	2
55-59	106	0	1	1	3	7	7	17	25	33	7	3	2
60-64	60	0	0	0	1	1	5	4	8	19	16	6	0
65 & OVER	55	0	0	1	0	1	2	5	4	10	11	20	1
UNKNOWN	22	0	4	2	4	2	1	1	1	0	0	0	7

TABLE 40 - DIVORCES BY NUMBER OF TIMES MARRIED BEFORE THIS DIVORCE BY SEX: RHODE ISLAND, 1983

(RHODE ISLAND OCCURRENCES)

NUMBER OF HUSBAND'S MARRIAGES	TOTAL DIVORCES	NUMBER OF WIFE'S MARRIAGES: FIRST	SECOND	THIRD	FOURTH OR MORE	UNKNOWN
TOTAL DIVORCES	3525	2776	587	58	13	91
FIRST	2786	2497	270	12	4	3
SECOND	554	244	266	34	7	3
THIRD	85	29	42	11	2	1
FOURTH OR MORE	12	3	8	1	0	0
UNKNOWN	88	3	1	0	0	84

TABLE 41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE: RHODE ISLAND, 1983

(RHODE ISLAND OCCURRENCES)

AGE GROUP IN YEARS	HUSBAND				WIFE			
	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN
TOTAL	3525	2786	651	88	3525	2776	658	91
UNDER 20	3	3	0	0	26	26	0	0
20-24	276	269	5	2	509	487	16	6
25-29	738	676	49	13	863	754	92	17
30-34	750	644	98	8	697	546	141	10
35-39	610	459	137	14	556	399	140	17
40-44	447	307	120	20	373	257	100	16
45-49	276	184	79	13	206	134	62	10
50-54	182	120	55	7	116	75	36	5
55-59	106	59	42	6	80	42	31	7
60-64	60	28	31	1	40	25	15	0
OVER 64	55	23	31	1	29	12	17	0
UNKNOWN	22	15	4	3	30	19	8	3

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1983

(RHODE ISLAND OCCURRENCES)

	HUSBAND	WIFE
TOTAL DIVORCES GRANTED TO REMARRIED PERSONS	651	658
NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY:		
DIVORCE ONLY:	567	585
DEATH ONLY:	45	44
COMBINATION OF DEATH AND DIVORCE:	8	7
UNKNOWN:	29	20

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1983

(RHODE ISLAND OCCURRENCES)

NUMBER OF CHILDREN PER DIVORCE	TOTAL CHILDREN UNDER 18 AFFECTED	TOTAL DIVORCES	NUMBER OF DIVORCES BY COUNTY				
			BRISTOL	KENT	NEWPORT	PROVIDENCE	WASHINGTON
TOTAL	3671	3525	136	677	306	2052	354
NONE	0	1328	42	223	109	826	122
ONE	934	934	41	179	88	532	94
TWO	1594	797	40	164	68	436	89
THREE	741	247	7	55	19	136	30
FOUR	248	62	1	13	6	31	6
FIVE	90	18	1	3	1	10	3
SIX	36	6	0	0	1	5	0
SEVEN	28	4	0	0	0	4	0
NOT STATED	*	129	4	23	14	72	10

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY SEX: RHODE ISLAND, 1983

(RHODE ISLAND OCCURRENCES)

LAST GRADE COMPLETED	HUSBAND		WIFE	
	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL	3525	100.0	3525	100.0
8 YEARS OR LESS	282	8.0	164	4.7
HIGH SCHOOL				
1 - 3 YEARS	577	16.4	505	14.3
4 YEARS	1346	38.2	1608	45.6
COLLEGE				
1 - 3 YEARS	480	13.6	590	16.7
4 YEARS OR MORE	591	16.8	418	11.9
NOT STATED	249	7.1	240	6.8